

e *Abrotanella*
eroidestasmanian
 cushionplant
 e *Abrotanella*
scapigera
 funnel snow-wort
 e *Acacia axillaris*
 midlands wattle
 i *Acacia baileyana*
 undra wattle
 Acacia dealbata
 subsp. *dealbata*
 silver wattle
 i *Acacia decurrens*
 green wattle
 Acacia genistifolia
 spreading wattle
 Acacia gunnii
 ploughshare wattle
 Acacia implexa
 hickory wattle
 Acacia longhorn

The Little Book of Common Names



for Tasmanian

Plants

plants

coast wattle
 black wattle
 Acacia longhorn
 o *Acacia mucronata*
 e *Acacia mucronata*
 var. *depressa*

Hans & Annie Wapstra

Mark Wapstra

Louise Gilfedder

preface

This standardised list of common plant names will enable consistency of use in departmental publications, such as interpretation literature, databases and other documents and signs prepared for the public. The list and the thinking behind its rules are published so anybody can see how it evolved in a thoughtful and considered way. It will also be useful for others who want a source of standard common names for Tasmanian plants.

Many clients of this Department have expressed a strong desire for this publication. However the list will no doubt engender strong feelings amongst some and complete disinterest amongst others. Some scientific plant taxonomists for example abhor common names because such names lack scientific integrity whilst the local field naturalist or nurseryman may use mainly common names as this is how they relate to the plants. There would be much less ambiguity if everyone used current scientific names, but this is unlikely ever to happen. Many people feel much more comfortable using names that are explicitly “common” regardless of whether these are still actually Latin words or much stranger words or phrases.

In pastoral and agricultural spheres, the consequences of inconsistent common names for economically important plants were pointed out by CSIRO in a 1953 publication. A comprehensive list has been prepared of New Zealand plant common names and is an exercise similar in scope to this present work. Standardised common names were recently prepared for sea fishes in Australia because there had been marketing problems caused by the sale of fish under different vernacular names.

The compilation of this list is a commendable achievement by the authors. A work like this cannot draw on rules as universally accepted as those of the International Code of Botanical Nomenclature are, so a new set of criteria was devised. This publication will support consistency based on these criteria.

Stephen Harris
Principal Botanist
Department of Primary Industries, Water and Environment.

acknowledgements

The project to produce a checklist of common names for all Tasmanian plants began a number of years ago when one of us (HW) was still working in the Biodiversity Conservation Branch of the Department of Primary Industries, Water and Environment (DPIWE). We thank Stephen Harris, Principal Botanist, for his foresight and his continuing encouragement to see it through to completion.

The checklist draws on an informal list of names for native plants in use by the Biodiversity Conservation Branch, which in turn was based on a database compiled by Alasdair Wells and others many years before, and added to by Renee Nicholson. A database of names for introduced plants was maintained by Tim Rudman. We take our hat off to all those who have laid the base for the present product.

Our special thanks go to a number of people who commented on various drafts and provided much assistance. They are Will Fletcher of the Tasmanian Plant Nursery who has a particular interest in common plant names because of his customers, Andrew North of North Barker Ecosystem Services who has a similar need in serving his clients and Alan Gray of the Tasmanian Herbarium.

We thank the people we consulted for special groups, including Marco Duretto (*Boronia*) and Jean Jarman (*Epacridaceae*) of the Tasmanian Herbarium, Wendy Potts (*Euphrasia*) of the Threatened Species Section of DPIWE and Michael Garrett (*Pteridophyta*).

introduction

Botany is of interest to a large number of people, the majority of them amateur botanists, people in the landcare movement, land managers such as foresters and farmers, or just people who like the bush and want to know the name of plants they find. They use common names because they can get their tongue around them. The world of botany cannot do without the professional botanists and taxonomists but it is also inhabited and enriched by a vast number of non-professionals. They may not have been educated in classical Latin or Greek nor done a botany course at university. For them scientific plant names may appear intimidating.

This booklet provides *preferred common names* for all Tasmanian vascular plants, including introduced plants. A scientific plant name applies to a single species and the allocation of names is bound by a strict set of internationally accepted rules. Common names are not subject to such rules and are often imprecise, sometimes confusing. Many plants are known by different names in different parts of Australia, which may differ again from those in other parts of the world. A common name may apply to more than one species as is quite often the case when a species is split and the old common name is used for the new species as well. In some cases the same common name may apply to plants that are unrelated and do not even look similar.

In selecting the preferred common name we have referred to numerous botany books from Tasmania and other States, where necessary other countries. In addition, the internet has been a surprising resource. We have strived for consistency, at least within Australia. We have maintained most names in use in Tasmania but there are a few exceptions where the plant was widely known by another name in a number of other States.

Quite a number of plants did not have a common name. Our starting point has been that *all plants deserve a common name*. We have had many interesting discussions on this point. Some botanists feel strongly that names should not be made up because that is against the basic principle of a common name. We do not agree. If a common name has not come up naturally in the last 100 years, it is not likely to happen soon. Almost by definition, a common name will only arise naturally for common plants, not for uncommon plants that are only ever encountered or recognised by a handful of people. Other botanists feel that common names are confusing and people should be educated to use the precise scientific names. We feel that this has largely failed in the past and is not likely to change in the future. A few botanists, especially those with a taxonomic bent, are simply not interested in thinking about common names as they are not used in their profession. The taxonomist who describes a new species has just explored the characters that distinguish it and has given the plant a scientific name that probably reflects a key character. Who better placed to allocate a nice descriptive common name as well? It is pleasing to note that some taxonomists are now doing this.

What about all the other common names? They continue to exist and there is no law against them. We have listed only the preferred common names in this booklet to encourage the use of a single name in Tasmania and avoid the confusion that comes with perpetuating other names. These will be included in a larger book, together with their history and derivation, as well as the etymology and pronunciation of scientific names.

The species listed in this checklist are in accordance with the electronic 2005 version of A.M. Buchanan, *A Census of the Vascular Plants of Tasmania*, Tasmanian Herbarium, available from the Tasmanian Museum and Art Gallery website at www.tmag.tas.gov.au.

A useful companion to the checklist is an electronic dictionary that can be downloaded from www.dpiwe.tas.gov.au/plants. When installed on your computer, it will check and correct the spelling of scientific names in your documents. It also contains all common names that the more conservative dictionaries in your computer might flag as incorrect (e.g. *riceflower*).

guidelines

In selecting a preferred common name we have applied a number of “rules” as consistently as possible. We commend them to others as a guide when describing a new species or when an existing species is discovered in the State for the first time and a common name has to be selected.

Binomial names

A common name should be binomial just like the scientific name (*Hydrocotyle hirta* = hairy pennywort). Where possible, the generic common name should apply to all species in that genus (all *Hydrocotyle* species are pennywort), especially if they share a common feature that is reflected in the name. It does not always work, for instance, it would not be sensible to rename *Acacia melanoxylon* a wattle because blackwood is a good and long-established name. Trinomial names can be appropriate for subspecies and varieties.

Hyphens

Hyphens should be avoided where possible. The use of hyphens to separate or join words in the English language is subject to continuous and rapid evolution, as can be noticed daily on television and in the printed word. The use of hyphens in plant names has gone the same way, as is obvious from the inconsistencies between the different books we consulted. Inconsistency is often found within the one book or list, probably because some of the names were simply copied from other sources.

- a. The *Australian English Style Guide* states that compound nouns can be left spaced except when the second noun is a common and general word that depends on the preceding qualifying word for its specificity. In other words, *rice flower* should not remain spaced but should be joined to become *rice-flower* or *riceflower*.

- b. The *Style Guide* also observes that compound nouns begin life spaced (e.g. *wood rush*), then become hyphenated (*wood-rush*) and finish up as solid words (*woodrush* as is now commonly used). The more commonplace the word is, the quicker it goes through this cycle. Nobody now spells jellyfish other than as one word.
- c. A common editorial policy is that consistency is best achieved by advancing remaining hyphenated names to solid (*riceflower*), which they would become over time anyway.
- d. The same considerations apply to descriptive prefixes like *black-fruited* as opposed to *blackfruit*. The latter application has gained wide acceptance and is followed here.
- e. Exceptions are unavoidable where a word becomes hard to pronounce, for instance, when letters collide (e.g. *small-leaf*, *mouse-ear*), although we note that in America *mouseear* chickweed is already accepted.
- f. Another exception concerns the large group of orchids, which have traditionally been spaced words (*sun orchid*) in Tasmania. Solid names worked well for some but not others, so for the sake of consistency within the group we opted for the more conservative hyphenated form (e.g. *sun-orchid*) widely used in other States.

The hyphen issue has been the subject of much discussion. It is encumbered by tradition, personal likes and dislikes, and some strong views. However, whether we like it or not, the changes are happening, pushed along at very rapid pace by the internet that seems to join anything and everything. Some names may look a little strange at first but this wears off quickly. Possible ambiguity (*clubsedge*) is hardly likely to arise in a text about plants.

Another example is *forgetmenot*, which was a problem until we discovered that it was already just as common as the hyphenated form. Predictably, *forget-me-not* will raise eyebrows in a few short years.

Apostrophes

Apostrophes should be avoided. They are an unnecessary nicety that is facing a losing battle in the English language generally. Apostrophes are frequently misplaced and do not assist in reading a name correctly. The world of cartography has long dropped them and nobody has a problem with Archers Lane or Sullivans Cove.

Capitals

Capitals should not be used for plant names. Again, we have followed the *Australian English Style Guide*, which specifically states that common names for flora and fauna should not be capitalised. Thus, we encourage lower case for plant names (*velvet boronia*, *silver banksia*) in texts and lists.

The *Style Guide* further states that eponyms (named after people or places) do not need to be capitalised because they work as common nouns, e.g. *banksia*. In other names they may have become a simple byword (*milligans* snowgentian) where an already tenuous connection with Joseph Milligan has long been lost. Similarly, geographical prefixes in plant names (*african*, *australian*) have become simple bywords. We no longer think of Malta when referring to the malta thistle.

Descriptive names

Where possible, a common name should say something about the plant. We have attempted to select descriptive names.

Anglicised scientific names

Such names are not descriptive and often become confusing due to taxonomic changes. Mountain cotula may not have been the best choice for *Cotula filicula*, but it was acceptable until the species was placed in the genus *Leptinella*. There are numerous other examples. As common names tend to persist regardless of taxonomic changes, it is best to avoid anglicised generic names entirely.

People and places

Taxonomists often name a plant in honour of a person or to thank a person (*Boronia paulwilsonii*). To translate such a name into a common name is not helpful as it is not descriptive of the plant. In many cases it would be inappropriate as well because often the person concerned does not have a direct link with the plant. Locality names should also be avoided unless it is very certain that the plant is indeed confined to that place.

Common, native, austral

We have avoided *common* where it was misleading. Many of the plants that were so named are not common at all, and some are actually threatened in Tasmania. We have also tried to avoid *native* as it is often a misnomer going back to the days when wombats were called badgers, and sometimes misleading (*native gorse* is not a *gorse* and the name implies that it is a weed). The epithet *australis* is often translated into a common name with *austral*. Many users take *austral* to mean Australian and for this reason misspell it with a capital. It means *southern* (hemisphere usually) which should be the preferred term.

Weed

The term *weed* should be restricted to introduced plants and be avoided for natives. There are some exceptions where the name is descriptive and well-established, e.g. *fireweed*.

Checklist – *alphabetical*

e endemic to Tasmania
i introduced and naturalised in Tasmania
m occurs only on Macquarie Island
t within Australia only present in Tasmania
x extinct in Tasmania

e	<i>Abrotanella forsteroides</i>	tasmanian cushionplant
e	<i>Abrotanella scapigera</i>	funnel snow-wort
e	<i>Acacia axillaris</i>	midlands wattle
i	<i>Acacia baileyana</i>	cootamundra wattle
	<i>Acacia dealbata</i> subsp. <i>dealbata</i>	silver wattle
i	<i>Acacia decurrens</i>	green wattle
e	<i>Acacia derwentiana</i>	derwent wattle
	<i>Acacia genistifolia</i>	spreading wattle
	<i>Acacia gunnii</i>	ploughshare wattle
	<i>Acacia implexa</i>	hickory wattle
i	<i>Acacia longifolia</i> subsp. <i>longifolia</i>	sydney coast wattle
	<i>Acacia longifolia</i> subsp. <i>sophorae</i>	coast wattle
	<i>Acacia meamsii</i>	black wattle
	<i>Acacia melanoxylon</i>	blackwood
e	<i>Acacia mucronata</i> subsp. <i>dependens</i>	blunt caterpillar wattle
	<i>Acacia mucronata</i> subsp. <i>longifolia</i>	longleaf caterpillar wattle
	<i>Acacia mucronata</i> subsp. <i>mucronata</i>	erect caterpillar wattle
	<i>Acacia myrtifolia</i>	redstem wattle
i	<i>Acacia paradoxa</i>	thorn wattle
e	<i>Acacia pataczekii</i>	wallys wattle
i	<i>Acacia pycnantha</i>	golden wattle
	<i>Acacia retinodes</i> var. <i>uncifolia</i>	wirilda
e	<i>Acacia riceana</i>	arching wattle
	<i>Acacia siculiformis</i>	dagger wattle
	<i>Acacia stricta</i>	hop wattle
	<i>Acacia suaveolens</i>	sweet wattle
	<i>Acacia terminalis</i>	sunshine wattle
	<i>Acacia ulicifolia</i>	juniper wattle

	<i>Acacia verniciflua</i>	varnish wattle
	<i>Acacia verticillata</i> subsp. <i>ovoidea</i>	prostrate prickly Moses
	<i>Acacia verticillata</i> subsp. <i>ruscifolia</i>	broadleaf prickly Moses
	<i>Acacia verticillata</i> subsp. <i>verticillata</i>	prickly Moses
	<i>Acaena agnipila</i> var. <i>aequispina</i>	hairy sheepsburr
	<i>Acaena agnipila</i> var. <i>tenuispica</i>	hairy sheepsburr
	<i>Acaena echinata</i> var. <i>retrorsumpilosa</i>	spiny sheepsburr
	<i>Acaena echinata</i> var. <i>subglabralcalyx</i>	spiny sheepsburr
	<i>Acaena echinata</i> var. <i>tylacantha</i>	spiny sheepsburr
m	<i>Acaena magellanica</i>	subantarctic buzzy
m	<i>Acaena minor</i>	little burr
e	<i>Acaena montana</i>	mountain buzzy
	<i>Acaena novae-zelandiae</i>	common buzzy
	<i>Acaena ovina</i> var. <i>velutina</i>	downy sheepsburr
	<i>Acaena pallida</i>	dune buzzy
	<i>Acaena Xanserovina</i>	hybrid sheepsburr
i	<i>Acanthus mollis</i>	bears breeches
i	<i>Acetosa sagittata</i>	rambling dock
i	<i>Acetosella vulgaris</i>	sheep sorrel
i	<i>Achillea distans</i>	tansyleaf yarrow
i	<i>Achillea millefolium</i>	yarrow
i	<i>Achnatherum caudatum</i>	espartillo
	<i>Acianthus pusillus</i>	small mosquito-orchid
e	<i>Acradenia frankliniae</i>	whitey wood
	<i>Acrotriche affinis</i>	ridged groundberry
	<i>Acrotriche cordata</i>	coast groundberry
	<i>Acrotriche serrulata</i>	ants delight
	<i>Actinotus bellidioides</i>	tiny flannelflower
e	<i>Actinotus moorei</i>	splitleaf flannelflower
t	<i>Actinotus suffocata</i>	crimson flannelflower
	<i>Actites megalocarpa</i>	dune thistle
	<i>Adiantum aethiopicum</i>	common maidenhair
i	<i>Adonis microcarpa</i>	pheasants eye
i	<i>Aegopodium podagraria</i>	goutweed
i	<i>XAgropogon littoralis</i>	perennial beardgrass
e	<i>Agastachys odorata</i>	fragrant candlebush
i	<i>Agrostemma githago</i>	corn cockle
	<i>Agrostis australiensis</i>	southern bent
	<i>Agrostis bettyae</i>	alpine bent

i	<i>Agrostis capillaris</i> var. <i>aristata</i>	awned browntop bent	i	<i>Amaranthus deflexus</i>	spreading pigweed
i	<i>Agrostis capillaris</i> var. <i>capillaris</i>	browntop bent	i	<i>Amaranthus graecizans</i>	prostrate pigweed
	<i>Agrostis diemenica</i>	flatleaf southern bent	i	<i>Amaranthus powellii</i>	green pigweed
i	<i>Agrostis gigantea</i>	redtop bent	i	<i>Amaranthus spinosus</i>	spiny pigweed
	<i>Agrostis joyceae</i>	alpine bent	i	<i>Ammi majus</i>	bishopsweed
m	<i>Agrostis magellanica</i>	subantarctic bent	i	<i>Ammobium alatum</i>	winged everlasting
	<i>Agrostis muelleriana</i>	muellers bent	e	<i>Ammobium calyceroides</i>	spiny everlasting
	<i>Agrostis parviflora</i>	smallflower bent	i	<i>Ammophila arenaria</i>	marram grass
	<i>Agrostis propinqua</i>	alpine bent		<i>Amperea xiphoclada</i>	broom spurge
i	<i>Agrostis stolonifera</i>	creeping bent		<i>Amphibolis antarctica</i>	sea nymph
	<i>Agrostis thompsoniae</i>	hair bent		<i>Amphibromus archeri</i>	pointed swampgrass
	<i>Agrostis venusta</i>	graceful bent		<i>Amphibromus fluitans</i>	floating swampgrass
i	<i>Aira caryophyllaea</i>	silvery hairgrass		<i>Amphibromus macrorrhinus</i>	longnose swampgrass
i	<i>Aira elegantissima</i>	delicate hairgrass		<i>Amphibromus neesii</i>	southern swampgrass
i	<i>Aira praecox</i>	early hairgrass		<i>Amphibromus nervosus</i>	common swampgrass
	<i>Ajuga australis</i>	australian bugle		<i>Amphibromus recurvatus</i>	dark swampgrass
i	<i>Ajuga reptans</i>	european bugle		<i>Amphibromus sinuatus</i>	lax swampgrass
i	<i>Alisma plantago-aquatica</i>	water plantain	i	<i>Amsinckia calycina</i>	hairy fiddleneck
	<i>Allittia cardiocarpa</i>	swamp daisy	i	<i>Anagallis arvensis</i> var. <i>arvensis</i>	scarlet pimpernel
i	<i>Allium ampeloprasum</i>	wild leek	i	<i>Anagallis arvensis</i> var. <i>caerulea</i>	blue pimpernel
i	<i>Allium neapolitanum</i>	naples onion	i	<i>Anchusa arvensis</i>	bugloss
i	<i>Allium triquetrum</i>	triangular garlic	e	<i>Anemone crassifolia</i>	mountain anemone
i	<i>Allium vineale</i>	crow garlic		<i>Angianthus preissianus</i>	salt cupflower
e	<i>Allocasuarina crassa</i>	cape pillar sheoak	e	<i>Anisotome procumbens</i>	mountain celery
e	<i>Allocasuarina duncanii</i>	conical sheoak	e	<i>Anodopetalum biglandulosum</i>	horizontal
	<i>Allocasuarina littoralis</i>	black sheoak		<i>Anogramma leptophylla</i>	annual fern
e	<i>Allocasuarina monilifera</i>	necklace sheoak	e	<i>Anopterus glandulosus</i>	tasmanian laurel
	<i>Allocasuarina paludosa</i>	scrub sheoak	i	<i>Anredera cordifolia</i>	madeira vine
	<i>Allocasuarina verticillata</i>	drooping sheoak	i	<i>Anthemis arvensis</i>	corn chamomile
e	<i>Allocasuarina zephyrea</i>	western sheoak	i	<i>Anthemis cotula</i>	stinking chamomile
	<i>Almalea subumbellata</i>	wiry bushpea	i	<i>Anthemis tinctoria</i>	yellow chamomile
i	<i>Alnus cordata</i>	italian alder	i	<i>Anthoxanthum odoratum</i>	sweet vernalgrass
i	<i>Aloe saponaria</i>	soap aloe	i	<i>Anthriscus caucalis</i>	burr chervil
i	<i>Alopecurus geniculatus</i>	marsh foxtail		<i>Anzybas fordhamii</i>	swamp pelican-orchid
i	<i>Alopecurus myosuroides</i>	slender foxtail		<i>Anzybas unguiculatus</i>	small pelican-orchid
i	<i>Alopecurus pratensis</i>	meadow foxtail		<i>Aotus ericoides</i>	golden pea
	<i>Alternanthera denticulata</i>	lesser joyweed		<i>Apalochlamys spectabilis</i>	sticky firebush
	<i>Alyxia buxifolia</i>	seabox	i	<i>Aphanes arvensis</i>	parsley piert
i	<i>Amaranthus albus</i>	tumble pigweed		<i>Aphanes australiana</i>	australian piert

- | | | | | |
|---|---|-------------------------|--|-------------------------|
| i | <i>Aphanes microcarpa</i> | smallfruit piert | <i>Asperula conferta</i> var. <i>abbreviata</i> | crowded common woodruff |
| | <i>Aphelia gracilis</i> | slender fanwort | <i>Asperula conferta</i> var. <i>conferta</i> | common woodruff |
| | <i>Aphelia pumilio</i> | dwarf fanwort | <i>Asperula conferta</i> var. <i>scoparioides</i> | prickly common woodruff |
| | <i>Apium annuum</i> | annual sea-celery | e <i>Asperula gunnii</i> var. <i>curta</i> | short mountain woodruff |
| | <i>Apium insulare</i> | island sea-celery | <i>Asperula gunnii</i> var. <i>gunnii</i> | mountain woodruff |
| | <i>Apium prostratum</i> subsp. <i>prostratum</i> var. <i>filiforme</i> | slender sea-celery | <i>Asperula minima</i> | mossy woodruff |
| | <i>Apium prostratum</i> subsp. <i>prostratum</i> var. <i>prostratum</i> | creeping sea-celery | <i>Asperula pusilla</i> | alpine woodruff |
| | <i>Apodasmia brownii</i> | coarse twinerush | <i>Asperula scoparia</i> var. <i>scoparia</i> | prickly woodruff |
| i | <i>Aponogeton distachyos</i> | cape pondweed | <i>Asperula subsimplex</i> | water woodruff |
| i | <i>Aptenia cordifolia</i> | heartleaf iceplant | i <i>Asphodelus fistulosus</i> | onion weed |
| i | <i>Arabidopsis thaliana</i> | thale cress | <i>Asplenium appendiculatum</i> subsp. <i>appendiculatum</i> | narrow spleenwort |
| e | <i>Archeria comberi</i> | pink summit-heath | <i>Asplenium bulbiferum</i> subsp. <i>gracillimum</i> | mother spleenwort |
| e | <i>Archeria eriocarpa</i> | hairy rainforest-heath | <i>Asplenium flabellifolium</i> | necklace fern |
| e | <i>Archeria hirtella</i> | smooth rainforest-heath | <i>Asplenium flaccidum</i> subsp. <i>flaccidum</i> | weeping spleenwort |
| e | <i>Archeria minor</i> | small summit-heath | <i>Asplenium hookerianum</i> | maidenhair spleenwort |
| e | <i>Archeria serpyllifolia</i> | thyme summit-heath | <i>Asplenium obtusatum</i> subsp. <i>northlandicum</i> | shore spleenwort |
| i | <i>Arctium minus</i> | lesser burdock | <i>Asplenium trichomanes</i> subsp. <i>quadrivalens</i> | limestone spleenwort |
| i | <i>Arctotheca calendula</i> | capeweed | <i>Asplenium trichomanes</i> subsp. <i>trichomanes</i> | dolerite spleenwort |
| i | <i>Arctotheca populifolia</i> | coast capeweed | e <i>Astelia alpina</i> var. <i>alpina</i> | pineapple grass |
| i | <i>Arctotis stoechadifolia</i> | african daisy | i <i>Aster subulatus</i> | asterweed |
| i | <i>Arenaria leptoclados</i> | slender sandwort | e <i>Asterotrichion discolor</i> | tasmanian currajong |
| i | <i>Arenaria serpyllifolia</i> | thymeleaf sandwort | <i>Astroloma humifusum</i> | native cranberry |
| i | <i>Argemone ochroleuca</i> | prickly poppy | <i>Astroloma pinifolium</i> | pine heath |
| | <i>Argentipallium dealbatum</i> | white everlasting | <i>Atherosperma moschatum</i> | sassafras |
| | <i>Argentipallium obtusifolium</i> | blunt everlasting | e <i>Athrotaxis cupressoides</i> | pencil pine |
| e | <i>Argentipallium spiceri</i> | spicers everlasting | e <i>Athrotaxis selaginoides</i> | king billy pine |
| | <i>Argyrotegium fordianum</i> | soft cottonleaf | e <i>Athrotaxis Xlaxifolia</i> | hybrid pencil pine |
| | <i>Argyrotegium nitidulum</i> | shining cottonleaf | i? <i>Atriplex australasica</i> | southern saltbush |
| | <i>Argyrotegium poliochlorum</i> | greygreen cottonleaf | <i>Atriplex billardiarei</i> | glistening saltbush |
| i | <i>Aristida benthamii</i> var. <i>benthamii</i> | three-awned speargrass | <i>Atriplex cinerea</i> | grey saltbush |
| e | <i>Aristotelia peduncularis</i> | heartberry | i <i>Atriplex hortensis</i> | garden orache |
| i | <i>Arrhenatherum elatius</i> var. <i>bulbosum</i> | bulbous oatgrass | <i>Atriplex paludosa</i> subsp. <i>paludosa</i> | marsh saltbush |
| | <i>Arthropodium milleflorum</i> | pale vanilla-lily | i <i>Atriplex patula</i> | spear orache |
| | <i>Arthropodium minus</i> | small vanilla-lily | i <i>Atriplex prostrata</i> | creeping orache |
| | <i>Arthropodium pendulum</i> | drooping vanilla-lily | i <i>Atriplex semibaccata</i> | berry saltbush |
| | <i>Arthropodium strictum</i> | chocolate lily | <i>Atriplex suberecta</i> | sprawling saltbush |
| i | <i>Asparagus asparagoides</i> | bridal creeper | <i>Australina pusilla</i> subsp. <i>muelleri</i> | shade nettle |
| i | <i>Asparagus officinalis</i> | asparagus | <i>Australina pusilla</i> subsp. <i>pusilla</i> | small shade nettle |
| i | <i>Asparagus scandens</i> | asparagus fern | e <i>Australopyrum pectinatum</i> | prickly wheatgrass |

<i>Australopyrum velutinum</i>	velvet wheatgrass	<i>Baeckea gunniana</i>	alpine heathmyrtle
<i>Austrocynoglossum latifolium</i>	forest houndstongue	e <i>Baeckea leptocaulis</i>	slender heathmyrtle
<i>Austrodanthonia alpicola</i>	mountain wallabygrass	<i>Ballantinia antipoda</i>	southern shepherds purse
<i>Austrodanthonia caespitosa</i>	common wallabygrass	<i>Baloskion australe</i>	southern cordrush
<i>Austrodanthonia carphoides</i>	short wallabygrass	<i>Baloskion tetraphyllum</i> subsp. <i>tetraphyllum</i>	tassel cordrush
e <i>Austrodanthonia diemenica</i>	tasmanian wallabygrass	x <i>Banksia integrifolia</i> var. <i>integrifolia</i>	coast banksia
<i>Austrodanthonia geniculata</i>	kneel wallabygrass	<i>Banksia marginata</i>	silver banksia
<i>Austrodanthonia induta</i>	tall wallabygrass	<i>Banksia serrata</i>	saw banksia
<i>Austrodanthonia laevis</i>	smooth wallabygrass	e <i>Barbarea australis</i>	riverbed wintercress
<i>Austrodanthonia penicillata</i>	slender wallabygrass	i <i>Barbarea intermedia</i>	garden wintercress
<i>Austrodanthonia pilosa</i>	velvet wallabygrass	i <i>Barbarea verna</i>	early wintercress
e <i>Austrodanthonia popinensis</i>	blue wallabygrass	i <i>Bassia scoparia</i>	copper saltbush
<i>Austrodanthonia racemosa</i> var. <i>racemosa</i>	stiped wallabygrass	i <i>Batrachium trichophyllum</i>	water fennel
e <i>Austrodanthonia remota</i>	remote wallabygrass	<i>Bauera rubioides</i>	wiry bauera
<i>Austrodanthonia setacea</i>	bristly wallabygrass	<i>Baumea acuta</i>	pale twigsedge
<i>Austrodanthonia tenuior</i>	purplish wallabygrass	<i>Baumea arthropphylla</i>	fine twigsedge
<i>Austrofestuca hookeriana</i>	swamp fescue	<i>Baumea articulata</i>	jointed twigsedge
<i>Austrofestuca littoralis</i>	coast fescue	<i>Baumea gunnii</i>	slender twigsedge
e <i>Austrostipa aphylla</i>	leafless speargrass	<i>Baumea juncea</i>	bare twigsedge
<i>Austrostipa bigeniculata</i>	doublejointed speargrass	i? <i>Baumea planifolia</i>	rough twigsedge
<i>Austrostipa blackii</i>	crested speargrass	<i>Baumea rubiginosa</i>	soft twigsedge
<i>Austrostipa flavescens</i>	yellow speargrass	<i>Baumea tetragona</i>	square twigsedge
<i>Austrostipa mollis</i>	soft speargrass	<i>Bedfordia arborescens</i>	tree blanketleaf
<i>Austrostipa nodosa</i>	knotty speargrass	e <i>Bedfordia linearis</i> subsp. <i>linearis</i>	slender blanketleaf
<i>Austrostipa pubinodis</i>	tall speargrass	e <i>Bedfordia linearis</i> subsp. <i>oblongifolia</i> var. <i>curvifolia</i>	curved blanketleaf
<i>Austrostipa rudis</i> subsp. <i>australis</i>	southern speargrass	e <i>Bedfordia linearis</i> subsp. <i>oblongifolia</i> var. <i>oblongifolia</i>	blunt blanketleaf
<i>Austrostipa scabra</i> subsp. <i>falcata</i>	sickle speargrass	e <i>Bedfordia salicina</i>	tasmanian blanketleaf
<i>Austrostipa scabra</i> subsp. <i>scabra</i>	rough speargrass	i <i>Bellardia trixago</i>	mediterranean lineseed
<i>Austrostipa semibarbata</i>	fibrous speargrass	e <i>Bellenden montana</i>	mountain rocket
<i>Austrostipa stipoides</i>	coast speargrass	i <i>Bellis perennis</i>	english daisy
<i>Austrostipa stuposa</i>	corkscrew speargrass	i <i>Berberis darwinii</i>	darwins barberry
i <i>Avellinia michelii</i>	avellinia	i <i>Berkheya rigida</i>	african thistle
i <i>Avena barbata</i>	bearded oat	e <i>Bertya tasmanica</i> subsp. <i>tasmanica</i>	tasmanian bertya
i <i>Avena fatua</i>	wild oat	i <i>Beta vulgaris</i> subsp. <i>maritima</i>	sea beet
i <i>Avena sativa</i>	cereal oat	<i>Beyeria lechenaultii</i> var. <i>latifolia</i>	pale turpentine-bush
i <i>Avena sterilis</i> subsp. <i>ludoviciana</i>	sterile oat	<i>Beyeria viscosa</i>	pinkwood
i <i>Avena strigosa</i>	bristle oat	i <i>Billardiera heterophylla</i>	bluebell creeper
<i>Azolla filiculoides</i>	pacific azolla	e <i>Billardiera longiflora</i>	purple appleberry
m <i>Azorella macquariensis</i>	macquarie azurella	<i>Billardiera macrantha</i>	highland appleberry

- | | | | |
|--|---------------------------|--|-----------------------|
| <i>Billardiera mutabilis</i> | green appleberry | <i>Botrychium lunaria</i> | moonwort |
| e <i>Billardiera nesophila</i> | coastal appleberry | e <i>Brachyglottis brunonis</i> | tasmanian daisytree |
| e <i>Billardiera ovalis</i> | seaspray appleberry | <i>Brachyloma ciliatum</i> | fringed heath |
| e <i>Billardiera viridiflora</i> | northwest appleberry | <i>Brachyloma depressum</i> | spreading heath |
| e <i>Blandfordia punicea</i> | christmas bells | i <i>Brachypodium distachyon</i> | false brome |
| <i>Blechnum cartilagineum</i> | gristle fern | <i>Brachyscome aculeata</i> | hill daisy |
| <i>Blechnum chambersii</i> | lance waterfern | <i>Brachyscome angustifolia</i> var. <i>angustifolia</i> | narrowleaf daisy |
| <i>Blechnum fluviatile</i> | ray waterfern | <i>Brachyscome decipiens</i> | field daisy |
| <i>Blechnum minus</i> | soft waterfern | <i>Brachyscome diversifolia</i> var. <i>diversifolia</i> | tall daisy |
| <i>Blechnum nudum</i> | fishbone waterfern | e <i>Brachyscome diversifolia</i> var. <i>maritima</i> | coastal tall daisy |
| <i>Blechnum patersonii</i> subsp. <i>patersonii</i> | strap waterfern | <i>Brachyscome parvula</i> var. <i>parvula</i> | coast daisy |
| <i>Blechnum penna-marina</i> subsp. <i>alpina</i> | alpine waterfern | <i>Brachyscome perpusilla</i> | tiny daisy |
| <i>Blechnum vulcanicum</i> | wedge waterfern | <i>Brachyscome radicans</i> | marsh daisy |
| <i>Blechnum watsii</i> | hard waterfern | t <i>Brachyscome radicata</i> | spreading daisy |
| <i>Bolboschoenus caldwellii</i> | sea clubsedge | <i>Brachyscome rigidula</i> | cutleaf daisy |
| <i>Bolboschoenus medianus</i> | marsh clubsedge | e <i>Brachyscome sieberi</i> var. <i>gunnii</i> | forest daisy |
| i <i>Borago officinalis</i> | borage | <i>Brachyscome spathulata</i> subsp. <i>glabra</i> | blue daisy |
| <i>Boronia anemonifolia</i> subsp. <i>variabilis</i> | stinky boronia | <i>Brachyscome spathulata</i> subsp. <i>spathulata</i> | spoonleaf daisy |
| e <i>Boronia citriodora</i> subsp. <i>citriodora</i> | central lemon boronia | <i>Brachyscome tenuiscapa</i> var. <i>tenuiscapa</i> | mountain daisy |
| e <i>Boronia citriodora</i> subsp. <i>orientalis</i> | mt barrow lemon boronia | i <i>Brassica juncea</i> | indian mustard |
| e <i>Boronia citriodora</i> subsp. <i>paulwilsonii</i> | leggy lemon boronia | i <i>Brassica napus</i> | rape |
| e <i>Boronia elisabethiae</i> | creeping boronia | i <i>Brassica nigra</i> | black mustard |
| e <i>Boronia gunnii</i> | river boronia | i <i>Brassica oleracea</i> | wild cabbage |
| e <i>Boronia hemichiton</i> | mt arthur boronia | i <i>Brassica rapa</i> | turnip |
| e <i>Boronia hippopala</i> | velvet boronia | i <i>Brassica tournefortii</i> | mediterranean turnip |
| <i>Boronia nana</i> var. <i>hyssopifolia</i> | simple-leaf dwarf boronia | i <i>Briza maxima</i> | greater quaking-grass |
| <i>Boronia nana</i> var. <i>nana</i> | splitleaf dwarf boronia | i <i>Briza minor</i> | lesser quaking-grass |
| <i>Boronia parviflora</i> | swamp boronia | i <i>Bromus alopecuroides</i> | curly brome |
| <i>Boronia pilosa</i> subsp. <i>pilosa</i> | hairy boronia | i <i>Bromus brevis</i> | short brome |
| e <i>Boronia pilosa</i> subsp. <i>tasmanensis</i> | tasman hairy boronia | i <i>Bromus cecadilla</i> | chilean brome |
| <i>Boronia rhomboidea</i> | broadleaf boronia | i <i>Bromus diandrus</i> | great brome |
| e <i>Boronia rozefeldsii</i> | schouten boronia | i <i>Bromus hordeaceus</i> | soft brome |
| <i>Bossiaea cinerea</i> | showy bossia | i <i>Bromus japonicus</i> var. <i>vestitus</i> | japanese brome |
| <i>Bossiaea cordigera</i> | wiry bossia | i <i>Bromus lithobius</i> | american brome |
| <i>Bossiaea obcordata</i> | spiny bossia | i <i>Bromus madritensis</i> var. <i>ciliatus</i> | madrid brome |
| <i>Bossiaea prostrata</i> | creeping bossia | i <i>Bromus sterilis</i> | barren brome |
| <i>Bossiaea riparia</i> | leafless bossia | i <i>Bromus wilddenowii</i> | prairie grass |
| i <i>Bothriochloa macra</i> | redleg grass | <i>Brunonia australis</i> | blue pincushion |
| x <i>Botrychium australe</i> | parsley fern | i <i>Buddleja davidii</i> | butterfly bush |

i	<i>Buglossoides arvensis</i>	sheepweed	<i>Caladenia fuscata</i>	dusky fingers
	<i>Bulbine</i> "Anderson ls."	island leeklily	<i>Caladenia gracilis</i>	musky finger-orchid
	<i>Bulbine bulbosa</i>	golden bulbine-lily	e <i>Caladenia helvina</i>	summer spider-orchid
	<i>Bulbine glauca</i>	bluish bulbine-lily	<i>Caladenia latifolia</i>	pink fairies
	<i>Bulbine semibarbata</i>	smallflower leeklily	e <i>Caladenia lindleyana</i>	lindleys spider-orchid
	<i>Bunochilus melagrammus</i>	blackstripe greenhood	<i>Caladenia mentiens</i>	lesser fingers
e	<i>Bunochilus stenochilus</i>	greenlip greenhood	e <i>Caladenia pallida</i>	rosy spider-orchid
	<i>Bunochilus tunstallii</i>	tunstalls greenhood	<i>Caladenia patersonii</i>	patersons spider-orchid
e	<i>Bunochilus williamsonii</i>	brownlip greenhood	<i>Caladenia prolata</i>	white fingers
	<i>Burchardia umbellata</i>	milkmaids	<i>Caladenia pusilla</i>	tiny fingers
	<i>Burnettia cuneata</i>	lizard orchid	e <i>Caladenia saggicola</i>	sagg spider-orchid
	<i>Bursaria spinosa</i>	prickly box	e <i>Caladenia sylvicola</i>	forest fingers
	<i>Caesia alpina</i>	alpine grasslily	e <i>Caladenia tonellii</i>	robust fingers
	<i>Caesia calliantha</i>	blue grasslily	<i>Caladenia transitoria</i>	green finger-orchid
	<i>Caesia parviflora</i> var. <i>minor</i>	small grasslily	<i>Caladenia vulgaris</i>	summer fingers
	<i>Caesia parviflora</i> var. <i>parviflora</i>	pale grasslily	i x <i>Calamagrostis epigejos</i>	wood smallreed
	<i>Caesia parviflora</i> var. <i>vittata</i>	dark-blue grasslily	<i>Calandrinia calyptata</i>	pink purslane
i	<i>Cakile edentula</i>	american searocket	i <i>Calandrinia ciliata</i>	fringed redmaids
i	<i>Cakile maritima</i>	searocket	<i>Calandrinia eremaea</i>	small purslane
	<i>Caladenia alata</i>	fairy fingers	<i>Calandrinia granulifera</i>	pygmy purslane
	<i>Caladenia alpina</i>	alpine finger-orchid	i <i>Calandrinia menziesii</i>	purple purslane
e	<i>Caladenia angustata</i>	narrowleaf finger-orchid	<i>Caleana major</i>	flying duck-orchid
e	<i>Caladenia anthracina</i>	blacktip spider-orchid	i <i>Calendula arvensis</i>	field marigold
e	<i>Caladenia atrata</i>	dark finger-orchid	i <i>Calendula officinalis</i>	garden marigold
e	<i>Caladenia atrochila</i>	darkheart fingers	<i>Callistemon pallidus</i>	yellow bottlebrush
	<i>Caladenia aurantiaca</i>	orangetip fingers	e <i>Callistemon viridiflorus</i>	prickly bottlebrush
	<i>Caladenia australis</i>	southern spider-orchid	m <i>Callitriche antarctica</i>	subantarctic waterstarwort
	<i>Caladenia brachyscapa</i>	short spider-orchid	<i>Callitriche brachycarpa</i>	short waterstarwort
e	<i>Caladenia campbellii</i>	thickstem fairy fingers	i <i>Callitriche brutia</i>	stalked waterstarwort
	<i>Caladenia cardiophila</i>	heartlip spider-orchid	<i>Callitriche sonderi</i>	matted waterstarwort
	<i>Caladenia carnea</i>	pink fingers	i <i>Callitriche stagnalis</i>	mud waterstarwort
e	<i>Caladenia caudata</i>	tailed spider-orchid	<i>Callitriche umbonata</i>	winged waterstarwort
	<i>Caladenia clavigera</i>	clubbed spider-orchid	e <i>Callitris oblonga</i> subsp. <i>oblonga</i>	south esk pine
	<i>Caladenia congesta</i>	blacktongue finger-orchid	<i>Callitris rhomboidea</i>	oyster bay pine
e	<i>Caladenia cracens</i>	elegant finger-orchid	i <i>Calluna vulgaris</i>	heather
e	<i>Caladenia dienema</i>	windswept spider-orchid	<i>Calocephalus citreus</i>	lemon beautyheads
	<i>Caladenia dilatata</i>	greencomb spider-orchid	<i>Calocephalus lacteus</i>	milky beautyheads
e	<i>Caladenia echidnachila</i>	fawn spider-orchid	<i>Calochilus campestris</i>	copper beard-orchid
	<i>Caladenia filamentosa</i>	daddy longlegs	<i>Calochilus herbaceus</i>	pale beard-orchid

- | | | | |
|--------------------------------------|--------------------------|-----------------------------------|-----------------------|
| <i>Calochilus imberbis</i> | beardless beard-orchid | i <i>Carex buxbaumii</i> | dark sedge |
| <i>Calochilus paludosus</i> | strap beard-orchid | <i>Carex capillacea</i> | yellowleaf sedge |
| <i>Calochilus robertsonii</i> | purple beard-orchid | e <i>Carex cataractae</i> | lax yellowfruit sedge |
| <i>Calochlaena dubia</i> | rainbow fern | <i>Carex cephalotes</i> | snow sedge |
| <i>Calorophus elongatus</i> | long roperush | <i>Carex chlorantha</i> | greentop sedge |
| e <i>Calorophus erostris</i> | black roperush | <i>Carex aff. cirrhosa</i> | curlytip sedge |
| e <i>Caltha phyloptera</i> | tasmanian snowbuttercup | <i>Carex curta</i> | white sedge |
| <i>Calystegia sepium</i> | swamp bindweed | i <i>Carex demissa</i> | low sedge |
| i <i>Calystegia silvatica</i> | great bindweed | i <i>Carex aff. diandra</i> | halfribbed sedge |
| <i>Calystegia soldanella</i> | sea bindweed | <i>Carex divisa</i> | saltmarsh sedge |
| <i>Calytrix tetragona</i> | common fringemyrtle | i <i>Carex divulsa</i> | grey sedge |
| i <i>Camelina alyssum</i> | stinking flaxweed | <i>Carex fascicularis</i> | tassel sedge |
| i <i>Camelina sativa</i> | false flax | i <i>Carex flacca</i> | blue sedge |
| i <i>Campanula rapunculoides</i> | creeping bellflower | i <i>Carex flagellifera</i> | weeping sedge |
| e <i>Camrynema lineare</i> | green mountainlily | t <i>Carex flaviformis</i> | yellowfruit sedge |
| i <i>Capsella bursa-pastoris</i> | shepherds purse | <i>Carex gaudichaudiana</i> | fen sedge |
| <i>Cardamine astoniae</i> | spreading bittercress | <i>Carex gunniana</i> | mountain sedge |
| m <i>Cardamine corymbosa</i> | subantarctic bittercress | <i>Carex hypandra</i> | dark fen sedge |
| <i>Cardamine aff. corymbosa</i> | corymbose bittercress | <i>Carex inversa</i> | knob sedge |
| i <i>Cardamine flexuosa</i> | wood bittercress | <i>Carex iynx</i> | tussock sedge |
| <i>Cardamine franklinensis</i> | alpine bittercress | i <i>Carex lepidocarpa</i> | yellow sedge |
| <i>Cardamine gunnii</i> | tuberous bittercress | <i>Carex longebrachiata</i> | drooping sedge |
| i <i>Cardamine hirsuta</i> | hairy bittercress | i <i>Carex ovalis</i> | oval sedge |
| <i>Cardamine lilacina</i> | lilac bittercress | i <i>Carex pilulifera</i> | pill sedge |
| <i>Cardamine papillata</i> | warty bittercress | <i>Carex polyantha</i> | river sedge |
| <i>Cardamine paucijuga</i> | annual bittercress | <i>Carex pumila</i> | strand sedge |
| <i>Cardamine tenuifolia</i> | slender bittercress | <i>Carex raleighii</i> | alpine sedge |
| x <i>Cardamine tryssa</i> | delicate bittercress | i <i>Carex scoparia</i> | broom sedge |
| i <i>Cardaria draba</i> | hoary cress | <i>Carex tasmanica</i> | curly sedge |
| i <i>Carduus nutans</i> | nodding thistle | <i>Carex tereticaulis</i> | hollow sedge |
| i <i>Carduus pycnocephalus</i> | slender thistle | i <i>Carex testacea</i> | redbase sedge |
| i <i>Carduus tenuiflorus</i> | winged thistle | m <i>Carex trifida</i> | subantarctic sedge |
| i <i>Carex albula</i> | frosted curls | <i>Carpha alpina</i> | alpine strawsedge |
| e <i>Carex appressa forma minor</i> | shortleaf tall sedge | e <i>Carpha curvata</i> | curly strawsedge |
| t <i>Carex appressa var. virgata</i> | longleaf tall sedge | e <i>Carpha rodwayi</i> | cushion strawsedge |
| <i>Carex archeri</i> | tiny alpine sedge | i <i>Carpobrotus aequilaterus</i> | angled pigface |
| e <i>Carex barbata</i> | barbed sedge | i <i>Carpobrotus edulis</i> | yellow pigface |
| <i>Carex bichenoviana</i> | plains sedge | <i>Carpobrotus rossii</i> | native pigface |
| <i>Carex breviculmis</i> | shortstem sedge | i <i>Carrichtera annua</i> | wardsweed |

i	<i>Carthamus lanatus</i>	saffron thistle	i	<i>Cerastium fontanum</i> subsp. <i>vulgare</i>	common mouse-ear
i	<i>Carthamus tinctorius</i>	safflower	i	<i>Cerastium glomeratum</i>	sticky mouse-ear
	<i>Cassinia aculeata</i>	dollybush	i	<i>Cerastium semidecandrum</i>	little mouse-ear
	<i>Cassinia trinerva</i>	veined dollybush	i	<i>Chamaecytisus palmensis</i>	tree lucerne
	<i>Cassytha glabella</i>	slender dodderlaurel	i	<i>Chamaemelum nobile</i>	chamomile
	<i>Cassytha melantha</i>	large dodderlaurel		<i>Chamaescilla corymbosa</i> var. <i>corymbosa</i>	blue stars
e	<i>Cassytha pedicellosa</i>	stalked dodderlaurel		<i>Chamaesyce drummondii</i>	caustic spurge
	<i>Cassytha pubescens</i>	downy dodderlaurel	i	<i>Chasmanthe floribunda</i>	african cornflag
i	<i>Catapodium marinum</i>	stiff sandgrass	e	<i>Cheesemania radicata</i>	woody mountaincress
i	<i>Catapodium rigidum</i>	ferngrass		<i>Cheilanthes austrotenuifolia</i>	green rockfern
i	<i>Caustis pentandra</i>	thick twistledge		<i>Cheilanthes distans</i>	bristly rockfern
i	<i>Cedronella canariensis</i>	canary balm		<i>Cheilanthes sieberi</i> subsp. <i>sieberi</i>	narrow rockfern
e	<i>Celmisia asteliifolia</i>	silver snowdaisy	i	<i>Chenopodium album</i>	fat hen
e	<i>Celmisia saxifraga</i>	small snowdaisy	x?	<i>Chenopodium erosum</i>	papery goosefoot
e	<i>Cenarrhenes nitida</i>	native plum	i?	<i>Chenopodium glaucum</i>	pale goosefoot
i	<i>Centaurea calcitrapa</i>	star thistle	i	<i>Chenopodium murale</i>	nettleleaf goosefoot
i	<i>Centaurea jacea</i>	brown knapweed	i	<i>Chenopodium pumilio</i>	clammy goosefoot
i	<i>Centaurea melitensis</i>	malta thistle	i	<i>Chenopodium vulvaria</i>	stinking goosefoot
i	<i>Centaurea nigra</i>	black knapweed		<i>Chiloglottis reflexa</i>	autumn bird-orchid
i	<i>Centaurea solstitialis</i>	st barnabys thistle		<i>Chiloglottis trapeziformis</i>	broadlip bird-orchid
i	<i>Centaurium erythraea</i>	common centaury	e	<i>Chionogentias brevisepala</i>	lesser snowgentian
i?	<i>Centaurium spicatum</i>	spike centaury	x	<i>Chionogentias cunninghamii</i> subsp. <i>cunninghamii</i>	cunninghams snowgentian
i	<i>Centaurium tenuiflorum</i>	slender centaury	e	<i>Chionogentias demissa</i>	humble snowgentian
	<i>Centella cordifolia</i>	swampwort	e	<i>Chionogentias diemensis</i> subsp. <i>diemensis</i>	tasmanian snowgentian
	<i>Centipeda cunninghamii</i>	erect sneezeweed	e	<i>Chionogentias diemensis</i> subsp. <i>plantaginea</i>	ben lomond snowgentian
	<i>Centipeda elatinoidea</i>	spreading sneezeweed	e	<i>Chionogentias eichleri</i>	eichlers snowgentian
i	<i>Centranthus ruber</i>	red valerian	e	<i>Chionogentias grandis</i>	greater snowgentian
	<i>Centrolepis aristata</i>	pointed bristlewort	e	<i>Chionogentias gunniana</i>	gunns forestgentian
	<i>Centrolepis fascicularis</i>	tufted bristlewort	e	<i>Chionogentias pleurogynoides</i> subsp. <i>milliganii</i>	milligans snowgentian
	<i>Centrolepis glabra</i>	smooth bristlewort	e	<i>Chionogentias pleurogynoides</i> subsp. <i>pleurogynoides</i>	common snowgentian
e	<i>Centrolepis monogyna</i> subsp. <i>monogyna</i>	western cushion-bristlewort		<i>Chionogentias polysperes</i>	early forestgentian
e	<i>Centrolepis monogyna</i> subsp. <i>paludicola</i>	swamp cushion-bristlewort	t	<i>Chionohebe ciliolata</i>	ben lomond cushionplant
e	<i>Centrolepis muscoides</i>	eastern cushion-bristlewort	i	<i>Chondrilla juncea</i>	skeletonweed
e	<i>Centrolepis pedderensis</i>	pedder bristlewort	e	<i>Chordifex hookeri</i>	woolly buttonrush
	<i>Centrolepis polygyna</i>	wiry bristlewort	e	<i>Chordifex monocephalus</i>	smooth buttonrush
e	<i>Centrolepis strigosa</i> subsp. <i>pulvinata</i>	bassian bristlewort		<i>Chorizandra australis</i>	southern bristlesedge
	<i>Centrolepis strigosa</i> subsp. <i>strigosa</i>	hairy bristlewort		<i>Chorizandra enodis</i>	black bristlesedge
i	<i>Cerastium balearicum</i>	scarious mouse-ear	i	<i>Chrysanthemoides monilifera</i> subsp. <i>monilifera</i>	boneseed
im	<i>Cerastium fontanum</i> subsp. <i>fontanum</i>	soak mouse-ear		<i>Chrysocephalum apiculatum</i>	common everlasting

	<i>Chrysocephalum baxteri</i>	fringed everlasting	<i>Coprosma quadrifida</i>	native currant
	<i>Chrysocephalum semipapposum</i>	clustered everlasting	i <i>Coprosma repens</i>	mirrorbush
i	<i>Cicendia filiformis</i>	slender cicendia	i <i>Coprosma robusta</i>	karamu
i	<i>Cichorium intybus</i>	chicory	i <i>Coronopus didymus</i>	lesser swinecress
i	<i>Cirsium arvense</i>	creeping thistle	i <i>Coronopus squamatus</i>	flat swinecress
i	<i>Cirsium vulgare</i>	spear thistle	<i>Correa alba</i> var. <i>alba</i>	white correa
i	<i>Cistus inflatus</i>	rockrose	<i>Correa backhouseana</i> var. <i>backhouseana</i>	velvet correa
i	<i>Cladium procerum</i>	leafy twigsedge	<i>Correa lawrenceana</i> var. <i>lawrenceana</i>	mountain correa
	<i>Clematis aristata</i>	mountain clematis	<i>Correa reflexa</i> var. <i>nummulariifolia</i>	roundleaf correa
e	<i>Clematis gentianoides</i>	ground clematis	<i>Correa reflexa</i> var. <i>reflexa</i>	common correa
	<i>Clematis microphylla</i>	small-leaf clematis	i <i>Cortaderia jubata</i>	pink pampasgrass
i	<i>Clematis vitalba</i>	travellers joy	i <i>Cortaderia richardii</i>	toe-toe pampasgrass
i	<i>Collomia linearis</i>	tiny trumpet	i <i>Cortaderia selloana</i>	silver pampasgrass
	<i>Colobanthus affinis</i>	alpine cupflower	<i>Corunastylis archeri</i>	elfin midge-orchid
m	<i>Colobanthus apetalus</i> var. <i>alpinus</i>	mountain cupflower	e <i>Corunastylis brachystachya</i>	shortspike midge-orchid
	<i>Colobanthus apetalus</i> var. <i>apetalus</i>	coast cupflower	<i>Corunastylis despectans</i>	sharp midge-orchid
e	<i>Colobanthus curtisiae</i>	grassland cupflower	e <i>Corunastylis firthii</i>	firths midge-orchid
m	<i>Colobanthus muscoides</i>	mossy cupflower	<i>Corunastylis morrisii</i>	bearded midge-orchid
	<i>Colobanthus pulvinatus</i>	cushion cupflower	<i>Corunastylis nuda</i>	tiny midge-orchid
	<i>Comesperma calymega</i>	bluespike milkwort	x <i>Corunastylis nudiscapa</i>	dense midge-orchid
	<i>Comesperma defoliatum</i>	leafless milkwort	<i>Corunastylis pumila</i>	green midge-orchid
	<i>Comesperma ericinum</i>	heath milkwort	e <i>Corunastylis tasmanica</i>	tasmanian midge-orchid
	<i>Comesperma retusum</i>	mountain milkwort	<i>Corybas aconitiflorus</i>	spurred helmet-orchid
	<i>Comesperma volubile</i>	blue lovecreeper	<i>Corysanthes diemenica</i>	stately helmet-orchid
i	<i>Conium maculatum</i>	hemlock	<i>Corysanthes fimbriata</i>	fringed helmet-orchid
e	<i>Conospermum hookeri</i>	tasmanian smokebush	<i>Corysanthes incurva</i>	slaty helmet-orchid
	<i>Convolvulus angustissimus</i> var. <i>angustissimus</i>	blushing bindweed	i <i>Cotoneaster franchetii</i>	grey cotoneaster
i	<i>Convolvulus arvensis</i>	field bindweed	i <i>Cotoneaster glaucophyllus</i>	largeleaf cotoneaster
i	<i>Conyza albida</i>	tall fleabane	i <i>Cotoneaster pannosus</i>	velvet cotoneaster
i	<i>Conyza bonariensis</i>	flaxleaf fleabane	l <i>Cotoneaster simonsii</i>	himalayan cotoneaster
i	<i>Conyza canadensis</i>	canadian fleabane	<i>Cotula alpina</i>	alpine buttons
i x	<i>Conyza chilensis</i>	rough fleabane	<i>Cotula australis</i>	southern buttons
x	<i>Cooperhooia barbata</i>	purple native-primrose	i <i>Cotula coronopifolia</i>	water buttons
	<i>Coprosma hirtella</i>	coffeeberry	<i>Cotula vulgaris</i> var. <i>australasica</i>	slender buttons
	<i>Coprosma moorei</i>	blue matcurrant	<i>Crangonorchis pedoglossa</i>	prawn greenhood
	<i>Coprosma nitida</i>	mountain currant	<i>Craspedia alpina</i>	alpine billybuttons
	<i>Coprosma perpusilla</i> subsp. <i>perpusilla</i>	orange matcurrant	<i>Craspedia coolaminica</i>	mountain billybuttons
m	<i>Coprosma perpusilla</i> subsp. <i>subantarctica</i>	subantarctic matcurrant	e <i>Craspedia glabrata</i>	little alpine billybuttons
	<i>Coprosma pumila</i>	dwarf matcurrant	<i>Craspedia glauca</i>	common billybuttons

- | | | | | |
|---|---|--------------------------|--|------------------------|
| e | <i>Craspedia</i> aff. <i>glauca</i> | midlands billybuttons | <i>Cymbonotus preissianus</i> | southern bears-ears |
| | <i>Craspedia paludicola</i> | swamp billybuttons | i <i>Cynodon dactylon</i> var <i>dactylon</i> | couchgrass |
| e | <i>Craspedia preminghana</i> | preminghana billybuttons | <i>Cynoglossum australe</i> | coast houndstongue |
| | <i>Crassula decumbens</i> var. <i>decumbens</i> | spreading stonecrop | <i>Cynoglossum suaveolens</i> | sweet houndstongue |
| | <i>Crassula exserta</i> | largefruit stonecrop | i <i>Cynosurus cristatus</i> | crested dogstail |
| | <i>Crassula helmsii</i> | swamp stonecrop | i <i>Cynosurus echinatus</i> | rough dogstail |
| t | <i>Crassula moschata</i> | musky stonecrop | i <i>Cyperus congestus</i> | dense flatsedge |
| i | <i>Crassula natans</i> var. <i>minus</i> | floating stonecrop | i <i>Cyperus eragrostis</i> | drain flatsedge |
| | <i>Crassula pedicellosa</i> | stalked stonecrop | <i>Cyperus gunnii</i> | flecked flatsedge |
| | <i>Crassula peduncularis</i> | purple stonecrop | <i>Cyperus lucidus</i> | leafy flatsedge |
| | <i>Crassula sieberiana</i> subsp. <i>sieberiana</i> | rock stonecrop | i? <i>Cyperus sanguinolentus</i> | dark flatsedge |
| | <i>Crassula sieberiana</i> subsp. <i>tetramera</i> | wiry stonecrop | i? <i>Cyperus tenellus</i> | tiny flatsedge |
| i | <i>Crataegus monogyna</i> | hawthorn | e <i>Cyphanthera tasmanica</i> | tasmanian rayflower |
| | <i>Crepidomanes venosum</i> | bristle filmyfern | <i>Cyrtostylis reniformis</i> | small gnat-orchid |
| i | <i>Crepis capillaris</i> | smooth hawksbeard | <i>Cyrtostylis robusta</i> | large gnat-orchid |
| i | <i>Crepis setosa</i> | bristly hawksbeard | <i>Cystopteris tasmanica</i> | brittle bladderfern |
| i | <i>Crococsmia Xcrococsmiiflora</i> | montbretia | i <i>Cytisus scoparius</i> | english broom |
| e | <i>Cryptandra alpina</i> | alpine pearlflower | i <i>Dactylis glomerata</i> | cocksfoot |
| | <i>Cryptandra amara</i> | pretty pearlflower | <i>Damasonium minus</i> | starfruit |
| e | <i>Cryptandra exilis</i> | slender pearlflower | <i>Dampiera stricta</i> | blue dampiera |
| | <i>Cryptostylis leptochila</i> | small tongue-orchid | i <i>Danthonia decumbens</i> | heath grass |
| | <i>Cryptostylis subulata</i> | large tongue-orchid | i <i>Datura ferox</i> | longspine thornapple |
| | <i>Ctenopteris heterophylla</i> | gypsy fern | i <i>Datura stramonium</i> | common thornapple |
| i | <i>Cucumis myriocarpus</i> | prickly paddymelon | i <i>Daucus carota</i> | wild carrot |
| | <i>Cullen microcephalum</i> | dusky scurfpea | <i>Daucus glochidiatus</i> | australian carrot |
| i | <i>Cupressus arizonica</i> | arizona cypress | <i>Daviesia latifolia</i> | hop bitterpea |
| i | <i>Cupressus macrocarpa</i> | monterey cypress | <i>Daviesia sejugata</i> | leafy spiky bitterpea |
| i | <i>Cuscuta epithymum</i> | lesser dodder | <i>Daviesia ulicifolia</i> subsp. <i>ruscifolia</i> | orange spiky bitterpea |
| i | <i>Cuscuta suaveolens</i> | fringed dodder | <i>Daviesia ulicifolia</i> subsp. <i>ulicifolia</i> | yellow spiky bitterpea |
| | <i>Cuscuta tasmanica</i> | golden dodder | i <i>Delairea odorata</i> | cape ivy |
| | <i>Cyathea australis</i> | rough treefern | <i>Derwentia derwentiana</i> subsp. <i>derwentiana</i> | derwent speedwell |
| | <i>Cyathea cunninghamii</i> | slender treefern | <i>Derwentia nivea</i> | snow speedwell |
| | <i>Cyathea Xmarcescens</i> | skirted treefern | <i>Deschampsia cespitosa</i> | tufted hairgrass |
| e | <i>Cyathodes dealbata</i> | carpet cheeseberry | m <i>Deschampsia chapmanii</i> | subantarctic hairgrass |
| e | <i>Cyathodes glauca</i> | purple cheeseberry | t <i>Deschampsia gracillima</i> | slender hairgrass |
| e | <i>Cyathodes platystoma</i> | tall cheeseberry | <i>Desmodium gunnii</i> | southern ticktrefoil |
| e | <i>Cyathodes straminea</i> | spreading cheeseberry | <i>Desmodium varians</i> | slender ticktrefoil |
| i | <i>Cyclosporum leptophyllum</i> | fineleaf celery | e <i>Deyeuxia apsleyensis</i> | apsley bentgrass |
| i | <i>Cymbalaria muralis</i> | ivyleaf toadflax | <i>Deyeuxia benthamiana</i> | benthams bentgrass |

<i>Deyeuxia brachyathera</i>	short bentgrass	<i>Diplazium australe</i>	southern ladyfern
<i>Deyeuxia carinata</i>	keeled bentgrass	e <i>Diplodinium alatum</i>	striped greenhood
<i>Deyeuxia contracta</i>	compact bentgrass	<i>Diplodinium atrans</i>	darktip greenhood
<i>Deyeuxia decipiens</i>	trickery bentgrass	<i>Diplodinium decurvum</i>	summer greenhood
<i>Deyeuxia densa</i>	heath bentgrass	<i>Diplodinium grandiflorum</i>	superb greenhood
<i>Deyeuxia frigida</i>	forest bentgrass	i <i>Diplotaxis muralis</i>	wall rocket
<i>Deyeuxia gunniana</i>	bog bentgrass	i <i>Diplotaxis tenuifolia</i>	sand rocket
<i>Deyeuxia innominata</i>	nameless bentgrass	<i>Dipodium roseum</i>	rosy hyacinth-orchid
ex <i>Deyeuxia lawrencei</i>	lawrences bentgrass	i <i>Dipogon lignosus</i>	dolichos pea
<i>Deyeuxia minor</i>	small bentgrass	i <i>Dipsacus fullonum</i>	wild teasel
<i>Deyeuxia monticola</i>	mountain bentgrass	<i>Discaria pubescens</i>	spiky anchorplant
<i>Deyeuxia quadriseta</i>	reed bentgrass	e <i>Diselma archeri</i>	dwarf pine
<i>Deyeuxia rodwayi</i>	tasman bentgrass	<i>Disphyma crassifolium</i> subsp. <i>clavellatum</i>	roundleaf pigface
<i>Deyeuxia scaberula</i>	rough bentgrass	<i>Distichlis distichophylla</i>	australian saltgrass
<i>Dianella amoena</i>	grassland flaxlily	i <i>Dittrichia graveolens</i>	stinkweed
<i>Dianella brevicaulis</i>	shortstem flaxlily	<i>Diuris chryseopsis</i>	common golden moths
<i>Dianella revoluta</i>	spreading flaxlily	e <i>Diuris lanceolata</i>	large golden moths
<i>Dianella tasmanica</i>	forest flaxlily	<i>Diuris monticola</i>	highland golden moths
i <i>Dianthus armeria</i>	deptford pink	<i>Diuris orientis</i>	eastern wallflower orchid
i <i>Dichanthium sericeum</i>	silky bluegrass	<i>Diuris palustris</i>	swamp doubletail
<i>Dichelachne crinita</i>	longhair plumegrass	<i>Diuris pardina</i>	leopard orchid
<i>Dichelachne inaequiglumis</i>	loose plumegrass	<i>Diuris sulphurea</i>	tiger orchid
<i>Dichelachne micrantha</i>	shorthair plumegrass	e <i>Dockrillia striolata</i> subsp. <i>chrysantha</i>	yellow rock-orchid
<i>Dichelachne rara</i>	common plumegrass	<i>Dockrillia striolata</i> subsp. <i>striolata</i>	streaked rock-orchid
<i>Dichelachne sieberiana</i>	delicate plumegrass	e <i>Dodonaea filiformis</i>	fineleaf hopbush
<i>Dichondra repens</i>	kidneyweed	<i>Dodonaea viscosa</i> subsp. <i>spatulata</i>	broadleaf hopbush
e <i>Dichosciadium ranunculaceum</i> var. <i>tasmanicum</i>	buttercup parsley	t <i>Donatia novae-zelandiae</i>	snow cushionplant
<i>Dicksonia antarctica</i>	soft treefern	<i>Doodia australis</i>	common raspfern
i <i>Digitalis purpurea</i>	foxglove	<i>Doodia caudata</i>	small raspfern
i <i>Digitaria ciliaris</i>	crabgrass	i <i>Draba nemorosa</i>	forest whitlowgrass
i <i>Digitaria sanguinalis</i>	summergrass	e <i>Dracophyllum milliganii</i>	curly mountainheath
i <i>Digitaria ternata</i>	fingergrass	e <i>Dracophyllum minimum</i>	heath cushionplant
<i>Dillwynia cinerascens</i>	grey parrotpea	<i>Drosera arcturi</i>	alpine sundew
<i>Dillwynia glaberrima</i>	smooth parrotpea	<i>Drosera binata</i>	forked sundew
<i>Dillwynia sericea</i>	showy parrotpea	<i>Drosera glanduligera</i>	scarlet sundew
e <i>Diplarrena latifolia</i>	western flag-iris	<i>Drosera macrantha</i>	climbing sundew
<i>Diplarrena moraea</i>	white flag-iris	<i>Drosera peltata</i> subsp. <i>auriculata</i>	tall sundew
e <i>Diplaspis cordifolia</i>	western mountain-pennywort	<i>Drosera peltata</i> subsp. <i>peltata</i>	pale sundew
e <i>Diplaspis hydrocotyle</i>	eastern mountain-pennywort	<i>Drosera</i> aff. <i>peltata</i>	grassland sundew

<i>Drosera pygmaea</i>	dwarf sundew	e <i>Epacris apsleyensis</i>	apsley heath
<i>Drosera spatulata</i>	rosy sundew	e <i>Epacris barbata</i>	bearded heath
<i>Drymophila cyanocarpa</i>	turquoise berry	e <i>Epacris corymbiflora</i>	buttongrass heath
<i>Dryopoa dives</i>	giant mountaingrass	e <i>Epacris curtisiae</i>	northwest heath
i <i>Ecballium elaterium</i>	squirting cucumber	e <i>Epacris exserta</i>	south esk heath
i <i>Echinochloa crus-galli</i>	common barnyardgrass	e <i>Epacris franklinii</i>	western riverheath
i <i>Echinochloa esculenta</i>	japanese barnyardgrass	e <i>Epacris glabella</i>	smooth heath
i <i>Echinochloa frumentacea</i>	siberian barnyardgrass	e <i>Epacris grandis</i>	tall heath
i <i>Echinochloa oryzoides</i>	rice barnyardgrass	<i>Epacris gunnii</i>	coral heath
<i>Echinopogon ovatus</i>	hedgehog grass	e <i>Epacris heteronema</i>	southwest heath
i <i>Echium plantagineum</i>	patersons curse	<i>Epacris impressa</i>	common heath
i <i>Echium vulgare</i>	vipers bugloss	<i>Epacris lanuginosa</i>	swamp heath
i <i>Egeria densa</i>	dense waterweed	e <i>Epacris limbata</i>	bordered heath
<i>Ehrharta acuminata</i>	swamp ricegrass	e <i>Epacris marginata</i>	rigid heath
i <i>Ehrharta calycina</i>	perennial veldtgrass	e <i>Epacris mucronulata</i>	southern riverheath
<i>Ehrharta distichophylla</i>	hairy ricegrass	e <i>Epacris myrtifolia</i>	cliff heath
i <i>Ehrharta erecta</i>	panic veldtgrass	e <i>Epacris navicularis</i>	western snowheath
<i>Ehrharta juncea</i>	forest wiregrass	<i>Epacris obtusifolia</i>	bluntleaf heath
i <i>Ehrharta longiflora</i>	annual veldtgrass	<i>Epacris paludosa</i>	flinders heath
e <i>Ehrharta oreophila</i> var. <i>minor</i>	small mountain ricegrass	<i>Epacris petrophila</i>	central snowheath
e <i>Ehrharta oreophila</i> var. <i>oreophila</i>	mountain ricegrass	e <i>Epacris serpyllifolia</i>	alpine heath
<i>Ehrharta stipoides</i>	weeping grass	e <i>Epacris stuartii</i>	southport heath
e <i>Ehrharta tasmanica</i> var. <i>subalpina</i>	blue-green ricegrass	e <i>Epacris tasmanica</i>	eastern heath
e <i>Ehrharta tasmanica</i> var. <i>tasmanica</i>	tasmanian ricegrass	e <i>Epacris virgata</i>	pretty heath
i <i>Ehrharta villosa</i>	pyp grass	e <i>Epacris</i> aff. <i>virgata</i> "Mt Cameron"	granite heath
<i>Einadia nutans</i> subsp. <i>nutans</i>	climbing saltbush	<i>Epilobium billardierianum</i> subsp. <i>billardierianum</i>	robust willowherb
<i>Elaeocarpus reticulatus</i>	blueberry ash	<i>Epilobium billardierianum</i> subsp. <i>cinereum</i>	grey willowherb
<i>Elatine gratioloides</i>	waterwort	<i>Epilobium billardierianum</i> subsp. <i>intermedium</i>	marsh willowherb
<i>Eleocharis acuta</i>	common spikesedge	m <i>Epilobium brunnescens</i> subsp. <i>brunnescens</i>	subantarctic willowherb
<i>Eleocharis gracilis</i>	slender spikesedge	i <i>Epilobium ciliatum</i>	glandular willowherb
<i>Eleocharis pusilla</i>	small spikesedge	<i>Epilobium curtisiae</i>	baldseed willowherb
<i>Eleocharis sphacelata</i>	tall spikesedge	e <i>Epilobium fugitivum</i>	blunt willowherb
i <i>Eleusine indica</i>	crowsfoot grass	<i>Epilobium gunnianum</i>	bog willowherb
i <i>Elodea canadensis</i>	canadian pondweed	<i>Epilobium hirtigerum</i>	hairy willowherb
<i>Elymus scaber</i>	rough wheatgrass	i <i>Epilobium nummulariifolium</i>	creeping willowherb
i <i>Elytrigia repens</i>	english couch	i <i>Epilobium obscurum</i>	shade willowherb
i <i>Emex australis</i>	prickly jacks	<i>Epilobium pallidiflorum</i>	showy willowherb
<i>Empodisma minus</i>	spreading roperush	m <i>Epilobium pedunculare</i>	stalked willowherb
e <i>Epacris acuminata</i>	claspleaf heath	e <i>Epilobium perpusillum</i>	tiny willowherb

- | | | | | | |
|---|---|------------------------|---|---|-------------------------|
| i | <i>Epilobium rotundifolium</i> | roundleaf willowherb | e | <i>Eucalyptus delegatensis</i> subsp. <i>tasmaniensis</i> | gumtopped stringybark |
| | <i>Epilobium sarmentaceum</i> | mountain willowherb | | <i>Eucalyptus globulus</i> subsp. <i>globulus</i> | tasmanian blue gum |
| | <i>Epilobium tasmanicum</i> | snow willowherb | | <i>Eucalyptus globulus</i> subsp. <i>pseudoglobulus</i> | gippsland blue gum |
| | <i>Epilobium willisii</i> | carpet willowherb | e | <i>Eucalyptus gunnii</i> subsp. <i>divaricata</i> | miena cider gum |
| | <i>Eragrostis brownii</i> | common lovegrass | e | <i>Eucalyptus gunnii</i> subsp. <i>gunnii</i> | cider gum |
| i | <i>Eragrostis cilianensis</i> | stinkgrass | e | <i>Eucalyptus johnstonii</i> | yellow gum |
| i | <i>Eragrostis curvula</i> | african lovegrass | e | <i>Eucalyptus morrisbyi</i> | morrisbys gum |
| i | <i>Eragrostis tenuifolia</i> | elastic grass | e | <i>Eucalyptus nitida</i> | western peppermint |
| i | <i>Erica andromedaeflora</i> | andromeda heath | | <i>Eucalyptus obliqua</i> | stringybark |
| i | <i>Erica arborea</i> | tree heath | | <i>Eucalyptus ovata</i> | black gum |
| i | <i>Erica baccans</i> | berryflower heath | | <i>Eucalyptus pauciflora</i> subsp. <i>pauciflora</i> | cabbage gum |
| i | <i>Erica caffra</i> | african heath | | <i>Eucalyptus perriniana</i> | spinning gum |
| i | <i>Erica lusitanica</i> | spanish heath | e | <i>Eucalyptus pulchella</i> | white peppermint |
| i | <i>Erica scoparia</i> | twig heath | | <i>Eucalyptus radiata</i> subsp. <i>robertsonii</i> | forth river peppermint |
| i | <i>Erica aff. willmorei</i> | willmore heath | | <i>Eucalyptus regnans</i> | giant ash |
| | <i>Erigeron bellidioides</i> | hairy mountainaisy | e | <i>Eucalyptus risdonii</i> | risdon peppermint |
| e | <i>Erigeron gunnii</i> | smooth mountainaisy | e | <i>Eucalyptus rodwayi</i> | swamp peppermint |
| i | <i>Erigeron karvinskianus</i> | seaside daisy | | <i>Eucalyptus rubida</i> | candlebark |
| e | <i>Erigeron pappocromus</i> | violet mountainaisy | | <i>Eucalyptus sieberi</i> | ironbark |
| e | <i>Erigeron stellatus</i> | star mountainaisy | e | <i>Eucalyptus subcrenulata</i> | alpine yellow gum |
| | <i>Erigeron tasmanicus</i> | tasmanian mountainaisy | e | <i>Eucalyptus tenuiramis</i> | silver peppermint |
| e | <i>Erigeron trigonus</i> | pointed mountainaisy | e | <i>Eucalyptus urnigera</i> | urn gum |
| | <i>Eriochilus cucullatus</i> | autumn orchid | e | <i>Eucalyptus vernicosa</i> | varnished gum |
| i | <i>Erodium botrys</i> | long heronsbill | | <i>Eucalyptus viminalis</i> subsp. <i>viminalis</i> | white gum |
| i | <i>Erodium cicutarium</i> | common heronsbill | | <i>Euchiton argentifolius</i> | silver cottonleaf |
| i | <i>Erodium malacoides</i> | oval heronsbill | | <i>Euchiton collinus</i> | common cottonleaf |
| i | <i>Erodium moschatum</i> | musky heronsbill | | <i>Euchiton involucratus</i> | star cottonleaf |
| i | <i>Erophila verna</i> | spring whitlowgrass | e | <i>Euchiton litticola</i> | coast cottonleaf |
| i | <i>Eruca vesicaria</i> subsp. <i>sativa</i> | purplevein rocket | | <i>Euchiton sphaericus</i> | globe cottonleaf |
| | <i>Eryngium ovinum</i> | blue devil | | <i>Euchiton traversii</i> | mat cottonleaf |
| | <i>Eryngium vesiculosum</i> | prickfoot | | <i>Euchiton umbricola</i> | cliff cottonleaf |
| i | <i>Eschscholzia californica</i> | californian poppy | e | <i>Eucryphia lucida</i> | leatherwood |
| e | <i>Eucalyptus amygdalina</i> | black peppermint | e | <i>Eucryphia milliganii</i> subsp. <i>milliganii</i> | dwarf leatherwood |
| e | <i>Eucalyptus archeri</i> | alpine cider gum | e | <i>Eucryphia milliganii</i> subsp. <i>pubescens</i> | hairy dwarf leatherwood |
| e | <i>Eucalyptus barberi</i> | barbers gum | i | <i>Euphorbia cyparissias</i> | cypress spurge |
| | <i>Eucalyptus brookeriana</i> | brookers gum | i | <i>Euphorbia exigua</i> | dwarf spurge |
| e | <i>Eucalyptus coccifera</i> | snow peppermint | i | <i>Euphorbia helioscopia</i> | sun spurge |
| e | <i>Eucalyptus cordata</i> | tasmanian silver gum | i | <i>Euphorbia lathyris</i> | caper spurge |
| | <i>Eucalyptus dalrympleana</i> subsp. <i>dalrympleana</i> | mountain white gum | i | <i>Euphorbia paralias</i> | sea spurge |

i *Euphorbia peplus*
e *Euphrasia amphisysepala*
Euphrasia collina subsp. *collina*
e *Euphrasia collina* subsp. *deflexifolia*
e *Euphrasia collina* subsp. *diemenica*
e *Euphrasia collina* subsp. *gunnii*
Euphrasia collina subsp. *tetragona*
e *Euphrasia* sp. 'fabula'
e *Euphrasia fragosa*
e *Euphrasia gibbsiae* subsp. aff. *subglabrifolia*
e *Euphrasia gibbsiae* subsp. *comberi*
e *Euphrasia gibbsiae* subsp. *discolor*
e *Euphrasia gibbsiae* subsp. *gibbsiae*
e *Euphrasia gibbsiae* subsp. *kingii*
e *Euphrasia gibbsiae* subsp. *microdonta*
e *Euphrasia gibbsiae* subsp. *psilantherea*
e *Euphrasia gibbsiae* subsp. *pulvinestris*
e *Euphrasia gibbsiae* subsp. *wellingtonensis*
e *Euphrasia hookeri*
e *Euphrasia phragmostoma*
Euphrasia scabra
e *Euphrasia semipicta*
e *Euphrasia striata*
Eurychorda complanata
Euryomyrtus ramosissima subsp. *prostrata*
Euryomyrtus ramosissima subsp. *ramosissima*
i *Euryops abrotanifolius*
Eutaxia microphylla var. *microphylla*
e *Ewartia catipes*
e *Ewartia meredithiae*
e *Ewartia planchonii*
Exocarpos cupressiformis
e *Exocarpos humifusus*
Exocarpos nanus
Exocarpos strictus
Exocarpos syrticola
i *Fallopia convolvulus*
i *Fallopia japonica*
e *Festuca archeri*

petty spurge
shiny cliff-eyebright
tall eyebright
eastern eyebright
plain tufted-eyebright
gunns eyebright
northcoast eyebright
masked cliff-eyebright
shy eyebright
mt field eyebright
mountain eyebright
cradle mountain eyebright
striped tufted-eyebright
kings eyebright
smalltooth eyebright
swamp eyebright
cushionplant eyebright
mt wellington eyebright
fingerleaf eyebright
hairy cliff-eyebright
yellow eyebright
peninsula eyebright
shiny striped eyebright
flat cordrush
creeping heathmyrtle
rosy heathmyrtle
winter euryops
spiny bushpea
diamond cushionherb
rusty cushionherb
creeping cushionherb
common native-cherry
mountain native-cherry
alpine native-cherry
pearly native-cherry
coast native-cherry
black bindweed
japanese knotweed
archers fescue

i *Festuca arundinacea*
m *Festuca contracta*
i *Festuca nigrescens*
e *Festuca plebeia*
i *Festuca rubra*
Ficinia nodosa
i *Foeniculum vulgare*
e *Forstera bellidifolia*
Frankenia pauciflora var. *gunnii*
i *Freesia hybrid*
i *Fuchsia magellanica*
i *Fumaria bastardii*
i *Fumaria densiflora*
i *Fumaria muralis*
i *Fumaria officinalis*
Gahnia filum
Gahnia grandis
Gahnia microstachya
Gahnia radula
e *Gahnia rodwayi*
Gahnia sieberiana
Gahnia trifida
e *Gaimardia amblyphylla*
e *Gaimardia fitzgeraldii*
t *Gaimardia setacea*
i *Galenia pubescens*
i *Galinsoga parviflora*
m *Galium antarcticum*
i *Galium aparine*
Galium australe
Galium ciliare
i *Galium divaricatum*
Galium gaudichaudii
i *Galium murale*
i *Galium palustre*
i *Galium verum*
i *Gamochaeta calviceps*
i *Gamochaeta purpurea*
i *Gastridium ventricosum*

tall fescue
compact fescue
dark fescue
tasmanian fescue
red fescue
knobby clubsedge
fennel
tasmanian forstera
southern seaheath
freesia
fuchsia
bastards fumitory
dense fumitory
wall fumitory
common fumitory
chaffy sawsedge
cutting grass
slender sawsedge
thatch sawsedge
dwarf sawsedge
redfruit sawsedge
coast sawsedge
bluntleaf pincushion
woolly pincushion
smooth pincushion
carpetweed
potatoweed
subantarctic bedstraw
cleavers
tangled bedstraw
hairy bedstraw
slender bedstraw
rough bedstraw
small bedstraw
marsh bedstraw
yellow bedstraw
grey cudweed
spike cudweed
nitgrass

	<i>Gastrodia procera</i>	tall potato-orchid	<i>Glycine latrobeana</i>	clover glycine
	<i>Gastrodia sesamoides</i>	short potato-orchid	<i>Glycine microphylla</i>	small-leaf glycine
i	<i>Gaudinia fragilis</i>	fragile oat	<i>Gnaphalium indutum</i>	tiny cottonleaf
t	<i>Gaultheria depressa</i>	creeping waxberry	<i>Gnaphalium polycaulon</i>	indian cottonleaf
	<i>Gaultheria hispida</i>	copperleaf snowberry	i <i>Gomphocarpus fruticosus</i> subsp. <i>fruticosus</i>	swanplant
e	<i>Gaultheria lanceolata</i>	lanceleaf waxberry	<i>Gompholobium ecostatum</i>	dwarf wedgepea
e	<i>Gaultheria tasmanica</i>	tasmanian waxberry	<i>Gompholobium huegelii</i>	common wedgepea
i	<i>Gazania linearis</i>	tufted gazania	<i>Gonocarpus humilis</i>	shade raspwort
i	<i>Genista linifolia</i>	flaxleaf broom	<i>Gonocarpus micranthus</i> subsp. <i>micranthus</i>	creeping raspwort
i	<i>Genista monspessulana</i>	canary broom	<i>Gonocarpus montanus</i>	mountain raspwort
i	<i>Genista stenopetala</i>	madeira broom	<i>Gonocarpus serpyllifolius</i>	alpine raspwort
	<i>Geococcus pusillus</i>	earth cress	<i>Gonocarpus tetragynus</i>	common raspwort
i	<i>Geranium dissectum</i>	cutleaf cranesbill	<i>Gonocarpus teucrioides</i>	forest raspwort
i	<i>Geranium molle</i>	soft cranesbill	<i>Goodenia elongata</i>	lanky native-primrose
	<i>Geranium potentilloides</i>	mountain cranesbill	<i>Goodenia geniculata</i>	bent native-primrose
	<i>Geranium retrorsum</i>	grassland cranesbill	<i>Goodenia humilis</i>	swamp native-primrose
i	<i>Geranium rotundifolium</i>	roundleaf cranesbill	<i>Goodenia lanata</i>	trailing native-primrose
	<i>Geranium sessiliflorum</i> subsp. <i>brevicaule</i>	alpine cranesbill	<i>Goodenia ovata</i>	hop native-primrose
	<i>Geranium solanderi</i>	southern cranesbill	x <i>Goodenia pinnatifida</i>	cutleaf native-primrose
i	<i>Geranium yeoi</i>	madeira cranesbill	<i>Goodia lotifolia</i> var. <i>lotifolia</i>	smooth goldentip
e	<i>Geum talbotianum</i>	tasmanian snowrose	<i>Goodia lotifolia</i> var. <i>pubescens</i>	silky goldentip
	<i>Geum urbanum</i> var. <i>strictum</i>	wood avens	<i>Grammitis billardierei</i>	common fingerfern
i	<i>Gladiolus communis</i> subsp. <i>byzantinus</i>	byzantine gladiolus	e <i>Grammitis garrettii</i>	sandstone fingerfern
i	<i>Gladiolus tristis</i>	evening gladiolus	t <i>Grammitis gunnii</i>	creeping fingerfern
i	<i>Gladiolus undulatus</i>	wild gladiolus	<i>Grammitis magellanica</i> subsp. <i>nothofageti</i>	beech fingerfern
i	<i>Glaucium flavum</i>	yellow poppy	<i>Grammitis poeppigiana</i>	alpine fingerfern
e	<i>Gleichenia abscida</i>	dwarf coralfern	t <i>Grammitis pseudociliata</i>	hairy fingerfern
t	<i>Gleichenia alpina</i>	alpine coralfern	<i>Gratiola nana</i>	matted brooklime
	<i>Gleichenia dicarpa</i>	pouched coralfern	<i>Gratiola peruviana</i>	southern brooklime
	<i>Gleichenia microphylla</i>	scrambling coralfern	<i>Gratiola pubescens</i>	hairy brooklime
	<i>XGlossadenia tutelata</i>	hybrid waxlip orchid	<i>Gratiola pumilo</i>	dwarf brooklime
	<i>Glossodia major</i>	waxlip orchid	<i>Grevillea australis</i> var. <i>australis</i>	southern grevillea
	<i>Glossostigma elatinoide</i>	small mudmat	e <i>Grevillea australis</i> var. <i>brevifolia</i>	shortleaf grevillea
	<i>Glyceria australis</i>	australian sweetgrass	e <i>Grevillea australis</i> var. <i>erecta</i>	erect grevillea
i	<i>Glyceria declinata</i>	small sweetgrass	e <i>Grevillea australis</i> var. <i>linearifolia</i>	narrowleaf grevillea
i	<i>Glyceria fluitans</i>	floating sweetgrass	e <i>Grevillea australis</i> var. <i>montana</i>	alpine grevillea
i	<i>Glyceria maxima</i>	reed sweetgrass	e <i>Grevillea australis</i> var. <i>planifolia</i>	flatleaf grevillea
i	<i>Glyceria notata</i>	folded sweetgrass	e <i>Grevillea australis</i> var. <i>subulata</i>	leathery grevillea
	<i>Glycine clandestina</i>	twining glycine	e <i>Grevillea australis</i> var. <i>tenuifolia</i>	slender grevillea

i	<i>Grevillea</i> hybrids	garden grevillea	<i>Heterozostera tasmanica</i>	tasman grasswreck
e	<i>Gunnera cordifolia</i>	tasmanian mudleaf	<i>Hibbertia acicularis</i>	prickly guineaflower
	<i>Gymnoschoenus sphaerocephalus</i>	buttongrass	<i>Hibbertia appressa</i>	southern guineaflower
	<i>Gynatrix pulchella</i>	fragrant hempbush	<i>Hibbertia calycina</i>	lesser guineaflower
i	<i>Gypsophila tubulosa</i>	annual chalkwort	<i>Hibbertia empetrifolia</i> subsp. <i>empetrifolia</i>	scrambling guineaflower
	<i>Gyrostemon thesioides</i>	broom wheelfruit	e <i>Hibbertia hirsuta</i>	hairy guineaflower
e	<i>Haemodorum distichophyllum</i>	bloodroot	<i>Hibbertia hirticalyx</i>	bassian guineaflower
i	<i>Hainardia cylindrica</i>	thintail barbgrass	<i>Hibbertia obtusifolia</i>	grey guineaflower
	<i>Hakea decurrens</i> subsp. <i>physocarpa</i>	bushy needlebush	<i>Hibbertia procumbens</i>	spreading guineaflower
	<i>Hakea decurrens</i> subsp. <i>platytaenia</i>	coast needlebush	<i>Hibbertia prostrata</i>	prostrate guineaflower
e	<i>Hakea epiglottis</i> subsp. <i>epiglottis</i>	beaked needlebush	<i>Hibbertia riparia</i>	erect guineaflower
e	<i>Hakea epiglottis</i> subsp. <i>milliganii</i>	western beaked needlebush	<i>Hibbertia rufa</i>	brown guineaflower
	<i>Hakea lissosperma</i>	mountain needlebush	<i>Hibbertia</i> aff. <i>rufa</i> "Pontville"	basalt guineaflower
e	<i>Hakea megadenia</i>	autumn needlebush	<i>Hibbertia sericea</i> var. <i>sericea</i>	silky guineaflower
	<i>Hakea microcarpa</i>	smallfruit needlebush	<i>Hibbertia serpyllifolia</i>	thyme guineaflower
	<i>Hakea nodosa</i>	yellow needlebush	<i>Hibbertia virgata</i>	twiggy guineaflower
	<i>Hakea teretifolia</i> subsp. <i>hirsuta</i>	dagger needlebush	i <i>Hibiscus trionum</i>	bladder ketmia
	<i>Hakea ulicina</i>	furze needlebush	i <i>Hieracium aurantiacum</i>	orange hawkweed
	<i>Halophila australis</i>	sea wrack	i <i>Hieracium pilosella</i>	mouse-ear hawkweed
	<i>Haloragis aspera</i>	rough raspwort	e <i>Hierochloa fraseri</i>	alpine holygrass
	<i>Haloragis brownii</i>	swamp raspwort	<i>Hierochloa rariflora</i>	cane holygrass
	<i>Haloragis heterophylla</i>	variable raspwort	<i>Hierochloa redolens</i>	sweet holygrass
	<i>Haloragis myriocarpa</i>	prickly raspwort	i <i>Hirschfeldia incana</i>	hoary mustard
	<i>Hardenbergia violacea</i>	purple coralpea	<i>Histiopteris incisa</i>	batswing fern
i	<i>Hebe elliptica</i>	shore hebe	i <i>Holcus lanatus</i>	yorkshire fog
i	<i>Hedera helix</i>	ivy	i <i>Holcus mollis</i>	creeping fog
	<i>Hedycarya angustifolia</i>	australian mulberry	i <i>Homeria flaccida</i>	oneleaf cape tulip
i	<i>Hedynois rhagadioloides</i>	cretanweed	i <i>Hordeum distichon</i>	two-row barley
i	<i>Hedysarum coronarium</i>	french honeysuckle	i <i>Hordeum marinum</i> subsp. <i>gussoneanum</i>	velvet sea barleygrass
	<i>Helichrysum leucopsidium</i>	satin everlasting	i <i>Hordeum marinum</i> subsp. <i>marinum</i>	sea barleygrass
e	<i>Helichrysum milliganii</i>	snow everlasting	i <i>Hordeum murinum</i> subsp. <i>glaucum</i>	bluish barleygrass
e	<i>Helichrysum pumilum</i> var. <i>pumilum</i>	dwarf everlasting	i <i>Hordeum murinum</i> subsp. <i>leporinum</i>	long-anther barleygrass
e	<i>Helichrysum pumilum</i> var. <i>spathulatum</i>	spoonleaf everlasting	i <i>Hordeum murinum</i> subsp. <i>murinum</i>	shortflower barleygrass
	<i>Helichrysum rutidolepis</i>	pale everlasting	i <i>Hordeum vulgare</i>	barley
	<i>Helichrysum scorpioides</i>	curling everlasting	<i>Hovea corrickiae</i>	glossy purplepea
i	<i>Helminthotheca echioides</i>	bristly oxtongue	<i>Hovea heterophylla</i>	winter purplepea
	<i>Hemarthria uncinata</i>	hooked matgrass	<i>Hovea magnibractea</i>	sheath purplepea
	<i>Hemichroa pentandra</i>	trailing saltstar	<i>Hovea montana</i>	mountain purplepea
	<i>Herpolirion novae-zelandiae</i>	sky lily	e <i>Hovea tasmanica</i>	rockfield purplepea

- | | | | |
|---------------------------------------|--------------------------|---|-----------------------|
| <i>Huperzia australiana</i> | mother clubmoss | i <i>Hypochoeris glabra</i> | smooth catsear |
| <i>Huperzia varia</i> | long clubmoss | i <i>Hypochoeris radicata</i> | rough catsear |
| e <i>Hutchinsia tasmanica</i> | highland purse | <i>Hypolaena fastigiata</i> | tassel roperush |
| <i>Hyalosperma demissum</i> | moss sunray | <i>Hypolepis amaurorachis</i> | southern groundfern |
| e <i>Hydatella filamentosa</i> | tasmanian watertuft | t <i>Hypolepis distans</i> | scrambling groundfern |
| <i>Hydrocotyle callicarpa</i> | tiny pennywort | <i>Hypolepis glandulifera</i> | downy groundfern |
| <i>Hydrocotyle capillaris</i> | thread pennywort | <i>Hypolepis muelleri</i> | harsh groundfern |
| <i>Hydrocotyle comocarpa</i> | fringe-fruit pennywort | <i>Hypolepis rugosula</i> | ruddy groundfern |
| <i>Hydrocotyle foveolata</i> | yellow pennywort | <i>Hypoxis glabella</i> var. <i>glabella</i> | tiny yellowstar |
| <i>Hydrocotyle hirta</i> | hairy pennywort | <i>Hypoxis hygrometrica</i> var. <i>hygrometrica</i> | golden weatherglass |
| <i>Hydrocotyle laxiflora</i> | stinking pennywort | <i>Hypoxis hygrometrica</i> var. <i>villosisepala</i> | soft weatherglass |
| <i>Hydrocotyle muscosa</i> | mossy pennywort | <i>Hypoxis vaginata</i> var. <i>brevistigmata</i> | sheathing yellowstar |
| m <i>Hydrocotyle novae-zeelandiae</i> | new zealand pennywort | <i>Hypoxis vaginata</i> var. <i>vaginata</i> | sheathing yellowstar |
| <i>Hydrocotyle pterocarpa</i> | winged pennywort | i <i>Ilex aquifolium</i> | holly |
| <i>Hydrocotyle sibthorpioides</i> | shining pennywort | <i>Imperata cylindrica</i> var. <i>major</i> | blady grass |
| <i>Hydrocotyle tripartita</i> | slender pennywort | <i>Indigofera australis</i> | native indigo |
| <i>Hydrorchis orbicularis</i> | swamp onion-orchid | i <i>Iris foetidissima</i> | stinking iris |
| <i>Hymenochilus cynnocephalus</i> | swan greenhood | i <i>Iris germanica</i> | german iris |
| <i>Hymenochilus muticus</i> | midget greenhood | <i>Isachne globosa</i> | swamp millet |
| e <i>Hymenochilus pratensis</i> | liawenee greenhood | <i>Isoetes drummondii</i> subsp. <i>drummondii</i> | plain quillwort |
| e <i>Hymenochilus rubenachii</i> | arthur river greenhood | e <i>Isoetes elatior</i> | tall quillwort |
| e <i>Hymenochilus wapstratum</i> | fleshy greenhood | e <i>Isoetes gunnii</i> | stout quillwort |
| e <i>Hymenochilus ziegeleri</i> | cape portland greenhood | e <i>Isoetes humilior</i> | veiled quillwort |
| i <i>Hymenolobus procumbens</i> | oval purse | <i>Isoetes muelleri</i> | common quillwort |
| <i>Hymenophyllum australe</i> | southern filmyfern | e <i>Isoetes</i> sp. nova "Maxwell River" | limestone quillwort |
| <i>Hymenophyllum cupressiforme</i> | common filmyfern | <i>Isoetopsis graminifolia</i> | grass cushion |
| m <i>Hymenophyllum falklandicum</i> | falkland filmyfern | <i>Isolepis alpina</i> | tarn clubsedge |
| <i>Hymenophyllum flabellatum</i> | shiny filmyfern | <i>Isolepis aucklandica</i> | slender clubsedge |
| <i>Hymenophyllum marginatum</i> | bordered filmyfern | <i>Isolepis cernua</i> | nodding clubsedge |
| <i>Hymenophyllum peltatum</i> | alpine filmyfern | <i>Isolepis crassiuscula</i> | alpine clubsedge |
| <i>Hymenophyllum rarum</i> | narrow filmyfern | <i>Isolepis fluitans</i> | floating clubsedge |
| i <i>Hyoscyamus albus</i> | white henbane | <i>Isolepis habra</i> | wispy clubsedge |
| i <i>Hypericum androsaemum</i> | tutsan | <i>Isolepis hookeriana</i> | grassy clubsedge |
| i <i>Hypericum calycinum</i> | rose-of-sharon | i <i>Isolepis hystrix</i> | awned clubsedge |
| <i>Hypericum gramineum</i> | small st johns-wort | <i>Isolepis inundata</i> | swamp clubsedge |
| i <i>Hypericum humifusum</i> | creeping st johns-wort | e <i>Isolepis limbata</i> | fringed clubsedge |
| <i>Hypericum japonicum</i> | matted st johns-wort | <i>Isolepis marginata</i> | little clubsedge |
| i <i>Hypericum perforatum</i> | perforated st johns-wort | <i>Isolepis montivaga</i> | mountain clubsedge |
| i <i>Hypericum tetrapterum</i> | square st johns-wort | <i>Isolepis platycarpa</i> | flatfruit clubsedge |

Isolepis producta
 i *Isolepis prolifera*
 i *Isolepis setacea*
Isolepis stellata
Isolepis subtilissima
 e *Isolepis tasmanica*
Isolepis wakefieldiana
 e *Isophysis tasmanica*
Isopogon ceratophyllus
Isotoma fluviatilis subsp. *australis*
 i *Ixia flexuosa*
 i *Ixia maculata*
 i *Ixia polystachya*
 i *Juncus acuminatus*
 i *Juncus acutiflorus*
 i *Juncus acutus*
Juncus amabilis
Juncus antarcticus
 i *Juncus articulatus*
 e *Juncus astreptus*
Juncus australis
Juncus bassianus
Juncus bufonius
 i *Juncus bulbosus*
Juncus caespiticus
 i *Juncus capitatus*
 i *Juncus conglomeratus*
 e *Juncus curtisiae*
 i *Juncus effusus*
Juncus falcatus
Juncus filicaulis
Juncus fockei
 i *Juncus gerardii*
Juncus gregiflorus
Juncus holoschoenus
 i *Juncus indescriptus*
Juncus kraussii subsp. *australiensis*
 i *Juncus microcephalus*
Juncus pallidus

nutty clubsedge
 proliferous clubsedge
 bristle clubsedge
 star clubsedge
 dwarf clubsedge
 tasmanian clubsedge
 tufted clubsedge
 tasmanian purplestar
 horny conebrush
 swamp stars
 twisted ixia
 yellow ixia
 variable ixia
 prickly rush
 sharpflower rush
 sharp rush
 gentle rush
 cushion rush
 jointed rush
 rigid rush
 southern rush
 forest rush
 toad rush
 bulbous rush
 grassy rush
 capitate rush
 compact rush
 short jointleaf rush
 soft rush
 sickleleaf rush
 thread rush
 slender jointleaf rush
 mud rush
 green rush
 jointleaf rush
 african rush
 sea rush
 smallhead rush
 pale rush

Juncus pauciflorus
Juncus planifolius
Juncus prismatocarpus
Juncus procerus
 e *Juncus ratkowskyanus*
Juncus revolutus
Juncus sandwithii
Juncus sarophorus
 m *Juncus scheuchzerioides*
 i *Juncus squarrosus*
Juncus subsecundus
 i *Juncus tenuis*
Juncus vaginatus
Kelleria dieffenbachii
 i *Kennedia nigricans*
Kennedia prostrata
 i *Kennedia rubicunda*
 i *Kickxia elatine*
 i *Kickxia spuria*
 ix *Koeleria macrantha*
Kunzea ambigua
 i *Kunzea ericoides*
Lachnagrostis aemula
Lachnagrostis aequata
Lachnagrostis billardierei subsp. *billardierei*
 e *Lachnagrostis billardierei* subsp. *tenuisetata*
 e *Lachnagrostis collicola*
Lachnagrostis filiformis
 e *Lachnagrostis lacunarum*
Lachnagrostis punicea subsp. *filifolia*
Lachnagrostis punicea subsp. *punicea*
Lachnagrostis robusta
Lachnagrostis scabra
 i *Lactuca saligna*
 i *Lactuca serriola*
 i *Lagarosiphon major*
 e *Lagarostrobos franklinii*
Lagenophora gracilis
Lagenophora huegelii

looseflower rush
 broadleaf rush
 branching rush
 tall rush
 dwarf jointleaf rush
 creeping rush
 alpine jointleaf rush
 broom rush
 subantarctic rush
 heath rush
 finger rush
 slender rush
 clustered rush
 carpet riceflower
 black coralpea
 running postman
 dusky coralpea
 sharpleaf toadflax
 bluntleaf toadflax
 crested hairgrass
 white kunzea
 burgan
 tumbling blowgrass
 even blowgrass
 coast blowgrass
 small-awn blowgrass
 hill blowgrass
 common blowgrass
 tarn blowgrass
 narrowleaf blowgrass
 bristle blowgrass
 tall blowgrass
 meagre blowgrass
 willow lettuce
 prickly lettuce
 oxygen weed
 huon pine
 slender bottledaisy
 coarse bottledaisy

- Lagenophora montana*
Lagenophora stipitata
 i *Lagurus ovatus*
 i *Lamium amplexicaule*
 i *Lamium purpureum*
 i *Lampranthus glaucus*
 i *Lapsana communis*
Lasiopetalum baueri
Lasiopetalum discolor
Lasiopetalum macrophyllum
 e *Lasiopetalum micranthum*
 i *Lasiospermum bipinnatum*
Lastreopsis acuminata
Lastreopsis hispida
 i *Lathyrus nissolia*
 i *Lathyrus tingitanus*
Lawrencia spicata
 i? *Lawrencia squamata*
Laxmannia orientalis
Leiocarpa supina
Leionema bilobum
 e *Leionema montanum*
 e *Leionema oldfieldii*
Lemna disperma
Lemna trisulca
 i *Leonotis leonurus*
 i *Leontodon taraxacoides*
 i *Lepidium africanum*
 i *Lepidium campestre*
Lepidium desvauxii
 t *Lepidium flexicaule*
Lepidium foliosum
 i *Lepidium heterophyllum*
Lepidium hyssopifolium
 i *Lepidium latifolium*
Lepidium pseudotasmanicum
 i *Lepidium sativum*
Lepidosperma concavum
Lepidosperma curtisiae
- mountain bottledaisy
 blue bottledaisy
 haretail grass
 henbit deadnettle
 red deadnettle
 noonflower
 nipplewort
 slender velvetbush
 coast velvetbush
 shrubby velvetbush
 tasmanian velvetbush
 fernleaf daisy
 shiny shieldfern
 bristly shieldfern
 grass vetchling
 tangier pea
 candle saltmallow
 thorny saltmallow
 dwarf wire-lily
 coast ploverdaisy
 notched waxflower
 spreading waxflower
 mountain waxflower
 common duckweed
 star duckweed
 lions ear
 hairy hawkbit
 common peppercress
 field peppercress
 bushy peppercress
 springy peppercress
 leafy peppercress
 downy peppercress
 soft peppercress
 perennial peppercress
 shade peppercress
 garden cress
 sand swordsedg
 little swordsedg
- Lepidosperma elatius*
Lepidosperma ensiforme
Lepidosperma filiforme
Lepidosperma forsythii
Lepidosperma gladiatum
 e *Lepidosperma globosum*
Lepidosperma gunnii
 e *Lepidosperma inops*
Lepidosperma laterale
Lepidosperma longitudinale
Lepidosperma neesii
 e *Lepidosperma oldfieldii*
Lepidosperma tortuosum
Lepidosperma viscidum
Lepilaena australis
Lepilaena bilocularis
Lepilaena cylindrocarpa
Lepilaena marina
Lepilaena patentifolia
Lepilaena preissii
 e *Leptecophylla abietina*
 e *Leptecophylla divaricata*
 t *Leptecophylla juniperina* subsp. *juniperina*
Leptecophylla juniperina subsp. *oxycedrus*
 e *Leptecophylla juniperina* subsp. *parvifolia*
 e *Leptecophylla pendulosa*
 e *Leptecophylla pogonocalyx*
Leptinella filicula
Leptinella longipes
 m *Leptinella plumosa*
Leptinella reptans
Leptocarpus tenax
Leptoceras menziesii
Leptomeria drupacea
 e *Leptomeria glomerata*
Leptorhynchus elongatus
Leptorhynchus nitidulus
Leptorhynchus squamatus subsp. *alpinus*
Leptorhynchus squamatus subsp. *squamatus*
- tall swordsedg
 arching swordsedg
 common rapiersedge
 stout rapiersedge
 coast swordsedg
 stiff swordsedg
 narrow swordsedg
 fan sedge
 variable swordsedg
 spreading swordsedg
 stiff rapiersedge
 dark swordsedg
 twisting rapiersedge
 sticky swordsedg
 southern watermat
 smallfruit watermat
 longfruit watermat
 sea watermat
 spreading watermat
 slender watermat
 seaspray pinkberry
 spreading pinkberry
 common pinkberry
 coastal pinkberry
 mountain pinkberry
 drooping pinkberry
 bearded pinkberry
 ferny buttons
 coast buttons
 feathery buttons
 creeping buttons
 slender twinerush
 hares ears
 erect currantbush
 creeping currantbush
 lanky buttons
 shiny buttons
 alpine scaly buttons
 scaly buttons

e	<i>Leptospermum glaucescens</i>	smoky teatree	<i>Lindsaea trichomanoides</i>	oval wedgefern
e	<i>Leptospermum grandiflorum</i>	autumn teatree	<i>Linguella nana</i>	dwarf greenhood
	<i>Leptospermum laevigatum</i>	coast teatree	e <i>Linum albidum</i>	mountain flax
	<i>Leptospermum lanigerum</i>	woolly teatree	i <i>Linum bienne</i>	pale flax
e	<i>Leptospermum nitidum</i>	shiny teatree	i <i>Linum catharticum</i>	white flax
e	<i>Leptospermum riparium</i>	river teatree	<i>Linum marginale</i>	native flax
e	<i>Leptospermum rupestre</i>	mountain teatree	i <i>Linum trigynum</i>	french flax
	<i>Leptospermum scoparium</i> var. <i>eximium</i>	broadleaf common teatree	i <i>Linum usitatissimum</i>	linseed flax
	<i>Leptospermum scoparium</i> var. <i>scoparium</i>	common teatree	t <i>Liparophyllum gunnii</i>	alpine marshwort
	<i>Lepyrodia muelleri</i>	erect scalerush	<i>Lissanthe strigosa</i> subsp. <i>subulata</i>	peachberry heath
i	<i>Leucanthemum vulgare</i>	oxeye daisy	i <i>Lithospermum officinale</i>	gromwell
	<i>Leucochrysum albicans</i> subsp. <i>albicans</i> var. <i>tricolor</i>	grassland paperdaisy	<i>Lobelia anceps</i>	angled lobelia
	<i>Leucophyta brownii</i>	cushionbush	<i>Lobelia gibbosa</i> var. <i>browniana</i>	toothed lobelia
	<i>Leucopogon australis</i>	spike beardheath	<i>Lobelia gibbosa</i> var. <i>gibbosa</i>	tall lobelia
	<i>Leucopogon collinus</i>	white beardheath	<i>Lobelia pratioides</i>	poison lobelia
	<i>Leucopogon ericoides</i>	pink beardheath	<i>Lobelia rhombifolia</i>	tufted lobelia
	<i>Leucopogon esquamatus</i>	swamp beardheath	i <i>Lobularia maritima</i>	sweet alice
	<i>Leucopogon hookeri</i>	mountain beardheath	i <i>Logfia gallica</i>	narrow cudweed
	<i>Leucopogon lanceolatus</i> var. <i>lanceolatus</i>	lance beardheath	i <i>Lolium liliaceum</i>	stiff ryegrass
e	<i>Leucopogon milliganii</i>	clustered beardheath	i <i>Lolium multiflorum</i>	italian ryegrass
	<i>Leucopogon montanus</i>	snow beardheath	i <i>Lolium perenne</i>	perennial ryegrass
e	<i>Leucopogon oreophilus</i>	highland beardheath	i <i>Lolium rigidum</i>	wimmera ryegrass
	<i>Leucopogon parviflorus</i>	coast beardheath	i <i>Lolium temulentum</i> forma <i>arvense</i>	bearded ryegrass
	<i>Leucopogon pilifer</i>	trailing beardheath	<i>Lomandra longifolia</i>	sagg
	<i>Leucopogon stuartii</i>	prickly beardheath	<i>Lomandra nana</i>	dwarf mat-rush
	<i>Leucopogon virgatus</i> var. <i>brevifolius</i>	shortleaf beardheath	e <i>Lomatia polymorpha</i>	mountain guitarplant
	<i>Leucopogon virgatus</i> var. <i>virgatus</i>	twiggy beardheath	e <i>Lomatia tasmanica</i>	kings lomatia
x	<i>Levenhookia dubia</i>	hairy stylewort	e <i>Lomatia tinctoria</i>	guitarplant
i	<i>Leycesteria formosa</i>	himalayan honeysuckle	i <i>Lonicera japonica</i>	japanese honeysuckle
i	<i>Leymus arenarius</i>	lyme grass	i <i>Lonicera periclymenum</i>	common honeysuckle
	<i>Libertia pulchella</i> var. <i>pulchella</i>	pretty grassflag	i <i>Lophopyrum ponticum</i>	tall wheatgrass
e	<i>Libertia pulchella</i> var. <i>pygmaea</i>	pygmy grassflag	i <i>Lotus angustissimus</i>	slender birdsfoot-trefoil
i	<i>Ligustrum vulgare</i>	privet	<i>Lotus australis</i>	australian trefoil
	<i>Lilaeopsis polyantha</i>	jointed swampstalks	i <i>Lotus corniculatus</i> var. <i>corniculatus</i>	common birdsfoot-trefoil
	<i>Limonium australe</i>	yellow sea-lavender	i <i>Lotus corniculatus</i> var. <i>tenuifolius</i>	narrow birdsfoot-trefoil
e	<i>Limonium baudinii</i>	tasmanian sea-lavender	i <i>Lotus suaveolens</i>	hairy birdsfoot-trefoil
	<i>Limosella australis</i>	southern mudwort	i <i>Lotus uliginosus</i>	greater birdsfoot-trefoil
i	<i>Linaria vulgaris</i>	yellow toadflax	i <i>Lunaria annua</i>	garden honesty
	<i>Lindsaea linearis</i>	screw fern	i <i>Lupinus angustifolius</i>	narrowleaf lupin

- | | | | | | |
|---|---|-----------------------|----------------------|--|----------------------|
| i | <i>Lupinus arboreus</i> | tree lupin | <i>Mazus pumilio</i> | swamp mazus | |
| | <i>Luzula acutifolia</i> | sharp-leaf woodrush | i | <i>Medicago arabica</i> | spotted medick |
| | <i>Luzula atrata</i> | slender woodrush | i | <i>Medicago arborea</i> | tree medick |
| e | <i>Luzula australasica</i> subsp. <i>australasica</i> | australian woodrush | i | <i>Medicago falcata</i> | sickle medick |
| i | <i>Luzula campestris</i> | field woodrush | i | <i>Medicago lupulina</i> | black medick |
| i | <i>Luzula congesta</i> | clustered woodrush | i | <i>Medicago minima</i> | little medick |
| m | <i>Luzula crinita</i> | fringed woodrush | i | <i>Medicago polymorpha</i> | burr medick |
| | <i>Luzula densiflora</i> | dense woodrush | i | <i>Medicago sativa</i> | lucerne |
| | <i>Luzula flaccida</i> | pale woodrush | i | <i>Medicago scutellata</i> | snail medick |
| | <i>Luzula meridionalis</i> | southern woodrush | | <i>Melaleuca armillaris</i> subsp. <i>armillaris</i> | giant honey-myrtle |
| | <i>Luzula modesta</i> | bog woodrush | | <i>Melaleuca ericifolia</i> | coast paperbark |
| i | <i>Luzula multiflora</i> | flowery woodrush | | <i>Melaleuca gibbosa</i> | slender honey-myrtle |
| | <i>Luzula novae-cambriae</i> | coarse woodrush | e | <i>Melaleuca pustulata</i> | warty paperbark |
| e | <i>Luzula poimena</i> | tasmanian woodrush | | <i>Melaleuca squamea</i> | swamp honey-myrtle |
| i | <i>Lycium barbarum</i> | chinese boxthorn | | <i>Melaleuca squarrosa</i> | scented paperbark |
| i | <i>Lycium ferocissimum</i> | african boxthorn | | <i>Melicytus dentatus</i> | spiky violetbush |
| t | <i>Lycopodiella diffusa</i> | button-grass clubmoss | i | <i>Melilotus albus</i> | white melilot |
| | <i>Lycopodiella lateralis</i> | slender clubmoss | i | <i>Melilotus indicus</i> | sweet melilot |
| | <i>Lycopodiella serpentina</i> | bog clubmoss | i | <i>Melilotus officinalis</i> | ribbed melilot |
| | <i>Lycopodium deuterodensum</i> | conifer clubmoss | i | <i>Melissa officinalis</i> | lemon balm |
| | <i>Lycopodium fastigiatum</i> | mountain clubmoss | | <i>Mentha australis</i> | river mint |
| | <i>Lycopodium scariosum</i> | spreading clubmoss | | <i>Mentha diemenica</i> var. <i>diemenica</i> | slender mint |
| | <i>Lycopus australis</i> | australian gypsywort | | <i>Mentha diemenica</i> var. <i>serpyllifolia</i> | thyme-leaf mint |
| | <i>Lyperanthus suaveolens</i> | brown beaks | i | <i>Mentha pulegium</i> | pennyroyal |
| i | <i>Lysimachia nummularia</i> | creeping jenny | i | <i>Mentha spicata</i> | spearmint |
| | <i>Lythrum hyssopifolia</i> | small loosestrife | i | <i>Mentha x piperita</i> | peppermint |
| | <i>Lythrum salicaria</i> | purple loosestrife | i | <i>Mesembryanthemum crystallinum</i> | common iceplant |
| i | <i>Malus x domestica</i> | apple | | <i>Micranthemum hexandrum</i> | river tridentbush |
| | <i>Malva australiana</i> | australian mallow | e | <i>Micranthemum serpentinum</i> | western tridentbush |
| i | <i>Malva dendromorpha</i> | tree mallow | e | <i>Microcachrys tetragona</i> | creeping pine |
| i | <i>Malva linnaei</i> | cretan mallow | | <i>Microseris lanceolata</i> | yam daisy |
| i | <i>Malva moschata</i> | musk mallow | | <i>Microsorium pustulatum</i> subsp. <i>pustulatum</i> | kangaroo fern |
| i | <i>Malva neglecta</i> | dwarf mallow | | <i>Microtidium atratum</i> | yellow onion-orchid |
| i | <i>Malva nicaeensis</i> | mallow-of-nice | | <i>Microtis arenaria</i> | notched onion-orchid |
| i | <i>Malva parviflora</i> | smallflower mallow | | <i>Microtis parviflora</i> | slender onion-orchid |
| i | <i>Malva sylvestris</i> | tall mallow | | <i>Microtis rara</i> | scented onion-orchid |
| i | <i>Marrubium vulgare</i> | white horehound | | <i>Microtis unifolia</i> | common onion-orchid |
| i | <i>Marsilea mutica</i> | smooth nardoo | e | <i>Milligania densiflora</i> | silky milligania |
| i | <i>Matricaria matricarioides</i> | rayless mayweed | e | <i>Milligania johnstonii</i> | shortleaf milligania |

e	<i>Milligania lindoniana</i>	redflower milligania	i	<i>Myriophyllum aquaticum</i>	parrotfeather
e	<i>Milligania longifolia</i>	longleaf milligania	e	<i>Myriophyllum austropygmaeum</i>	highland watermilfoil
e	<i>Milligania stylosa</i>	ledge milligania	i	<i>Myriophyllum crispatum</i>	upright watermilfoil
	<i>Millotia muelleri</i>	clustered bowflower	x	<i>Myriophyllum glomeratum</i>	clustered watermilfoil
	<i>Millotia tenuifolia</i> var. <i>tenuifolia</i>	soft bowflower		<i>Myriophyllum integrifolium</i>	tiny watermilfoil
i	<i>Mimulus moschatus</i>	musk monkeyflower		<i>Myriophyllum muelleri</i>	hooded watermilfoil
	<i>Mimulus repens</i>	creeping monkeyflower		<i>Myriophyllum pedunculatum</i> var. <i>longibracteolatum</i>	spreading watermilfoil
i	<i>Minuartia mediterranea</i>	fineleaf sandwort		<i>Myriophyllum pedunculatum</i> var. <i>pedunculatum</i>	matted watermilfoil
	<i>Mirbelia oxylobioides</i>	sandstone bushpea		<i>Myriophyllum salsugineum</i>	lake watermilfoil
	<i>Mitrasacme pilosa</i> var. <i>pilosa</i>	hairy mitrewort		<i>Myriophyllum simulans</i>	amphibious watermilfoil
	<i>Mitrasacme pilosa</i> var. <i>stuartii</i>	stalked hairy mitrewort	m	<i>Myriophyllum triphyllum</i>	three-whorled watermilfoil
	<i>Mitrasacme serpyllifolia</i>	thyme mitrewort		<i>Myriophyllum variifolium</i>	variable watermilfoil
i	<i>Modiola caroliniana</i>	redflower mallow		<i>Nanozostera muelleri</i>	dwarf grasswrack
i	<i>Moenchia erecta</i>	erect chickweed	i	<i>Narcissus pseudonarcissus</i>	wild daffodil
i	<i>Molineriella minuta</i>	small hairgrass	i	<i>Nardus stricta</i>	erect matgrass
	<i>Monotoca elliptica</i>	tree broomheath	i	<i>Nassella neesiana</i>	chilean needlegrass
e	<i>Monotoca empetrifolia</i>	mat broomheath	i	<i>Nassella trichotoma</i>	serrated tussock
	<i>Monotoca glauca</i>	goldey wood	i	<i>Navarretia squarrosa</i>	skunkweed
e	<i>Monotoca linifolia</i> subsp. <i>algida</i>	alpine nodding broomheath		<i>Nemacianthus caudatus</i>	mayfly orchid
e	<i>Monotoca linifolia</i> subsp. <i>linifolia</i>	nodding broomheath	m	<i>Nematoceras dienema</i>	windswept helmet-orchid
	<i>Monotoca scoparia</i>	prickly broomheath	e	<i>Nematolepis squamea</i> subsp. <i>retusa</i>	blunt satinwood
e	<i>Monotoca submutica</i> var. <i>autumnalis</i>	roundleaf broomheath		<i>Nematolepis squamea</i> subsp. <i>squamea</i>	satinwood
e	<i>Monotoca submutica</i> var. <i>submutica</i>	mountain broomheath		<i>Neopaxia australasica</i>	white purslane
	<i>Montia fontana</i> subsp. <i>chondrosperma</i>	waterblinks	i	<i>Nepeta cataria</i>	catmint
im	<i>Montia fontana</i> subsp. <i>fontana</i>	bog waterblinks		<i>Nertera granadensis</i>	orange cushionbeads
	<i>Muehlenbeckia adpressa</i>	climbing lignum	i	<i>Nonea lutea</i>	yellow alkanet
	<i>Muehlenbeckia axillaris</i>	matted lignum		<i>Notelaea ligustrina</i>	native olive
	<i>Muehlenbeckia gunnii</i>	forest lignum		<i>Nothofagus cunninghamii</i>	myrtle beech
	<i>Myoporum insulare</i>	common boobialla	e	<i>Nothofagus gunnii</i>	deciduous beech
	<i>Myoporum parvifolium</i>	creeping boobialla	i	<i>Nothoscordum borbonicum</i>	fragrant false-garlic
i	<i>Myosotis arvensis</i>	field forgetmenot		<i>Notodanthonia gracilis</i>	graceful wallabygrass
	<i>Myosotis australis</i>	southern forgetmenot		<i>Notodanthonia semiannularis</i>	marsh wallabygrass
i	<i>Myosotis discolor</i>	changing forgetmenot	e	<i>Nymphoides exigua</i>	dwarf marshwort
	<i>Myosotis exarrhena</i>	sweet forgetmenot	e	<i>Odidia achlaena</i>	golden everlastingbush
i	<i>Myosotis laxa</i> subsp. <i>caespitosa</i>	lesser forgetmenot	e	<i>Odidia angusta</i>	roundhead everlastingbush
i	<i>Myosotis scorpioides</i>	water forgetmenot	i	<i>Oenothera biennis</i>	evening-primrose
i	<i>Myosotis sylvatica</i>	garden forgetmenot	i	<i>Oenothera glazioviana</i>	reddish evening-primrose
	<i>Myosurus australis</i>	southern mousetail	i	<i>Oenothera stricta</i>	fragrant evening-primrose
	<i>Myriophyllum amphibium</i>	broad watermilfoil		<i>Olearia algida</i>	alpine daisybush

- | | | | |
|---|-----------------------------|---|---------------------------|
| e <i>Olearia archeri</i> | lanceleaf daisybush | e <i>Oreobolus oxycarpus</i> subsp. <i>brownii</i> | sharpfruit cushionsedge |
| <i>Olearia argophylla</i> | musk daisybush | <i>Oreobolus pumilio</i> subsp. <i>pumilio</i> | dwarf cushionsedge |
| <i>Olearia axillaris</i> | coast daisybush | e <i>Oreobolus tholicarpus</i> | western cushionsedge |
| <i>Olearia ciliata</i> | fringed daisybush | <i>Oreomyrrhis argentea</i> | silver caraway |
| e <i>Olearia ericoides</i> | heathy daisybush | <i>Oreomyrrhis ciliata</i> | fringed caraway |
| <i>Olearia erubescens</i> | moth daisybush | <i>Oreomyrrhis eriopoda</i> | australian caraway |
| <i>Olearia floribunda</i> | flowery daisybush | e <i>Oreomyrrhis gunnii</i> | limestone caraway |
| <i>Olearia glandulosa</i> | swamp daisybush | e <i>Oreomyrrhis sessiliflora</i> | carrotty caraway |
| <i>Olearia glutinosa</i> | sticky daisybush | e <i>Oreoporanthra petalifera</i> | mountain poranthra |
| e <i>Olearia hookeri</i> | crimsontip daisybush | e <i>Orites acicularis</i> | yellow orites |
| e <i>Olearia ledifolia</i> | rock daisybush | e <i>Orites diversifolia</i> | variable orites |
| <i>Olearia lepidophylla</i> | clubmoss daisybush | e <i>Orites milliganii</i> | toothed orites |
| <i>Olearia lirata</i> | forest daisybush | e <i>Orites revoluta</i> | revolute orites |
| <i>Olearia myrsinoides</i> | silky daisybush | i <i>Ornithogalum angustifolium</i> | narrowleaf cape-lily |
| e <i>Olearia obcordata</i> | heartleaf daisybush | i <i>Ornithogalum umbellatum</i> | star-of-bethlehem |
| e <i>Olearia persoonioides</i> | geebung daisybush | i <i>Ornithopus compressus</i> | yellow birdsfoot |
| e <i>Olearia phlogopappa</i> var. <i>angustifolia</i> | narrowleaf dusty daisybush | i <i>Ornithopus pinnatus</i> | sand birdsfoot |
| e <i>Olearia phlogopappa</i> var. <i>brevipes</i> | shy dusty daisybush | i <i>Orobanche minor</i> | lesser broomrape |
| e <i>Olearia phlogopappa</i> var. <i>microcephala</i> | smallflower dusty daisybush | <i>Orthoceras strictum</i> | horned orchid |
| <i>Olearia phlogopappa</i> var. <i>phlogopappa</i> | common dusty daisybush | e <i>Oschatzia saxifraga</i> | false saxifrage |
| e <i>Olearia phlogopappa</i> var. <i>salicifolia</i> | willowleaf dusty daisybush | i <i>Osteospermum fruticosum</i> | trailing daisy |
| <i>Olearia phlogopappa</i> var. <i>subrepanda</i> | mountain dusty daisybush | e <i>Ourisia integrifolia</i> | mountain whitebell |
| e <i>Olearia pinifolia</i> | prickly daisybush | i <i>Oxalis articulata</i> | bent woodsorrel |
| <i>Olearia ramulosa</i> | twiggy daisybush | i <i>Oxalis corniculata</i> subsp. <i>corniculata</i> | yellow woodsorrel |
| <i>Olearia stellulata</i> | sawleaf daisybush | <i>Oxalis exilis</i> | feeble woodsorrel |
| e <i>Olearia tasmanica</i> | tasmanian daisybush | i <i>Oxalis incarnata</i> | pale woodsorrel |
| <i>Olearia viscosa</i> | viscid daisybush | i <i>Oxalis latifolia</i> | largeleaf woodsorrel |
| e <i>Oligochaetochilus commutatus</i> | midlands greenhood | <i>Oxalis magellanica</i> | snowdrop woodsorrel |
| <i>Oligochaetochilus squamatus</i> | ruddy greenhood | <i>Oxalis perennans</i> | grassland woodsorrel |
| i <i>Onobrychis viciifolia</i> | sainfoin | i <i>Oxalis pes-caprae</i> | soursob |
| i <i>Ononis spinosa</i> | spiny restharrow | i <i>Oxalis purpurea</i> | largeflower woodsorrel |
| i <i>Onopordum acanthium</i> | scotch thistle | <i>Oxalis radicata</i> | stoutroot woodsorrel |
| i <i>Onopordum acaulon</i> | stemless thistle | <i>Oxylobium arborescens</i> | tall shaggypea |
| <i>Opercularia ovata</i> | broadleaf stinkweed | <i>Oxylobium ellipticum</i> | golden shaggypea |
| <i>Opercularia varia</i> | variable stinkweed | e <i>Ozothamnus antennaria</i> | sticky everlastingbush |
| <i>Ophioglossum lusitanicum</i> subsp. <i>coriaceum</i> | adders-tongue | <i>Ozothamnus argophyllum</i> | spicy everlastingbush |
| e <i>Oreobolus acutifolius</i> | bloodstain cushionsedge | e <i>Ozothamnus bracteolatus</i> | woolly everlastingbush |
| <i>Oreobolus distichus</i> | fan cushionsedge | e <i>Ozothamnus costatifructus</i> | eastcoast everlastingbush |
| e <i>Oreobolus oligocephalus</i> | redsheat cushionsedge | e <i>Ozothamnus ericifolius</i> | heathy everlastingbush |

e	<i>Ozothamnus expansifolius</i>	crowded everlastingbush	i	<i>Parietaria judaica</i>	wall pellitory
	<i>Ozothamnus ferrugineus</i>	tree everlastingbush	i	<i>Paronychia brasiliana</i>	railwort
e	<i>Ozothamnus hookeri</i>	scaly everlastingbush		<i>Parsonsia brownii</i>	twining silkpod
e	<i>Ozothamnus ledifolius</i>	mountain everlastingbush	i	<i>Paspalum dilatatum</i>	paspalum
e	<i>Ozothamnus lycopodioides</i>	clubmoss everlastingbush	i	<i>Paspalum distichum</i>	water couch
	<i>Ozothamnus obcordatus</i>	yellow everlastingbush	i	<i>Paspalum urvillei</i>	vasey grass
e	<i>Ozothamnus purpurascens</i>	columnar everlastingbush	i	<i>Passiflora cinnabarina</i>	red passionflower
e	<i>Ozothamnus reflexifolius</i>	reflexed everlastingbush	i	<i>Passiflora tarminiana</i>	banana passionfruit
e	<i>Ozothamnus reticulatus</i>	veined everlastingbush	i	<i>Pastinaca sativa</i>	parsnip
e	<i>Ozothamnus rodwayi</i> var. <i>kingii</i>	silvery alpine everlastingbush		<i>Patersonia fragilis</i>	short purpleflag
e	<i>Ozothamnus rodwayi</i> var. <i>oreophilus</i>	eastern alpine everlastingbush		<i>Patersonia occidentalis</i>	long purpleflag
e	<i>Ozothamnus rodwayi</i> var. <i>rodwayi</i>	common alpine everlastingbush		<i>Pelargonium australe</i>	southern storksbill
	<i>Ozothamnus rosmarinifolius</i>	swamp everlastingbush	i	<i>Pelargonium capitatum</i>	scented geranium
e	<i>Ozothamnus scutellifolius</i>	buttonleaf everlastingbush		<i>Pelargonium inodorum</i>	annual storksbill
ex	<i>Ozothamnus selaginoides</i>	table mountain everlastingbush		<i>Pelargonium littorale</i>	coast storksbill
	<i>Ozothamnus thyrsoides</i>	arching everlastingbush	i	<i>Pelargonium Xasperum</i>	rose-oil geranium
	<i>Ozothamnus turbinatus</i>	coast everlastingbush	i	<i>Pelargonium X domesticum</i>	garden geranium
	<i>Pandorea pandorana</i>	wonga vine		<i>Pellaea calidirupium</i>	hotrock fern
i	<i>Panicum capillare</i> var. <i>capillare</i>	common witchgrass		<i>Pellaea falcata</i>	sickle fern
i	<i>Panicum capillare</i> var. <i>occidentale</i>	western witchgrass	i	<i>Pennisetum clandestinum</i>	kikuyu grass
i	<i>Panicum gylvum</i>	sweet panic	i	<i>Pennisetum macrourum</i>	african feathergrass
i	<i>Panicum hillmanii</i>	witch panic	i	<i>Pennisetum villosum</i>	feathertop
i	<i>Panicum miaceum</i>	millet panic	e	<i>Pentachondra ericifolia</i>	fine frillyheath
ix	<i>Papaver aculeatum</i>	bristle poppy	e	<i>Pentachondra involucrata</i>	forest frillyheath
i	<i>Papaver argemone</i>	pale poppy		<i>Pentachondra pumila</i>	carpet frillyheath
i	<i>Papaver dubium</i>	longhead poppy	i	<i>Pentaglottis sempervirens</i>	green alkanet
i	<i>Papaver hybridum</i>	rough poppy	e	<i>Pentapogon quadrifidus</i> var. <i>parviflorus</i>	lesser five-awned speargrass
i	<i>Papaver rhoeas</i>	field poppy		<i>Pentapogon quadrifidus</i> var. <i>quadrifidus</i>	five-awned speargrass
i	<i>Papaver somniferum</i> subsp. <i>setigerum</i>	small opium poppy		<i>Persicaria decipiens</i>	slender waterpepper
i	<i>Papaver somniferum</i> subsp. <i>somniferum</i>	opium poppy		<i>Persicaria hydropiper</i>	green waterpepper
	<i>Paquerina graminea</i>	grass daisy	i	<i>Persicaria lapathifolia</i>	pale knotweed
	<i>Paracaleana minor</i>	small duck-orchid	i	<i>Persicaria maculosa</i>	common knotweed
i	<i>Parapholis incurva</i>	coast barbgrass	i	<i>Persicaria praetermissa</i>	arrow waterpepper
i	<i>Parapholis strigosa</i>	slender barbgrass	i?	<i>Persicaria prostrata</i>	creeping waterpepper
i	<i>Paraserianthes lophantha</i> subsp. <i>lophantha</i>	cape wattle		<i>Persicaria subsessilis</i>	bristly waterpepper
i	<i>Parentucellia latifolia</i>	broadleaf glandweed	e	<i>Persoonia gunnii</i> var. <i>gunnii</i>	mountain geebung
i	<i>Parentucellia viscosa</i>	yellow glandweed	e	<i>Persoonia gunnii</i> var. <i>oblanceolata</i>	lanceleaf geebung
	<i>Parietaria cardiostegia</i>	mallee pellitory	e	<i>Persoonia juniperina</i> var. <i>brevifolia</i>	shortleaf geebung
	<i>Parietaria debilis</i>	shade pellitory		<i>Persoonia juniperina</i> var. <i>juniperina</i>	prickly geebung

- e *Persoonia juniperina* var. *mollis* soft geebung
 e *Persoonia juniperina* var. *ulicina* coast geebung
 e *Persoonia moscalii* creeping geebung
 e *Persoonia muelleri* subsp. *angustifolia* narrowleaf geebung
 e *Persoonia muelleri* subsp. *densifolia* leafy geebung
 e *Persoonia muelleri* subsp. *muelleri* highland geebung
 i *Petasites fragrans* winter heliotrope
 i *Petrorhagia nanteuilii* proliferous pink
 i *Petrorhagia velutina* velvet pink
 i *Petroselinum crispum* parsley
 i *Phacelia tanacetifolia* fiddleneck
 i *Phalaris aquatica* toowoomba canarygrass
 i *Phalaris arundinacea* reed canarygrass
 i *Phalaris canariensis* canarygrass
 i *Phalaris minor* lesser canarygrass
 i *Phalaris paradoxa* bristly canarygrass
 e *Phebalium davisii* davis waxflower
Pheladenia deformis blue fairies
 e *Pherosphaera hookeriana* drooping pine
 e *Philotheca freyciana* freycinet waxflower
Philotheca verrucosa fairy waxflower
Philotheca virgata twiggly waxflower
 i *Phleum pratense* timothy grass
 i *Phormium tenax* new zealand flax
Phragmites australis southern reed
 t *Phyllachne colensoi* yellow cushionplant
Phyllangium distylis tiny mitrewort
Phyllangium divergens wiry mitrewort
Phyllanthus australis southern spurge
Phyllanthus gunnii shrubby spurge
 e *Phyllocladus aspleniifolius* celerytop pine
Phylloglossum drummondii pygmy clubmoss
 e *Phyllota diffusa* heath bushpea
 i *Physisalys peruviana* cape gooseberry
Picris angustifolia subsp. *angustifolia* lowland hawkweed
Picris angustifolia subsp. *merxmuelleri* mountain hawkweed
Pilularia novae-hollandiae australian pillwort
Pimelea axiflora subsp. *axiflora* bootlace bush
 e *Pimelea cinerea* grey riceflower
Pimelea curviflora var. *gracilis* slender curved riceflower
Pimelea curviflora var. *sericea* silky curved riceflower
Pimelea drupacea cherry riceflower
 e *Pimelea filiformis* trailing riceflower
Pimelea flava subsp. *flava* yellow riceflower
Pimelea glauca smooth riceflower
Pimelea humilis dwarf riceflower
Pimelea ligustrina subsp. *ligustrina* tall riceflower
Pimelea linifolia subsp. *linifolia* slender riceflower
Pimelea linifolia subsp. *linoides* greater slender riceflower
Pimelea micrantha silky riceflower
 e *Pimelea milliganii* silver riceflower
 e *Pimelea nivea* bushmans bootlace
Pimelea pauciflora poison riceflower
Pimelea phyllicoides heath riceflower
 e *Pimelea pygmaea* alpine riceflower
 e *Pimelea sericea* mountain riceflower
Pimelea serpyllifolia subsp. *serpyllifolia* thyme riceflower
 i *Pinus radiata* radiata pine
 i *Piptatherum miliaceum* rice millet
Pittosporum bicolor cheesewood
 i *Pittosporum undulatum* subsp. *undulatum* sweet pittosporum
 i *Pittosporum undulatum* subsp. *Xemmettii* hybrid pittosporum
 e *Planocarpa nitida* black cheeseberry
 e *Planocarpa petiolaris* alpine cheeseberry
 e *Planocarpa sulcata* grooved cheeseberry
Plantago antarctica mountain plantain
 i *Plantago australis* southern plantain
 e *Plantago bellidioides* herbfield plantain
 i *Plantago coronopus* subsp. *commutata* stout buckshorn plantain
 i *Plantago coronopus* subsp. *coronopus* slender buckshorn plantain
 e *Plantago daltonii* alpine plantain
Plantago debilis shade plantain
Plantago gaudichaudii narrow plantain
 e *Plantago glabrata* subalpine plantain
Plantago glacialis small star plantain
 e *Plantago gunnii* bolster plantain
Plantago hispida hairy plantain
 i *Plantago lanceolata* ribwort plantain

- | | | | | | |
|---|--|------------------------------|-------------------|---|--------------------------|
| i | <i>Plantago major</i> | great plantain | <i>Poa tenera</i> | scrambling tussockgrass | |
| e | <i>Plantago paradoxa</i> | hairtuft plantain | i | <i>Poa trivialis</i> | rough meadowgrass |
| e | <i>Plantago tasmanica</i> var. <i>archeri</i> | shortstem tasmanian plantain | i | <i>Podalyria sericea</i> | silky sweetpeabush |
| e | <i>Plantago tasmanica</i> var. <i>tasmanica</i> | tasmanian plantain | | <i>Podocarpus lawrencei</i> | mountain plumpine |
| t | <i>Plantago triantha</i> | salt spray plantain | | <i>Podolepis jaceoides</i> | showy copperwire-daisy |
| | <i>Plantago varia</i> | variable plantain | x? | <i>Podotheca angustifolia</i> | sticky longheads |
| | <i>Platylobium formosum</i> | handsome flatpea | | <i>Polycarpon tetraphyllum</i> | fourleaf allseed |
| | <i>Platylobium obtusangulum</i> | common flatpea | i | <i>Polygala myrtifolia</i> | myrtleleaf milkwort |
| | <i>Platylobium triangulare</i> | arrow flatpea | i | <i>Polygala vulgaris</i> | common milkwort |
| m | <i>Pleurophyllum hookeri</i> | macquarie megadaisy | i | <i>Polygonum arenastrum</i> | small wireweed |
| | <i>Pleurosorus rutifolius</i> | blanket fern | i | <i>Polygonum aviculare</i> | creeping wireweed |
| | <i>Plumatictilos plumosum</i> | bearded greenhood | i | <i>Polypogon maritimus</i> | coast beardgrass |
| | <i>Plumatictilos tasmanicum</i> | small bearded greenhood | i | <i>Polypogon monspeliensis</i> | annual beardgrass |
| | <i>Pneumatopteris pennigera</i> | lime fern | i | <i>Polypogon viridis</i> | water bent |
| i | <i>Poa annua</i> | winter grass | i | <i>Polyscias sambucifolia</i> | elderberry panax |
| i | <i>Poa bulbosa</i> | bulbous meadowgrass | | <i>Polyscias</i> aff. <i>sambucifolia</i> | ferny panax |
| | <i>Poa clelandii</i> | purplish tussockgrass | | <i>Polystichum proliferum</i> | mother shieldfern |
| | <i>Poa clivicola</i> | fineleaf snowgrass | m | <i>Polystichum vestitum</i> | prickly shieldfern |
| i | <i>Poa compressa</i> | flatstalk meadowgrass | | <i>Pomaderris apetala</i> subsp. <i>apetala</i> | common dogwood |
| m | <i>Poa cookii</i> | cooks tussockgrass | | <i>Pomaderris apetala</i> subsp. <i>maritima</i> | coast dogwood |
| | <i>Poa costiniana</i> | prickly snowgrass | | <i>Pomaderris aspera</i> | hazel dogwood |
| | <i>Poa fawcettiae</i> | horny snowgrass | | <i>Pomaderris elachophylla</i> | small-leaf dogwood |
| m | <i>Poa foliosa</i> | leafy tussockgrass | e | <i>Pomaderris elliptica</i> var. <i>diemenica</i> | tasmanian yellow dogwood |
| | <i>Poa gunnii</i> | gunns snowgrass | | <i>Pomaderris elliptica</i> var. <i>elliptica</i> | yellow dogwood |
| | <i>Poa halmaturina</i> | dune tussockgrass | | <i>Pomaderris intermedia</i> | lemon dogwood |
| | <i>Poa hiemata</i> | soft snowgrass | | <i>Pomaderris oraria</i> subsp. <i>oraria</i> | bassian dogwood |
| | <i>Poa hookeri</i> | hookers tussockgrass | | <i>Pomaderris paniculosa</i> subsp. <i>paralia</i> | shining dogwood |
| i | <i>Poa infirma</i> | early meadowgrass | | <i>Pomaderris phyllicifolia</i> subsp. <i>phyllicifolia</i> | narrowleaf dogwood |
| e | <i>Poa jugicola</i> | bluff snowgrass | | <i>Pomaderris pilifera</i> | hairy dogwood |
| | <i>Poa labillardierei</i> var. <i>acris</i> | blue tussockgrass | | <i>Pomaderris racemosa</i> | slender dogwood |
| | <i>Poa labillardierei</i> var. <i>labillardierei</i> | silver tussockgrass | i | <i>Populus alba</i> | white poplar |
| m | <i>Poa litorosa</i> | seashore tussockgrass | | <i>Poranthera microphylla</i> | small poranthera |
| e | <i>Poa mollis</i> | soft tussockgrass | | <i>Portulaca oleracea</i> | common purslane |
| | <i>Poa poiformis</i> var. <i>poiformis</i> | coastal tussockgrass | | <i>Posidonia australis</i> | southern eelgrass |
| | <i>Poa poiformis</i> var. <i>ramifer</i> | island purplegrass | | <i>Potamogeton australiensis</i> | thin pondweed |
| i | <i>Poa pratensis</i> | kentucky bluegrass | | <i>Potamogeton crispus</i> | curly pondweed |
| | <i>Poa rodwayi</i> | velvet tussockgrass | | <i>Potamogeton ochreateus</i> | blunt pondweed |
| | <i>Poa saxicola</i> | rock snowgrass | | <i>Potamogeton pectinatus</i> | fennel pondweed |
| | <i>Poa sieberiana</i> | grey tussockgrass | | <i>Potamogeton perfoliatus</i> | clapsed pondweed |

- | | | | |
|------------------------------------|------------------------|---|-----------------------------|
| <i>Potamogeton tricarlinatus</i> | floating pondweed | x? <i>Prostanthera cuneata</i> | alpine mintbush |
| i <i>Potentilla anglica</i> | trailing cinquefoil | <i>Prostanthera lasianthos</i> var. <i>lasianthos</i> | christmas mintbush |
| i <i>Potentilla anserina</i> | silverweed | <i>Prostanthera rotundifolia</i> | roundleaf mintbush |
| i <i>Potentilla recta</i> | upright cinquefoil | i <i>Prunella laciniata</i> | cutleaf selfheal |
| i <i>Potentilla reptans</i> | creeping cinquefoil | i <i>Prunella vulgaris</i> | selfheal |
| e <i>Prasophyllum alpinum</i> | alpine leek-orchid | i <i>Prunus domestica</i> subsp. <i>insititia</i> | plum |
| e <i>Prasophyllum amoenum</i> | dainty leek-orchid | i <i>Prunus spinosa</i> | blackthorn |
| e <i>Prasophyllum apoxychilum</i> | tapered leek-orchid | <i>Pseudanthus ovalifolius</i> | roundleaf pseudanthus |
| <i>Prasophyllum australe</i> | austral leek-orchid | i <i>Pseudofumaria alba</i> subsp. <i>alba</i> | white fumitory |
| <i>Prasophyllum breviflabre</i> | shortlip leek-orchid | <i>Pseudognaphalium luteoalbum</i> | jersey cudweed |
| e <i>Prasophyllum castaneum</i> | chestnut leek-orchid | e <i>Pseudopanax gunnii</i> | forest fernbush |
| e <i>Prasophyllum concinnum</i> | trim leek-orchid | i <i>Psoralea pinnata</i> | blue butterflybush |
| e <i>Prasophyllum crebriflorum</i> | crowded leek-orchid | <i>Pteridium esculentum</i> | bracken |
| <i>Prasophyllum elatum</i> | tall leek-orchid | <i>Pteris comans</i> | netted brake |
| e <i>Prasophyllum favonium</i> | western leek-orchid | <i>Pteris tremula</i> | tender brake |
| <i>Prasophyllum flavum</i> | yellow leek-orchid | <i>Pterostylis cucullata</i> | leafy greenhood |
| e <i>Prasophyllum incorrectum</i> | golfers leek-orchid | <i>Pterostylis curta</i> | blunt greenhood |
| e <i>Prasophyllum incurvum</i> | horseshoe leek-orchid | e <i>Pterostylis dubia</i> | bluetongue greenhood |
| <i>Prasophyllum lindleyanum</i> | green leek-orchid | <i>Pterostylis falcata</i> | sickle greenhood |
| e <i>Prasophyllum milfordense</i> | milford leek-orchid | <i>Pterostylis foliata</i> | slender greenhood |
| <i>Prasophyllum mimulum</i> | highland leek-orchid | e <i>Pterostylis furcata</i> | forked greenhood |
| <i>Prasophyllum montanum</i> | mountain leek-orchid | <i>Pterostylis nutans</i> | nodding greenhood |
| e <i>Prasophyllum olidum</i> | pungent leek-orchid | <i>Pterostylis pedunculata</i> | maroonhood |
| e <i>Prasophyllum perangustum</i> | knocklofty leek-orchid | e <i>Pterostylis scabrida</i> | rough greenhood |
| e <i>Prasophyllum pulchellum</i> | pretty leek-orchid | e <i>Pterygopappus lawrencei</i> | sage cushionplant |
| <i>Prasophyllum pyriforme</i> | graceful leek-orchid | <i>Ptilotus spathulatus</i> | pussytails |
| e <i>Prasophyllum robustum</i> | robust leek-orchid | i <i>Puccinellia distans</i> | feral saltmarshgrass |
| e <i>Prasophyllum rostratum</i> | slaty leek-orchid | m <i>Puccinellia macquariensis</i> | subantarctic saltmarshgrass |
| e <i>Prasophyllum secutum</i> | northern leek-orchid | <i>Puccinellia stricta</i> var. <i>perlaxa</i> | spreading saltmarshgrass |
| <i>Prasophyllum sphacelatum</i> | subalpine leek-orchid | <i>Puccinellia stricta</i> var. <i>stricta</i> | australian saltmarshgrass |
| e <i>Prasophyllum stellatum</i> | ben lomond leek-orchid | <i>Pultenaea daphnoides</i> var. <i>obcordata</i> | heartleaf bushpea |
| <i>Prasophyllum tadgellianum</i> | tadgells leek-orchid | <i>Pultenaea dentata</i> | swamp bushpea |
| <i>Prasophyllum taphanix</i> | graveside leek-orchid | <i>Pultenaea fasciculata</i> | alpine bushpea |
| e <i>Prasophyllum truncatum</i> | truncate leek-orchid | e <i>Pultenaea gunnii</i> var. <i>baeckeoides</i> | delicate golden bushpea |
| e <i>Prasophyllum tunbridgense</i> | tunbridge leek-orchid | <i>Pultenaea gunnii</i> var. <i>gunnii</i> | golden bushpea |
| <i>Pratia irrigua</i> | salt pratia | <i>Pultenaea humilis</i> | dwarf bushpea |
| <i>Pratia pedunculata</i> | matted pratia | <i>Pultenaea juniperina</i> | prickly beauty |
| <i>Pratia surrepens</i> | mud pratia | <i>Pultenaea mollis</i> | soft bushpea |
| e <i>Prionotes cerinthoides</i> | climbing heath | <i>Pultenaea pedunculata</i> | matted bushpea |

Pultenaea prostrata
Pultenaea sericea
Pultenaea stricta
Pultenaea tenuifolia
Pyrorchis nigricans
t *Ranunculus acaulis*
i *Ranunculus acris*
Ranunculus amphitrichus
i *Ranunculus arvensis*
e *Ranunculus collicola*
Ranunculus collinus
m *Ranunculus crassipes*
e *Ranunculus decurvus*
Ranunculus diminutus
i *Ranunculus flammula*
Ranunculus glabrifolius
Ranunculus gunnianus
e *Ranunculus jugosus*
Ranunculus lappaceus
i *Ranunculus muricatus*
e *Ranunculus nanus*
i *Ranunculus parviflorus*
e *Ranunculus pascuinus*
Ranunculus pimpinellifolius
e *Ranunculus prasinus*
Ranunculus pumilio var. *pumilio*
i *Ranunculus repens*
i *Ranunculus sardous*
Ranunculus scapiger
i *Ranunculus scleratus*
Ranunculus sessiliflorus var. *sessiliflorus*
e *Ranunculus setaceus*
i *Ranunculus trilobus*
e *Ranunculus triplodontus*
i *Raphanus maritimus*
i *Raphanus raphanistrum*
i *Rapistrum rugosum*
i *Reseda alba*
i *Reseda lutea*

silky bushpea
 chaffy bushpea
 rigid bushpea
 slender bushpea
 fire orchid
 dune buttercup
 meadow buttercup
 river buttercup
 field buttercup
 lake augusta buttercup
 mountain buttercup
 succulent buttercup
 nodding buttercup
 brackish buttercup
 lesser spearwort
 shining buttercup
 tufted buttercup
 twinned buttercup
 woodland buttercup
 sharp buttercup
 dwarf buttercup
 smallflower buttercup
 pressed-hair buttercup
 bog buttercup
 midlands buttercup
 ferny buttercup
 creeping buttercup
 pale hairy buttercup
 gully buttercup
 celery buttercup
 rockplate buttercup
 simple-leaf buttercup
 large annual buttercup
 threetooth buttercup
 sea radish
 wild radish
 giant mustard
 white mignonette
 cutleaf mignonette

i *Reseda luteola*
Rhagodia candolleana subsp. *candolleana*
 i *Rhamnus alaternus*
Rhodanthe anthemoides
Rhytidosporum inconspicuum
Rhytidosporum procumbens
 i *Ribes sanguineum*
 e *Richea acerosa*
Richea alpina
 e *Richea dracophylla*
 e *Richea gunnii*
 e *Richea milliganii*
 e *Richea pandanifolia* subsp. *pandanifolia*
 e *Richea pandanifolia* subsp. *ramulosa*
 e *Richea procera*
 e *Richea scoparia*
 e *Richea sprengeloides*
 e *Richea Xcurtisiae*
Ricinocarpos pinifolius
 i *Romulea minutiflora*
 i *Romulea rosea* var. *australis*
Rorippa dictyosperma
Rorippa gigantea
 i *Rorippa microphylla*
 i *Rorippa nasturtium-aquaticum*
 i *Rorippa palustris*
 i *Rorippa sylvestris*
 i *Rosa canina*
 i *Rosa rubiginosa*
Rostraria cristata
 i *Rubus fruticosus* aggregate
 e *Rubus gunnianus*
 i *Rubus laciniatus*
Rubus parvifolius
Rumex bidens
Rumex brownii
 i *Rumex conglomeratus*
 i *Rumex crispus*
Rumex dumosus

weld
 coastal saltbush
 italian buckthorn
 chamomile sunray
 alpine appleberry
 starry appleberry
 flowering currant
 slender candleheath
 short candleheath
 pineapple candleheath
 bog candleheath
 nodding candleheath
 pandani
 branching pandani
 lax candleheath
 scoparia
 rigid candleheath
 hybrid candleheath
 wedding bush
 lesser oniongrass
 lilac oniongrass
 forest bittercress
 large bittercress
 one-row watercress
 two-row watercress
 marsh yellowcress
 creeping yellowcress
 dog rose
 sweet briar
 annual catstail
 blackberry
 alpine raspberry
 cutleaf blackberry
 native raspberry
 mud dock
 slender dock
 clustered dock
 curled dock
 wiry dock

i	<i>Rumex obtusifolius</i> subsp. <i>obtusifolius</i>	western broadleaf dock	<i>Scaevola hookeri</i>	creeping fanflower	
i	<i>Rumex obtusifolius</i> subsp. <i>transiens</i>	central broadleaf dock	i	<i>Scandix pecten-veneris</i>	shepherds needle
i	<i>Rumex pulcher</i> subsp. <i>pulcher</i>	fiddle dock	e	<i>Schizacme archeri</i>	cushion mitrewort
	<i>Rumohra adiantiformis</i>	leathery shieldfern		<i>Schizacme montana</i>	mountain mitrewort
	<i>Ruppia megacarpa</i>	largefruit seatassel		<i>Schizaea asperula</i>	rough combfern
	<i>Ruppia polycarpa</i>	manyfruit seatassel		<i>Schizaea bifida</i>	forked combfern
	<i>Ruppia tuberosa</i>	tuberous seatassel		<i>Schizaea fistulosa</i>	narrow combfern
	<i>Rytidosperma australe</i>	snowpatch grass	i	<i>Schizostylis coccinea</i>	crimson flag
	<i>Rytidosperma dimidiatum</i>	variable wallabygrass		<i>Schoenoplectus pungens</i>	sharp clubsedge
e	<i>Rytidosperma fortunae-hibernae</i>	luck-of-the-irish wallabygrass		<i>Schoenoplectus validus</i>	river clubsedge
e	<i>Rytidosperma nitens</i>	shiny wallabygrass	e	<i>Schoenus absconditus</i>	hidden bogsedge
	<i>Rytidosperma nivicola</i>	snow wallabygrass		<i>Schoenus apogon</i>	common bogsedge
	<i>Rytidosperma nudiflorum</i>	alpine wallabygrass	e	<i>Schoenus biglumis</i>	westcoast bogsedge
e	<i>Rytidosperma pauciflorum</i>	cushionplant wallabygrass		<i>Schoenus brevifolius</i>	zigzag bogsedge
i	<i>Sagina apetala</i>	annual pearlwort		<i>Schoenus calypttratus</i>	alpine bogsedge
e	<i>Sagina diemensis</i>	tasmanian pearlwort		<i>Schoenus carsei</i>	wiry bogsedge
i	<i>Sagina maritima</i>	sea pearlwort		<i>Schoenus fluitans</i>	floating bogsedge
	<i>Sagina namadgi</i>	mountain pearlwort		<i>Schoenus latelaminatus</i>	medusa bogsedge
i	<i>Sagina procumbens</i>	spreading pearlwort		<i>Schoenus lepidosperma</i> subsp. <i>lepidosperma</i>	slender bogsedge
	<i>Salix alba</i>	white willow		<i>Schoenus maschalinus</i>	leafy bogsedge
i	<i>Salix babylonica</i>	weeping willow		<i>Schoenus nitens</i>	shiny bogsedge
i	<i>Salix cinerea</i>	grey willow	e	<i>Schoenus pygmaeus</i>	pygmy bogsedge
i	<i>Salix fragilis</i>	crack willow		<i>Schoenus tesquorum</i>	soft bogsedge
i	<i>Salix Xrubens</i>	basket willow		<i>Schoenus turbinatus</i>	heathland bogsedge
i	<i>Salpichroa organifolia</i>	pampas lily-of-the-valley	i	<i>Scilla peruviana</i>	cuban lily
i	<i>Salsola kali</i>	prickly saltwort	i	<i>Scleranthus annuus</i>	annual knawel
i	<i>Salvia verbenaca</i>	wild sage		<i>Scleranthus biflorus</i>	twinflower knawel
	<i>Sambucus gaudichaudiana</i>	white elderberry		<i>Scleranthus brockiei</i>	mountain knawel
i	<i>Sambucus nigra</i>	black elderberry		<i>Scleranthus diander</i>	tufted knawel
	<i>Samolus repens</i>	creeping brookweed		<i>Scleranthus fasciculatus</i>	spreading knawel
i	<i>Sanguisorba minor</i> subsp. <i>muricata</i>	salad burnet	i	<i>Sclerochloa dura</i>	hard meadowgrass
i	<i>Saponaria officinalis</i>	common soapwort		<i>Sclerostegia arbuscula</i>	shrubby glasswort
	<i>Sarcocochilus australis</i>	gunns tree-orchid	i	<i>Scorzonera laciniata</i>	scorzonera
	<i>Sarcocornia blackiana</i>	thickhead glasswort	i	<i>Scrophularia auriculata</i>	water figwort
	<i>Sarcocornia quinqueflora</i> subsp. <i>quinqueflora</i>	beaded glasswort		<i>Scutellaria humilis</i>	dwarf skullcap
	<i>Sarcocornia quinqueflora</i> subsp. <i>tasmanica</i>	tasmanian glasswort		<i>Sebaea albidiflora</i>	white sebaea
i	<i>Scabiosa atropurpurea</i>	garden pincushion		<i>Sebaea ovata</i>	yellow sebaea
	<i>Scaevola aemula</i>	fairy fanflower	i	<i>Secale cereale</i>	rye
	<i>Scaevola albida</i>	pale fanflower	i	<i>Securigera varia</i>	crown vetch

i	<i>Sedum acre</i>	biting wallpepper	e	<i>Senecio primulaefolius</i>	showy alpine groundsel
i	<i>Sedum forsterianum</i>	rock wallpepper		<i>Senecio psilocarpus</i>	swamp fireweed
i	<i>Sedum reflexum</i>	reflexed wallpepper		<i>Senecio quadridentatus</i>	cotton fireweed
i	<i>Sedum sexangulare</i>	bland wallpepper		<i>Senecio spathulatus</i> var. <i>spathulatus</i>	dune groundsel
	<i>Selaginella gracillima</i>	tiny spikemoss		<i>Senecio squarrosus</i>	leafy fireweed
	<i>Selaginella uliginosa</i>	swamp spikemoss	ex	<i>Senecio tasmanicus</i>	tasmanian fireweed
	<i>Selliera radicans</i>	shiny swampmat		<i>Senecio vagus</i>	sawleaf groundsel
e	<i>Senecio albogilvus</i>	white alpine groundsel		<i>Senecio velleioides</i>	forest groundsel
i	<i>Senecio angulatus</i>	scrambling groundsel	i	<i>Senecio vulgaris</i>	common groundsel
	<i>Senecio biserratus</i>	jagged fireweed	i	<i>Setaria gracilis</i> var. <i>pauciseta</i>	slender pigeongrass
	<i>Senecio campylocarpus</i>	bulging fireweed	i	<i>Setaria italica</i>	italian millet
i	<i>Senecio elegans</i>	purple groundsel	i	<i>Setaria verticillata</i>	whorled pigeongrass
	<i>Senecio extensus</i>	subalpine fireweed	i	<i>Setaria viridis</i>	green pigeongrass
	<i>Senecio glomeratus</i> subsp. <i>glomeratus</i>	shortfruit purple fireweed	i	<i>Sherardia arvensis</i>	field madder
	<i>Senecio glomeratus</i> subsp. <i>longifructus</i>	longfruit purple fireweed		<i>Sicyos australis</i>	star cucumber
	<i>Senecio gunnii</i>	mountain fireweed	i	<i>Sigesbeckia orientalis</i>	indian weed
	<i>Senecio hispidissimus</i>	coarse fireweed	i	<i>Silene conica</i>	striated catchfly
	<i>Senecio hispidulus</i>	rough fireweed	i	<i>Silene dichotoma</i>	forked catchfly
i	<i>Senecio jacobaea</i>	ragwort	i	<i>Silene gallica</i>	french catchfly
	<i>Senecio leptocarpus</i>	western groundsel	i	<i>Silene latifolia</i>	white campion
	<i>Senecio linearifolius</i> var. <i>arachnoideus</i>	cobweb fireweed groundsel	i	<i>Silene longicaulis</i>	portuguese catchfly
	<i>Senecio linearifolius</i> var. <i>denticulatus</i>	toothed fireweed groundsel	i	<i>Silene nocturna</i>	mediterranean catchfly
	<i>Senecio linearifolius</i> var. <i>linearifolius</i>	common fireweed groundsel	i	<i>Silene vulgaris</i>	bladder campion
	<i>Senecio longipilus</i>	longhair fireweed		<i>Siloxerus multiflorus</i>	small wrinklewort
x?	<i>Senecio macrocarpus</i>	largefruit fireweed	i	<i>Silybum marianum</i>	variegated thistle
	<i>Senecio microbasis</i>	narrow fireweed		<i>Simpliglottis cornuta</i>	green bird-orchid
	<i>Senecio minimus</i>	shrubby fireweed	e	<i>Simpliglottis grammata</i>	small bird-orchid
	<i>Senecio odoratus</i>	scented groundsel	e	<i>Simpliglottis gunnii</i>	tall bird-orchid
	<i>Senecio Xorarius</i>	coast groundsel	e	<i>Simpliglottis triceratops</i>	threehorned bird-orchid
e	<i>Senecio papillosus</i>	warty groundsel		<i>Simpliglottis valida</i>	large bird-orchid
	<i>Senecio pectinatus</i> var. <i>major</i>	greater yellow alpine groundsel	i	<i>Sinapis alba</i>	white mustard
e	<i>Senecio pectinatus</i> var. <i>pectinatus</i>	yellow alpine groundsel	i	<i>Sinapis arvensis</i>	charlock
	<i>Senecio phelleus</i>	rock fireweed	i	<i>Sisymbrium irio</i>	london rocket
	<i>Senecio pinnatifolius</i> var. <i>alpinus</i>	highland groundsel	i	<i>Sisymbrium officinale</i>	hedge-mustard
	<i>Senecio pinnatifolius</i> var. <i>capillifolius</i>	fineleaf coast groundsel	i	<i>Sisymbrium orientale</i>	indian hedge-mustard
	<i>Senecio pinnatifolius</i> var. <i>lanceolatus</i>	lanceleaf coast groundsel	i	<i>Sisyrinchium iridifolium</i>	blue pigroot
	<i>Senecio pinnatifolius</i> var. <i>maritimus</i>	western coast groundsel	i	<i>Solanum americanum</i>	glossy nightshade
	<i>Senecio pinnatifolius</i> var. <i>pinnatifolius</i>	common coast groundsel	i	<i>Solanum dulcamara</i>	woody nightshade
	<i>Senecio prenanthoides</i>	common fireweed	i	<i>Solanum furcatum</i>	broad nightshade

<i>Solanum laciniatum</i>	kangaroo apple	<i>Sprengelia montana</i>	alpine swampheath
i <i>Solanum marginatum</i>	white-edged nightshade	<i>Spyridium eriocephalum</i> var. <i>eriocephalum</i>	heath dustymiller
i <i>Solanum nigrum</i>	blackberry nightshade	e <i>Spyridium gunnii</i>	forest dustymiller
<i>Solanum opacum</i>	greenberry nightshade	e <i>Spyridium lawrencei</i>	small-leaf dustymiller
i <i>Solanum physalifolium</i> var. <i>nitidibaccatum</i>	cherry nightshade	e <i>Spyridium obcordatum</i>	creeping dustymiller
i <i>Solanum pseudocapsicum</i>	winter cherry	e <i>Spyridium obovatum</i> var. <i>obovatum</i>	smooth dustymiller
i <i>Solanum triflorum</i>	cutleaf nightshade	e <i>Spyridium obovatum</i> var. <i>velutinum</i>	velvet dustymiller
<i>Solanum vescum</i>	gunyang	e <i>Spyridium parvifolium</i> var. <i>molle</i>	soft dustymiller
i <i>Soleirolia soleirolii</i>	babys tears	<i>Spyridium parvifolium</i> var. <i>parvifolium</i>	coast dustymiller
<i>Solenogyne dominii</i>	smooth flat-herb	e <i>Spyridium ulicinum</i>	scented dustymiller
<i>Solenogyne gunnii</i>	hairy flat-herb	<i>Spyridium vexilliferum</i> var. <i>vexilliferum</i>	helicopter bush
i <i>Soliva sessilis</i>	jo-jo	i <i>Stachys arvensis</i>	field woundwort
i <i>Sonchus asper</i> subsp. <i>asper</i>	green prickly sowthistle	i <i>Stachys palustris</i>	marsh woundwort
i <i>Sonchus asper</i> subsp. <i>glaucescens</i>	bluegreen prickly sowthistle	e <i>Stackhousia gunnii</i>	grassland candles
<i>Sonchus hydrophilus</i>	native sowthistle	<i>Stackhousia monogyna</i>	forest candles
i <i>Sonchus oleraceus</i>	common sowthistle	<i>Stackhousia pulvinaris</i>	alpine candles
<i>Sowerbaea juncea</i>	purple rushlily	<i>Stackhousia spathulata</i>	coast candles
i <i>Sparaxis bulbifera</i>	harlequin flower	<i>Stackhousia viminea</i>	yellow candles
i <i>Spartina anglica</i>	common cordgrass	<i>Stellaria angustifolia</i>	swamp starwort
i <i>Spartium junceum</i>	spanish broom	<i>Stellaria caespitosa</i>	matted starwort
e <i>Speculantha aphylla</i>	leafless greenhood	<i>Stellaria flaccida</i>	forest starwort
e <i>Speculantha atriola</i>	snug greenhood	i <i>Stellaria graminea</i>	lesser stitchwort
<i>Speculantha parviflora</i>	tiny greenhood	i <i>Stellaria media</i>	garden chickweed
<i>Speculantha uliginosa</i>	marsh greenhood	<i>Stellaria multiflora</i>	rayless starwort
i <i>Spergula arvensis</i>	corn spurrey	i <i>Stellaria pallida</i>	lesser chickweed
i <i>Spergularia bocconii</i>	lesser sandspurrey	m <i>Stellaria parviflora</i>	smallflower starwort
i <i>Spergularia marina</i>	lesser seaspurrey	<i>Stellaria pungens</i>	prickly starwort
<i>Spergularia</i> aff. <i>media</i>	greater seaspurrey	e <i>Stenanthemum pimeleoides</i>	propeller plant
i <i>Spergularia rubra</i>	greater sandspurrey	<i>Stenopetalum lineare</i>	narrow threadpetal
e <i>Sphaerocionium applanatum</i>	skeleton filmyfern	i <i>Stenotaphrum secundatum</i>	buffalo grass
<i>Sphaerolobium minus</i>	eastern globepea	<i>Sticherus lobatus</i>	spreading fanfern
<i>Sphaerolobium vimineum</i>	spotted globepea	<i>Sticherus tener</i>	silky fanfern
<i>Spinifex sericeus</i>	beach spinifex	<i>Sticherus urceolatus</i>	umbrella fanfern
<i>Spiranthes australis</i>	spiral orchid	m <i>Stilbocarpa polaris</i>	macquarie cabbage
<i>Sporadanthus tasmanicus</i>	branching scalerush	e <i>Stonesiella selaginoides</i>	clubmoss bushpea
i <i>Sporobolus africanus</i>	ratstail grass	<i>Stylidium armeria</i>	coastal triggerplant
<i>Sporobolus virginicus</i>	salt couch	<i>Stylidium despectum</i>	small triggerplant
e <i>Sprengelia distichophylla</i>	tiny swampheath	<i>Stylidium dilatatum</i>	broadleaf triggerplant
<i>Sprengelia incarnata</i>	pink swampheath	<i>Stylidium graminifolium</i>	narrowleaf triggerplant

<i>Stylidium inundatum</i>	swamp triggerplant	<i>Thelymitra bracteata</i>	leafy sun-orchid
<i>Stylidium perpusillum</i>	tiny triggerplant	<i>Thelymitra brevifolia</i>	shortleaf sun-orchid
<i>Styphelia adscendens</i>	golden heath	<i>Thelymitra carnea</i>	tiny sun-orchid
<i>Suaeda australis</i>	southern seablite	<i>Thelymitra circumsepta</i>	naked sun-orchid
i <i>Suaeda maritima</i>	annual seablite	<i>Thelymitra cyanea</i>	veined sun-orchid
<i>Swainsona lessertiifolia</i>	coast poisonpea	<i>Thelymitra erosa</i>	striped sun-orchid
i <i>Symphytum Xuplandicum</i>	comfrey	<i>Thelymitra exigua</i>	short sun-orchid
<i>Tanacetum cinerariifolium</i>	pyrethrum	<i>Thelymitra flexuosa</i>	twisted sun-orchid
i <i>Tanacetum parthenium</i>	feverfew	<i>Thelymitra holmesii</i>	bluestar sun-orchid
i <i>Tanacetum vulgare</i>	tansy	e <i>Thelymitra imbricata</i>	broad sun-orchid
<i>Taraxacum aristum</i>	mountain dandelion	<i>Thelymitra improcera</i>	coastal sun-orchid
<i>Taraxacum cygnorum</i>	coast dandelion	<i>Thelymitra inflata</i>	inflated sun-orchid
i <i>Taraxacum kok-saghyz</i>	russian dandelion	<i>Thelymitra ixioides</i>	spotted sun-orchid
i <i>Taraxacum officinale</i>	common dandelion	e <i>Thelymitra jonesii</i>	skyblue sun-orchid
<i>Tasmannia lanceolata</i>	mountain pepper	<i>Thelymitra juncifolia</i>	large-spotted sun-orchid
<i>Taurantha concinna</i>	trim greenhood	<i>Thelymitra longiloba</i>	lobed sun-orchid
<i>X Taurodium toveyanum</i>	mentone greenhood	<i>Thelymitra lucida</i>	glistening sun-orchid
i <i>Teesdalia nudicaulis</i>	shepherds cress	<i>Thelymitra malvina</i>	mauvetuft sun-orchid
e <i>Telopea truncata</i>	tasmanian waratah	<i>Thelymitra mucida</i>	plum sun-orchid
e <i>Tetracarpaea tasmanica</i>	delicate laurel	<i>Thelymitra nuda</i>	plain sun-orchid
<i>Tetragonia implexicoma</i>	bower spinach	<i>Thelymitra pauciflora</i>	slender sun-orchid
<i>Tetragonia tetragonoides</i>	new zealand spinach	<i>Thelymitra peniculata</i>	trim sun-orchid
<i>Tetralia capillaris</i>	hair sedge	e <i>Thelymitra polychroma</i>	rainbow sun-orchid
<i>Tetratheca ciliata</i>	northern pinkbells	<i>Thelymitra rubra</i>	pink sun-orchid
e <i>Tetratheca gunnii</i>	shy pinkbells	e <i>Thelymitra silenae</i>	madonna sun-orchid
<i>Tetratheca labillardierei</i>	glandular pinkbells	<i>Thelymitra simulata</i>	collared sun-orchid
<i>Tetratheca pilosa</i> subsp. <i>latifolia</i>	broadleaf hairy pinkbells	e <i>Thelymitra spadicea</i>	browntop sun-orchid
<i>Tetratheca pilosa</i> subsp. <i>pilosa</i>	hairy pinkbells	e <i>Thelymitra sparsa</i>	wispy sun-orchid
<i>Tetratheca procumbens</i>	spreading pinkbells	e <i>Thelymitra versicolor</i>	varied sun-orchid
<i>Teucrium corymbosum</i>	forest germander	e <i>Thelymitra viridis</i>	green sun-orchid
i <i>Teucrium scorodonia</i>	wood sage	<i>Thelymitra Xirregularis</i>	crested sun-orchid
<i>Thelionema caespitosum</i>	tufted lily	<i>Thelymitra Xmerraniae</i>	merrans sun-orchid
<i>Thelionema umbellatum</i>	cluster lily	<i>Thelymitra Xtruncata</i>	truncate sun-orchid
e <i>Thelymitra aggericola</i>	bleak sun-orchid	<i>Themeda triandra</i>	kangaroo grass
<i>Thelymitra antennifera</i>	rabbit ears	x <i>Thesium australe</i>	southern toadflax
e <i>Thelymitra arenaria</i>	forest sun-orchid	i <i>Thinopyrum junceiforme</i>	sea wheatgrass
<i>Thelymitra aristata</i>	great sun-orchid	<i>Thismia rodwayi</i>	fairly lanterns
<i>Thelymitra atronitida</i>	blackhood sun-orchid	i <i>Thlaspi arvense</i>	field pennycress
<i>Thelymitra benthamiana</i>	blotched sun-orchid	<i>Threlkeldia diffusa</i>	coast bonefruit

	<i>Thryptomene micrantha</i>	ribbed heathmyrtle	i	<i>Trifolium suffocatum</i>	suffocated clover
	<i>Thynninorchis huntiana</i>	elbow orchid	i	<i>Trifolium tomentosum</i>	woolly clover
e	<i>Thynninorchis nothofagicola</i>	myrtle elbow orchid	i	<i>Trifolium uniflorum</i>	oneflower clover
	<i>Thysanotus patersonii</i>	twining fringelily		<i>Triglochin alcockiae</i>	southern waterribbons
	<i>Tmesipteris elongata</i>	narrow forkfern		<i>Triglochin minutissimum</i>	tiny arrowgrass
	<i>Tmesipteris obliqua</i>	common forkfern		<i>Triglochin mucronatum</i>	prickly arrowgrass
	<i>Tmesipteris parva</i>	small forkfern		<i>Triglochin nanum</i>	dwarf arrowgrass
	<i>Todea barbara</i>	southern kingfern		<i>Triglochin procerum</i>	greater waterribbons
i	<i>Tolpis barbata</i>	yellow hawkweed		<i>Triglochin rheophilum</i>	stream waterribbons
i	<i>Torilis nodosa</i>	knotted parsley		<i>Triglochin striatum</i>	streaked arrowgrass
t	<i>Townsonia viridis</i>	beech orchid	i	<i>Tripleurospermum maritimum</i> subsp. <i>inodorum</i>	scentless mayweed
	<i>Trachymene composita</i>	parsnip laceflower		<i>Triptilodiscus pygmaeus</i>	dwarf sunray
	<i>Trachymene humilis</i> subsp. <i>breviscapa</i>	short alpine laceflower		<i>Trisetum spicatum</i> subsp. <i>australiense</i>	bristle grass
	<i>Trachymene humilis</i> subsp. <i>humilis</i>	alpine laceflower		<i>Trithuria submersa</i>	submerged watertuft
i	<i>Tradescantia albiflora</i>	wandering creeper	i	<i>Triticum aestivum</i>	wheat
i	<i>Tragopogon porrifolius</i>	salsify	i	<i>Tritonia lineata</i>	lined tritonia
	<i>Tricoryne elatior</i>	yellow rushlily	e	<i>Trochocarpa cunninghamii</i>	straggling purpleberry
	<i>Tricostularia pauciflora</i>	needle bogsedge	e	<i>Trochocarpa disticha</i>	spreading purpleberry
i	<i>Trifolium alexandrinum</i>	berseem clover	e	<i>Trochocarpa pygmaea</i>	fragrant purpleberry
i	<i>Trifolium angustifolium</i>	narrowleaf clover	e	<i>Trochocarpa thymifolia</i>	thymeleaf purpleberry
i	<i>Trifolium arvense</i>	haresfoot clover		<i>Typha domingensis</i>	slender cumbungi
i	<i>Trifolium campestre</i>	hop clover	i	<i>Typha latifolia</i>	great reedmace
i	<i>Trifolium cernuum</i>	nodding clover		<i>Typha orientalis</i>	broadleaf cumbungi
i	<i>Trifolium dubium</i>	suckling clover	i	<i>Ulex europaeus</i>	gorse
i	<i>Trifolium fragiferum</i>	strawberry clover	i	<i>Ulmus Xhollandica</i>	dutch elm
i	<i>Trifolium glomeratum</i>	cluster clover		<i>Uncinia compacta</i>	compact hooksedge
i	<i>Trifolium hybridum</i>	alsike clover	m	<i>Uncinia divaricata</i>	subantarctic hooksedge
i	<i>Trifolium incarnatum</i>	crimson clover	t	<i>Uncinia elegans</i>	handsome hooksedge
i	<i>Trifolium lappaceum</i>	bristly clover		<i>Uncinia flaccida</i>	mountain hooksedge
i	<i>Trifolium micranthum</i>	slender clover	m	<i>Uncinia hookeri</i>	hookers hooksedge
i	<i>Trifolium ornithopodioides</i>	birdsfoot clover	t	<i>Uncinia nervosa</i>	moorland hooksedge
i	<i>Trifolium pratense</i>	red clover		<i>Uncinia riparia</i>	river hooksedge
i	<i>Trifolium repens</i>	white clover		<i>Uncinia tenella</i>	delicate hooksedge
i	<i>Trifolium resupinatum</i>	reversed clover		<i>Urochilus sanguineus</i>	banded greenhood
i	<i>Trifolium scabrum</i>	rough clover	i	<i>Urospermum dalechampii</i>	false dandelion
i	<i>Trifolium squamosum</i>	sea clover		<i>Urtica incisa</i>	scrub nettle
i	<i>Trifolium stellatum</i>	star clover	i	<i>Urtica urens</i>	stinging nettle
i	<i>Trifolium striatum</i>	knotted clover		<i>Utricularia australis</i>	yellow bladderwort
i	<i>Trifolium subterraneum</i>	subterranean clover		<i>Utricularia dichotoma</i>	fairies aprons

<i>Utricularia lateriflora</i>	tiny bladderwort	<i>Viola betonicifolia</i>	showy violet
<i>Utricularia monanthos</i>	mountain bladderwort	<i>Viola caleyana</i>	swamp violet
<i>Utricularia tenella</i>	pink bladderwort	<i>Viola cleistogamoides</i>	shy violet
<i>Utricularia violacea</i>	violet bladderwort	<i>Viola cunninghamii</i>	alpine violet
i <i>Vaccaria hispanica</i>	cow soapwort	<i>Viola fuscoviolacea</i>	dusky violet
i <i>Valerianella eriocarpa</i>	italian cornsalad	e <i>Viola hederacea</i> subsp. <i>curtisiae</i>	montane ivyleaf violet
i <i>Valerianella locusta</i>	lambs lettuce	<i>Viola hederacea</i> subsp. <i>hederacea</i>	ivyleaf violet
i <i>Valerianella rimosa</i>	broadfruit cornsalad	<i>Viola sieberiana</i>	tiny violet
<i>Vallisneria americana</i> var. <i>americana</i>	river ribbons	<i>Vittadinia australasica</i> var. <i>oricola</i>	coast new-holland-daisy
<i>Velleia montana</i>	mountain velleia	e <i>Vittadinia burbridgeae</i>	smooth new-holland-daisy
<i>Velleia paradoxa</i>	spur velleia	<i>Vittadinia cuneata</i> var. <i>cuneata</i>	fuzzy new-holland-daisy
i <i>Vellereophyton dealbatum</i>	white cudweed	<i>Vittadinia gracilis</i>	woolly new-holland-daisy
i <i>Verbascum blattaria</i>	moth mullein	x? <i>Vittadinia megacephala</i>	giant new-holland-daisy
i <i>Verbascum creticum</i>	cretan mullein	<i>Vittadinia muelleri</i>	narrowleaf new-holland-daisy
i <i>Verbascum thapsus</i>	great mullein	i <i>Vulpia bromoides</i>	squirreltail fescue
i <i>Verbascum virgatum</i>	twiggy mullein	i <i>Vulpia fasciculata</i>	dune fescue
i <i>Verbena bonariensis</i>	purple vervain	i <i>Vulpia muralis</i>	wall fescue
i <i>Verbena officinalis</i>	common vervain	i <i>Vulpia myuros</i> forma <i>megalura</i>	foxtail fescue
i <i>Veronica arvensis</i>	wall speedwell	i <i>Vulpia myuros</i> forma <i>myuros</i>	ratstail fescue
<i>Veronica calycina</i>	hairy speedwell	<i>Wahlenbergia ceracea</i>	waxy bluebell
e <i>Veronica formosa</i>	speedwell bush	<i>Wahlenbergia gracilentia</i>	annual bluebell
<i>Veronica gracilis</i>	slender speedwell	<i>Wahlenbergia gracilis</i>	sprawling bluebell
i <i>Veronica hederifolia</i>	ivyleaf speedwell	<i>Wahlenbergia gymnoclada</i>	naked bluebell
i <i>Veronica notabilis</i>	forest speedwell	<i>Wahlenbergia multicaulis</i>	bushy bluebell
<i>Veronica novae-hollandiae</i>	coast speedwell	e <i>Wahlenbergia saxicola</i>	mountain bluebell
i <i>Veronica peregrina</i>	wandering speedwell	<i>Wahlenbergia stricta</i>	tall bluebell
i <i>Veronica persica</i>	persian speedwell	i <i>Watsonia meriana</i> var. <i>bulbillifera</i>	bulbil watsonia
<i>Veronica plebeia</i>	trailing speedwell	i <i>Watsonia meriana</i> var. <i>meriana</i>	watsonia
i <i>Veronica scutellata</i>	marsh speedwell	i <i>Watsonia versfeldii</i> var. <i>alba</i>	white watsonia
i <i>Veronica serpyllifolia</i>	thyme speedwell	e <i>Westringia angustifolia</i>	narrowleaf westringia
i <i>Vicia hirsuta</i>	hairy vetch	e <i>Westringia brevifolia</i> var. <i>brevifolia</i>	shortleaf westringia
i <i>Vicia sativa</i> subsp. <i>nigra</i>	narrowleaf vetch	e <i>Westringia brevifolia</i> var. <i>raleighii</i>	greater shortleaf westringia
i <i>Vicia tetrasperma</i>	smooth vetch	<i>Westringia rigida</i>	stiff westringia
i <i>Vicia villosa</i> subsp. <i>eriocarpa</i>	fodder vetch	e <i>Westringia rubiaefolia</i>	sticky westringia
<i>Villarsia exaltata</i>	erect marshflower	<i>Wilsonia backhousei</i>	narrowleaf wilsonia
<i>Villarsia reniformis</i>	running marshflower	<i>Wilsonia humilis</i>	silky wilsonia
<i>Viminaria juncea</i>	golden spray	<i>Wilsonia rotundifolia</i>	roundleaf wilsonia
i <i>Vinca major</i>	blue periwinkle	e <i>Winifredia sola</i>	southwest cordrush
i <i>Viola arvensis</i>	field pansy	<i>Wolffia australiana</i>	tiny duckweed

- Wurmbea dioica* subsp. *dioica*
 x? *Wurmbea latifolia*
Wurmbea uniflora
 i *Xanthium spinosum*
 e *Xanthorrhoea arenaria*
Xanthorrhoea australis
 e *Xanthorrhoea bracteata*
Xanthosia dissecta
Xanthosia pilosa
Xanthosia tasmanica
Xanthosia ternifolia
Xanthosia tridentata
Xerochrysum bicolor
Xerochrysum bracteatum
 e *Xerochrysum collierianum*
Xerochrysum palustre
Xerochrysum papillosum
Xerochrysum subundulatum
Xerochrysum viscosum
 e *Xyris marginata*
 e *Xyris muelleri*
Xyris operculata
 e *Xyris tasmanica*
 i *Zantedeschia aethiopica*
Zieria arborescens subsp. *arborescens*
Zieria littoralis
Zieria veronicea subsp. *veronicea*
Zoysia macrantha
Zygophyllum billardiarei

Families

Acanthaceae
 Adiantaceae
 Agavaceae
 Aizoaceae
 Alismataceae

early nancy
 broadleaf early nancy
 oneflower early nancy
 bathurst burr
 sand grasstree
 southern grasstree
 shiny grasstree
 cutleaf crossherb
 woolly crossherb
 small crossherb
 shrubby crossherb
 hill crossherb
 eastcoast everlasting
 golden everlasting
 quartzite everlasting
 swamp everlasting
 cliff everlasting
 orange everlasting
 sticky everlasting
 alpine yelloweye
 roundhead yelloweye
 tall yelloweye
 tasmanian yelloweye
 arum lily
 stinkwood
 downy zieria
 pink zieria
 prickly couch
 coast twinleaf

acanthus family
 maidenhair family
 agave family
 pigface family
 water plantain family

Aloeaceae
 Amaranthaceae
 Apiaceae
 Apocynaceae
 Aponogetonaceae
 Aquifoliaceae
 Araceae
 Araliaceae
 Asclepiadaceae
 Aspleniaceae
 Asteraceae
 Athyriaceae
 Azollaceae
 Basellaceae
 Boraginaceae
 Betulaceae
 Bignoniaceae
 Blechnaceae
 Boraginaceae
 Brassicaceae
 Brunoniaceae
 Buddlejaceae
 Burmanniaceae
 Callitrichaceae
 Campanulaceae
 Caprifoliaceae
 Caryophyllaceae
 Casuarinaceae
 Centrolepidaceae
 Chenopodiaceae
 Cistaceae
 Clusiaceae
 Commelinaceae
 Convolvulaceae
 Crassulaceae
 Cucurbitaceae
 Culcitaceae
 Cunoniaceae
 Cupressaceae

aloe family
 pigweed family
 celery family
 dogbane family
 laceplant family
 holly family
 arum family
 ginseng family
 milkweed family
 spleenwort family
 daisy family
 ladyfern family
 azolla family
 basella family
 barberry family
 birch family
 crossvine family
 waterfern family
 borage family
 mustard family
 pincushion family
 buddleja family
 burmannia family
 waterstarwort family
 bellflower family
 honeysuckle family
 starwort family
 sheoak family
 bristlewort family
 goosefoot family
 rockrose family
 st johns-wort family
 commelina family
 bindweed family
 stonecrop family
 gourd family
 rainbow fern family
 cunonia family
 cypress family

Cuscutaceae
 Cyatheaceae
 Cymodoceaceae
 Cyperaceae
 Dennstaedtiaceae
 Dicksoniaceae
 Dilleniaceae
 Dipsacaceae
 Donatiaceae
 Droseraceae
 Dryopteridaceae
 Elaeocarpaceae
 Elatinaceae
 Epacridaceae
 Ericaceae
 Escalloniaceae
 Eucryphiaceae
 Euphorbiaceae
 Fabaceae
 Fagaceae
 Frankeniaceae
 Fumariaceae
 Gentianaceae
 Geraniaceae
 Gleicheniaceae
 Goodeniaceae
 Grammitidaceae
 Grossulariaceae
 Gunneraceae
 Gyrostemonaceae
 Haemodoraceae
 Haloragaceae
 Hydatellaceae
 Hydrocharitaceae
 Hydrophyllaceae
 Hymenophyllaceae
 Iridaceae
 Isoetaceae
 Juncaceae

dodder family
 treefern family
 sea nymph family
 sedge family
 groundfern family
 dicksonia family
 guineaflower family
 teasel family
 snowcushion family
 sundew family
 shieldfern family
 oliveberry family
 waterwort family
 heath family
 heather family
 escallonia family
 leatherwood family
 spurge family
 pea family
 beech family
 seaheath family
 fumitory family
 gentian family
 geranium family
 coralfern family
 native-primrose family
 fingerfern family
 currant family
 gunnera family
 wheelfruit family
 bloodroot family
 raspwort family
 watertuft family
 frogbit family
 waterleaf family
 filmyfern family
 iris family
 quillwort family
 rush family

Juncaginaceae
 Lamiaceae
 Lauraceae
 Lemnaceae
 Lentibulariaceae
 Liliaceae
 Linaceae
 Lindsaeaceae
 Loganiaceae
 Lycopodiaceae
 Lythraceae
 Malvaceae
 Marsileaceae
 Menyanthaceae
 Mimosaceae
 Monimiaceae
 Myoporaceae
 Myrtaceae
 Oleaceae
 Onagraceae
 Ophioglossaceae
 Orchidaceae
 Orobanchaceae
 Osmundaceae
 Oxalidaceae
 Papaveraceae
 Passifloraceae
 Pinaceae
 Pittosporaceae
 Plantaginaceae
 Plumbaginaceae
 Poaceae
 Podocarpaceae
 Polemoniaceae
 Polygalaceae
 Polygonaceae
 Polypodiaceae
 Portulacaceae
 Posidoniaceae

waterribbon family
 mint family
 laurel family
 duckweed family
 bladderwort family
 lily family
 flax family
 screw fern family
 mitrewort family
 clubmoss family
 loosestrife family
 mallow family
 nardoo family
 marshflower family
 wattle family
 sassafras family
 boobialla family
 myrtle family
 olive family
 willowherb family
 adders-tongue family
 orchid family
 broomrape family
 kingfern family
 woodsorrel family
 poppy family
 passionflower family
 pine family
 pittosporum family
 plantain family
 leadwort family
 grass family
 plumpine family
 phlox family
 milkwort family
 dock family
 kangaroo fern family
 purslane family
 eelgrass family

Potamogetonaceae
 Primulaceae
 Proteaceae
 Psilotaceae
 Pteridaceae
 Ranunculaceae
 Resedaceae
 Restionaceae
 Rhamnaceae
 Rosaceae
 Rubiaceae
 Ruppiaceae
 Rutaceae
 Salicaceae
 Santalaceae
 Sapindaceae
 Schizaeaceae
 Scrophulariaceae
 Selaginellaceae
 Solanaceae
 Stackhousiaceae
 Sterculiaceae
 Stylidiaceae
 Thelypteridaceae
 Thymelaeaceae
 Tremandraceae
 Typhaceae
 Ulmaceae
 Urticaceae
 Valerianaceae
 Verbenaceae
 Violaceae
 Winteraceae
 Xanthorrhoeaceae
 Xyridaceae
 Zannichelliaceae
 Zosteraceae
 Zygothallaceae

pondweed family
 primrose family
 protea family
 forkfern family
 brake family
 buttercup family
 mignonette family
 cordrush family
 buckthorn family
 rose family
 madder family
 seatassel family
 boronia family
 willow family
 sandalwood family
 soapwood family
 combfern family
 snapdragon family
 spikemoss family
 nightshade family
 candles family
 velvetbush family
 triggerplant family
 lime fern family
 riceflower family
 pinkbells family
 cumbungi family
 elm family
 nettle family
 valerian family
 vervain family
 violet family
 peppertree family
 grasstree family
 yelloweye family
 watermat family
 grasswrack family
 twinleaf family

Checklist – *by family*

- e endemic to Tasmania
i introduced and naturalised in Tasmania
m occurs only on Macquarie Island
t within Australia only present in Tasmania
x extinct in Tasmania

Dicotyledonae

Dicots, plants with 2 seed leaves

ACANTHACEAE

- i *Acanthus mollis*

AIZOACEAE

- i *Aptenia cordifolia*
i *Carpobrotus aequilaterus*
i *Carpobrotus edulis*
Carpobrotus rossii
Disphyma crassifolium subsp. *clavellatum*
i *Galenia pubescens*
i *Lampranthus glaucus*
i *Mesembryanthemum crystallinum*
Tetragonia implexicoma
Tetragonia tetragonoides

AMARANTHACEAE

- Alternanthera denticulata*
i *Amaranthus albus*
i *Amaranthus deflexus*
i *Amaranthus graecizans*
i *Amaranthus powellii*
i *Amaranthus spinosus*
Hemichroa pentandra
Ptilotus spathulatus

Acanthus Family

bears breeches

Pigface Family

heartleaf iceplant
angled pigface
yellow pigface
native pigface
roundleaf pigface
carpetweed
noonflower
common iceplant
bower spinach
new zealand spinach

Pigweed Family

lesser joyweed
tumble pigweed
spreading pigweed
prostrate pigweed
green pigweed
spiny pigweed
trailing saltstar
pussytails

APIACEAE

- Actinotus bellidioides*
e *Actinotus moorei*
t *Actinotus suffocata*
i *Aegopodium podagraria*
i *Ammi majus*
e *Anisotome procumbens*
i *Anthriscus caucalis*
Apium annuum
Apium insulare
Apium prostratum subsp. *prostratum* var. *filiforme*
Apium prostratum subsp. *prostratum* var. *prostratum*
m *Azorella macquariensis*
Centella cordifolia
i *Conium maculatum*
i *Cyclospermum leptophyllum*
i *Daucus carota*
Daucus glochidiatus
e *Dichosciadium ranunculaceum* var. *tasmanicum*
e *Diplaspis cordifolia*
e *Diplaspis hydrocotyle*
Eryngium ovinum
Eryngium vesiculosum
i *Foeniculum vulgare*
Hydrocotyle callicarpa
Hydrocotyle capillaris
Hydrocotyle comocarpa
Hydrocotyle foveolata
Hydrocotyle hirta
Hydrocotyle laxiflora
Hydrocotyle muscosa
m *Hydrocotyle novae-zeelandiae*
Hydrocotyle pterocarpa
Hydrocotyle sibthorpioides
Hydrocotyle tripartita
Lilaeopsis polyantha
Oreomyrrhis argentea
Oreomyrrhis ciliata
Oreomyrrhis eriopoda

Celery Family

tiny flannelflower
splitleaf flannelflower
crimson flannelflower
goutweed
bishopsweed
mountain celery
burr chervil
annual sea-celery
island sea-celery
slender sea-celery
creeping sea-celery
macquarie azorella
swampwort
hemlock
fineleaf celery
wild carrot
australian carrot
buttercup parsley
western mountain-pennywort
eastern mountain-pennywort
blue devil
prickfoot
fennel
tiny pennywort
thread pennywort
fringe fruit pennywort
yellow pennywort
hairy pennywort
stinking pennywort
mossy pennywort
new zealand pennywort
winged pennywort
shining pennywort
slender pennywort
jointed swampstalks
silver caraway
fringed caraway
australian caraway

- e *Oreomyrrhis gunnii*
- e *Oreomyrrhis sessiliflora*
- e *Oschatzia saxifraga*
- i *Pastinaca sativa*
- i *Petroselinum crispum*
- i *Scandix pecten-veneris*
- m *Stilbocarpa polaris*
- i *Torilis nodosa*
- Trachymene composita*
- Trachymene humilis* subsp. *breviscapa*
- Trachymene humilis* subsp. *humilis*
- Xanthosia dissecta*
- Xanthosia pilosa*
- Xanthosia tasmanica*
- Xanthosia ternifolia*
- Xanthosia tridentata*

APOCYNACEAE

- Alyxia buxifolia*
- Parsonsia brownii*
- i *Vinca major*

AQUIFOLIACEAE

- i *Ilex aquifolium*

ARALIACEAE

- i *Hedera helix*
- i *Polyscias sambucifolia*
- Polyscias* aff. *sambucifolia*
- e *Pseudopanax gunnii*

ASCLEPIADACEAE

- i *Gomphocarpus fruticosus* subsp. *fruticosus*

ASTERACEAE

- e *Abrotanella forsteroides*
- e *Abrotanella scapigera*
- i *Achillea distans*
- i *Achillea millefolium*

- limestone caraway
- carrot caraway
- false saxifrage
- parsnip
- parsley
- shepherds needle
- macquarie cabbage
- knotted parsley
- parsnip laceflower
- short alpine laceflower
- alpine laceflower
- cutleaf crossherb
- woolly crossherb
- small crossherb
- shrubby crossherb
- hill crossherb

Dogbane Family

- seabox
- twining silkpod
- blue periwinkle

Holly Family

- holly

Ginseng Family

- ivy
- elderberry panax
- ferry panax
- forest fernbush

Milkweed Family

- swanplant

Daisy Family

- tasmanian cushionplant
- funnel snow-wort
- tansyleaf yarrow
- yarrow

- Actites megalocarpa*
- Allitia cardiocarpa*
- i *Ammobium alatum*
- e *Ammobium calyceroides*
- Angianthus preissianus*
- i *Anthemis arvensis*
- i *Anthemis cotula*
- i *Anthemis tinctoria*
- Apalochlamys spectabilis*
- i *Arctium minus*
- i *Arctotheca calendula*
- i *Arctotheca populifolia*
- i *Arctotis stoechadifolia*
- Argentipallium dealbatum*
- Argentipallium obtusifolium*
- e *Argentipallium spiceri*
- Argyrotegium fordianum*
- Argyrotegium nitidulum*
- Argyrotegium poliochlorum*
- i *Aster subulatus*
- Bedfordia arborescens*
- e *Bedfordia linearis* subsp. *linearis*
- e *Bedfordia linearis* subsp. *oblongifolia* var. *curvifolia*
- e *Bedfordia linearis* subsp. *oblongifolia* var. *oblongifolia*
- e *Bedfordia salicina*
- i *Bellis perennis*
- i *Berkheya rigida*
- e *Brachyglottis brunonis*
- Brachyscome aculeata*
- Brachyscome angustifolia* var. *angustifolia*
- Brachyscome decipiens*
- Brachyscome diversifolia* var. *diversifolia*
- e *Brachyscome diversifolia* var. *maritima*
- Brachyscome parvula* var. *parvula*
- Brachyscome perpusilla*
- Brachyscome radicans*
- t *Brachyscome radicata*
- Brachyscome rigidula*
- e *Brachyscome sieberi* var. *gunnii*
- dune thistle
- swamp daisy
- winged everlasting
- spiny everlasting
- salt cupflower
- corn chamomile
- stinking chamomile
- yellow chamomile
- sticky firebush
- lesser burdock
- capeweed
- coast capeweed
- african daisy
- white everlasting
- blunt everlasting
- spicers everlasting
- soft cottonleaf
- shining cottonleaf
- greygreen cottonleaf
- asterweed
- tree blanketleaf
- slender blanketleaf
- curved blanketleaf
- blunt blanketleaf
- tasmanian blanketleaf
- english daisy
- african thistle
- tasmanian daisytree
- hill daisy
- narrowleaf daisy
- field daisy
- tall daisy
- coastal tall daisy
- coast daisy
- tiny daisy
- marsh daisy
- spreading daisy
- cutleaf daisy
- forest daisy

	<i>Brachyscome spathulata</i> subsp. <i>glabra</i>	blue daisy	<i>Cotula vulgaris</i> var. <i>australasica</i>	slender buttons
	<i>Brachyscome spathulata</i> subsp. <i>spathulata</i>	spoonleaf daisy	<i>Craspedia alpina</i>	alpine billybuttons
	<i>Brachyscome tenuiscapa</i> var. <i>tenuiscapa</i>	mountain daisy	<i>Craspedia coolaminica</i>	mountain billybuttons
i	<i>Calendula arvensis</i>	field marigold	e <i>Craspedia glabrata</i>	little alpine billybuttons
i	<i>Calendula officinalis</i>	garden marigold	<i>Craspedia glauca</i>	common billybuttons
	<i>Calocephalus citreus</i>	lemon beautyheads	e <i>Craspedia</i> aff. <i>glauca</i>	midlands billybuttons
	<i>Calocephalus lacteus</i>	milky beautyheads	<i>Craspedia paludicola</i>	swamp billybuttons
i	<i>Carduus nutans</i>	nodding thistle	e <i>Craspedia preminghana</i>	preminghana billybuttons
i	<i>Carduus pycnocephalus</i>	slender thistle	i <i>Crepis capillaris</i>	smooth hawksbeard
i	<i>Carduus tenuiflorus</i>	winged thistle	i <i>Crepis setosa</i>	bristly hawksbeard
i	<i>Carthamus lanatus</i>	saffron thistle	<i>Cymbonotus preissianus</i>	southern bears-ears
i	<i>Carthamus tinctorius</i>	safflower	i <i>Delairea odorata</i>	cape ivy
	<i>Cassinia aculeata</i>	dollybush	i <i>Dittrichia graveolens</i>	stinkweed
	<i>Cassinia trinerva</i>	veined dollybush	<i>Erigeron bellidioides</i>	hairy mountandaisy
e	<i>Celmisia asteliifolia</i>	silver snowdaisy	e <i>Erigeron gunnii</i>	smooth mountandaisy
e	<i>Celmisia saxifraga</i>	small snowdaisy	i <i>Erigeron karvinskianus</i>	seaside daisy
i	<i>Centaurea calcitrapa</i>	star thistle	e <i>Erigeron pappocromus</i>	violet mountandaisy
i	<i>Centaurea jacea</i>	brown knapweed	e <i>Erigeron stellatus</i>	star mountandaisy
i	<i>Centaurea melitensis</i>	malta thistle	<i>Erigeron tasmanicus</i>	tasmanian mountandaisy
i	<i>Centaurea nigra</i>	black knapweed	e <i>Erigeron trigonus</i>	pointed mountandaisy
i	<i>Centaurea solstitialis</i>	st barnabys thistle	<i>Euchiton argentifolius</i>	silver cottonleaf
	<i>Centipeda cunninghamii</i>	erect sneezeweed	<i>Euchiton collinus</i>	common cottonleaf
	<i>Centipeda elatinooides</i>	spreading sneezeweed	<i>Euchiton involuocratus</i>	star cottonleaf
i	<i>Chamaemelum nobile</i>	chamomile	e <i>Euchiton litticola</i>	coast cottonleaf
i	<i>Chondrilla juncea</i>	skeletonweed	<i>Euchiton sphaericus</i>	globe cottonleaf
i	<i>Chrysanthemoides monilifera</i> subsp. <i>monilifera</i>	boneseed	<i>Euchiton traversii</i>	mat cottonleaf
	<i>Chrysocephalum apiculatum</i>	common everlasting	<i>Euchiton umbricola</i>	cliff cottonleaf
	<i>Chrysocephalum baxteri</i>	fringed everlasting	i <i>Euryops abrotanifolius</i>	winter euryops
	<i>Chrysocephalum semipapposum</i>	clustered everlasting	e <i>Ewartia catipes</i>	diamond cushionherb
i	<i>Cichorium intybus</i>	chicory	e <i>Ewartia meredithiae</i>	rusty cushionherb
i	<i>Cirsium arvense</i>	creeping thistle	e <i>Ewartia planchonii</i>	creeping cushionherb
i	<i>Cirsium vulgare</i>	spear thistle	i <i>Galinsoga parviflora</i>	potatoweed
i	<i>Conyza albida</i>	tall fleabane	i <i>Gamochaeta calviceps</i>	grey cudweed
i	<i>Conyza bonariensis</i>	flaxleaf fleabane	i <i>Gamochaeta purpurea</i>	spike cudweed
i	<i>Conyza canadensis</i>	canadian fleabane	i <i>Gazania linearis</i>	tufted gazania
ix	<i>Conyza chilensis</i>	rough fleabane	<i>Gnaphalium indutum</i>	tiny cottonleaf
	<i>Cotula alpina</i>	alpine buttons	<i>Gnaphalium polycaulon</i>	indian cottonleaf
	<i>Cotula australis</i>	southern buttons	i <i>Hedypnois rhagadioloides</i>	cretanweed
i	<i>Cotula coronopifolia</i>	water buttons	<i>Helichrysum leucopsidium</i>	satin everlasting

- | | | | | | |
|---|--|------------------------|---|---|-----------------------------|
| e | <i>Helichrysum milliganii</i> | snow everlasting | e | <i>Odivia angusta</i> | roundhead everlastingbush |
| e | <i>Helichrysum pumilum</i> var. <i>pumilum</i> | dwarf everlasting | | <i>Olearia algida</i> | alpine daisybush |
| e | <i>Helichrysum pumilum</i> var. <i>spathulatum</i> | spoonleaf everlasting | e | <i>Olearia archeri</i> | lanceleaf daisybush |
| | <i>Helichrysum rutidolepis</i> | pale everlasting | | <i>Olearia argophylla</i> | musk daisybush |
| | <i>Helichrysum scorpioides</i> | curling everlasting | | <i>Olearia axillaris</i> | coast daisybush |
| i | <i>Helminthotheca echioides</i> | bristly oxtongue | | <i>Olearia ciliata</i> | fringed daisybush |
| i | <i>Hieracium aurantiacum</i> | orange hawkweed | e | <i>Olearia ericoides</i> | heathy daisybush |
| i | <i>Hieracium pilosella</i> | mouse-ear hawkweed | | <i>Olearia erubescens</i> | moth daisybush |
| | <i>Hyalosperma demissum</i> | moss sunray | | <i>Olearia floribunda</i> | flowery daisybush |
| i | <i>Hypochoeris glabra</i> | smooth catsear | | <i>Olearia glandulosa</i> | swamp daisybush |
| i | <i>Hypochoeris radicata</i> | rough catsear | | <i>Olearia glutinosa</i> | sticky daisybush |
| | <i>Isoetopsis graminifolia</i> | grass cushion | e | <i>Olearia hookeri</i> | crimsontip daisybush |
| i | <i>Lactuca saligna</i> | willow lettuce | e | <i>Olearia ledifolia</i> | rock daisybush |
| i | <i>Lactuca serriola</i> | prickly lettuce | | <i>Olearia lepidophylla</i> | clubmoss daisybush |
| | <i>Lagenophora gracilis</i> | slender bottledaisy | | <i>Olearia lirata</i> | forest daisybush |
| | <i>Lagenophora huegelii</i> | coarse bottledaisy | | <i>Olearia myrsinoides</i> | silky daisybush |
| | <i>Lagenophora montana</i> | mountain bottledaisy | e | <i>Olearia obcordata</i> | heartleaf daisybush |
| | <i>Lagenophora stipitata</i> | blue bottledaisy | e | <i>Olearia persoonioides</i> | geebung daisybush |
| i | <i>Lapsana communis</i> | nipplewort | e | <i>Olearia phlogopappa</i> var. <i>angustifolia</i> | narrowleaf dusty daisybush |
| i | <i>Lasiospermum bipinnatum</i> | fernleaf daisy | e | <i>Olearia phlogopappa</i> var. <i>brevipes</i> | shy dusty daisybush |
| | <i>Leiocarpa supina</i> | coast ploverdaisy | e | <i>Olearia phlogopappa</i> var. <i>microcephala</i> | smallflower dusty daisybush |
| i | <i>Leontodon taraxacoides</i> | hairy hawkbit | | <i>Olearia phlogopappa</i> var. <i>phlogopappa</i> | common dusty daisybush |
| | <i>Leptinella filicula</i> | fern buttons | e | <i>Olearia phlogopappa</i> var. <i>salicifolia</i> | willowleaf dusty daisybush |
| | <i>Leptinella longipes</i> | coast buttons | | <i>Olearia phlogopappa</i> var. <i>subrepanda</i> | mountain dusty daisybush |
| m | <i>Leptinella plumosa</i> | feathery buttons | e | <i>Olearia pinifolia</i> | prickly daisybush |
| | <i>Leptinella reptans</i> | creeping buttons | | <i>Olearia ramulosa</i> | twiggy daisybush |
| | <i>Leptorhynchos elongatus</i> | lanky buttons | | <i>Olearia stellulata</i> | sawleaf daisybush |
| | <i>Leptorhynchos nitidulus</i> | shiny buttons | e | <i>Olearia tasmanica</i> | tasmanian daisybush |
| | <i>Leptorhynchos squamatus</i> subsp. <i>alpinus</i> | alpine scaly buttons | | <i>Olearia viscosa</i> | viscid daisybush |
| | <i>Leptorhynchos squamatus</i> subsp. <i>squamatus</i> | scaly buttons | i | <i>Onopordum acanthium</i> | scotch thistle |
| i | <i>Leucanthemum vulgare</i> | oxeye daisy | i | <i>Onopordum acaulon</i> | stemless thistle |
| | <i>Leucochrysum albicans</i> subsp. <i>albicans</i> var. <i>tricolor</i> | grassland paperdaisy | i | <i>Osteospermum fruticosum</i> | trailing daisy |
| | <i>Leucophyta brownii</i> | cushionbush | e | <i>Ozothamnus antennaria</i> | sticky everlastingbush |
| i | <i>Logfia gallica</i> | narrow cudweed | | <i>Ozothamnus argophyllus</i> | spicy everlastingbush |
| i | <i>Matricaria matricarioides</i> | rayless mayweed | e | <i>Ozothamnus bracteolatus</i> | woolly everlastingbush |
| | <i>Microseris lanceolata</i> | yam daisy | e | <i>Ozothamnus costatifructus</i> | eastcoast everlastingbush |
| | <i>Millotia muelleri</i> | clustered bowflower | e | <i>Ozothamnus ericifolius</i> | heathy everlastingbush |
| | <i>Millotia tenuifolia</i> var. <i>tenuifolia</i> | soft bowflower | e | <i>Ozothamnus expansifolius</i> | crowded everlastingbush |
| e | <i>Odivia achlaena</i> | golden everlastingbush | | <i>Ozothamnus ferrugineus</i> | tree everlastingbush |

e	<i>Ozothamnus hookeri</i>	scaly everlastingbush	<i>Senecio linearifolius</i> var. <i>arachnoideus</i>	cobweb fireweed groundsel
e	<i>Ozothamnus ledifolius</i>	mountain everlastingbush	<i>Senecio linearifolius</i> var. <i>denticulatus</i>	toothed fireweed groundsel
e	<i>Ozothamnus lycopodioides</i>	clubmoss everlastingbush	<i>Senecio linearifolius</i> var. <i>linearifolius</i>	common fireweed groundsel
	<i>Ozothamnus obcordatus</i>	yellow everlastingbush	<i>Senecio longipilus</i>	longhair fireweed
e	<i>Ozothamnus purpurascens</i>	columnar everlastingbush	x? <i>Senecio macrocarpus</i>	largefruit fireweed
e	<i>Ozothamnus reflexifolius</i>	reflexed everlastingbush	<i>Senecio microbasis</i>	narrow fireweed
e	<i>Ozothamnus reticulatus</i>	veined everlastingbush	<i>Senecio minimus</i>	shrubby fireweed
e	<i>Ozothamnus rodwayi</i> var. <i>kingii</i>	silvery alpine everlastingbush	<i>Senecio odoratus</i>	scented groundsel
e	<i>Ozothamnus rodwayi</i> var. <i>oreophilus</i>	eastern alpine everlastingbush	<i>Senecio Xorarius</i>	coast groundsel
e	<i>Ozothamnus rodwayi</i> var. <i>rodwayi</i>	common alpine everlastingbush	e <i>Senecio papillosus</i>	warty groundsel
	<i>Ozothamnus rosmarinifolius</i>	swamp everlastingbush	e <i>Senecio pectinatus</i> var. <i>major</i>	greater yellow alpine groundsel
e	<i>Ozothamnus scutellifolius</i>	buttonleaf everlastingbush	e <i>Senecio pectinatus</i> var. <i>pectinatus</i>	yellow alpine groundsel
ex	<i>Ozothamnus selaginoides</i>	table mountain everlastingbush	<i>Senecio phelleus</i>	rock fireweed
	<i>Ozothamnus thyrsoideus</i>	arching everlastingbush	<i>Senecio pinnatifolius</i> var. <i>alpinus</i>	highland groundsel
	<i>Ozothamnus turbinatus</i>	coast everlastingbush	<i>Senecio pinnatifolius</i> var. <i>capillifolius</i>	fineleaf coast groundsel
	<i>Paquerina graminea</i>	grass daisy	<i>Senecio pinnatifolius</i> var. <i>lanceolatus</i>	lanceleaf coast groundsel
i	<i>Petasites fragrans</i>	winter heliotrope	<i>Senecio pinnatifolius</i> var. <i>maritimus</i>	western coast groundsel
	<i>Picris angustifolia</i> subsp. <i>angustifolia</i>	lowland hawkweed	<i>Senecio pinnatifolius</i> var. <i>pinnatifolius</i>	common coast groundsel
	<i>Picris angustifolia</i> subsp. <i>merxmuelleri</i>	mountain hawkweed	<i>Senecio prenanthoides</i>	common fireweed
m	<i>Pleurophyllum hookeri</i>	macquarie megadaisy	e <i>Senecio primulaefolius</i>	showy alpine groundsel
	<i>Podolepis jaceoides</i>	showy copperwire-daisy	<i>Senecio psilocarpus</i>	swamp fireweed
x?	<i>Podotheca angustifolia</i>	sticky longheads	<i>Senecio quadridentatus</i>	cotton fireweed
	<i>Pseudognaphalium luteoalbum</i>	jersey cudweed	<i>Senecio spathulatus</i> var. <i>spathulatus</i>	dune groundsel
e	<i>Pterygopappus lawrencei</i>	sage cushionplant	<i>Senecio squarrosus</i>	leafy fireweed
	<i>Rhodanthe anthemoides</i>	chamomile sunray	ex <i>Senecio tasmanicus</i>	tasmanian fireweed
i	<i>Scorzonera laciniata</i>	scorzonera	<i>Senecio vagus</i>	sawleaf groundsel
e	<i>Senecio albogilvus</i>	white alpine groundsel	<i>Senecio velleioides</i>	forest groundsel
i	<i>Senecio angulatus</i>	scrambling groundsel	i <i>Senecio vulgaris</i>	common groundsel
	<i>Senecio biserratus</i>	jagged fireweed	i <i>Sigesbeckia orientalis</i>	indian weed
	<i>Senecio campylocarpus</i>	bulging fireweed	<i>Siloxerus multiflorus</i>	small wrinklewort
i	<i>Senecio elegans</i>	purple groundsel	i <i>Silybum marianum</i>	variegated thistle
	<i>Senecio extensus</i>	subalpine fireweed	<i>Solenogyne dominii</i>	smooth flat-herb
	<i>Senecio glomeratus</i> subsp. <i>glomeratus</i>	shortfruit purple fireweed	<i>Solenogyne gunnii</i>	hairy flat-herb
	<i>Senecio glomeratus</i> subsp. <i>longifructus</i>	longfruit purple fireweed	i <i>Soliva sessilis</i>	jo-jo
	<i>Senecio gunnii</i>	mountain fireweed	i <i>Sonchus asper</i> subsp. <i>asper</i>	green prickly sowthistle
	<i>Senecio hispidissimus</i>	coarse fireweed	i <i>Sonchus asper</i> subsp. <i>glaucescens</i>	bluegreen prickly sowthistle
	<i>Senecio hispidulus</i>	rough fireweed	<i>Sonchus hydrophilus</i>	native sowthistle
i	<i>Senecio jacobaea</i>	ragwort	i <i>Sonchus oleraceus</i>	common sowthistle
	<i>Senecio leptocarpus</i>	western groundsel	<i>Tanacetum cinerariifolium</i>	pyrethrum

i	<i>Tanacetum parthenium</i>	feverfew
i	<i>Tanacetum vulgare</i>	tansy
	<i>Taraxacum aristum</i>	mountain dandelion
	<i>Taraxacum cygnorum</i>	coast dandelion
i	<i>Taraxacum kok-saghyz</i>	russian dandelion
i	<i>Taraxacum officinale</i>	common dandelion
i	<i>Tolpis barbata</i>	yellow hawkweed
i	<i>Tragopogon porrifolius</i>	salsify
i	<i>Tripleurospermum maritimum</i> subsp. <i>inodorum</i>	scentless mayweed
	<i>Triptilodiscus pygmaeus</i>	dwarf sunray
i	<i>Urospermum dalechampii</i>	false dandelion
i	<i>Vellereophyton dealbatum</i>	white cudweed
	<i>Vittadinia australasica</i> var. <i>oricola</i>	coast new-holland-daisy
e	<i>Vittadinia burbridgeae</i>	smooth new-holland-daisy
	<i>Vittadinia cuneata</i> var. <i>cuneata</i>	fuzzy new-holland-daisy
	<i>Vittadinia gracilis</i>	woolly new-holland-daisy
x?	<i>Vittadinia megacephala</i>	giant new-holland-daisy
	<i>Vittadinia muelleri</i>	narrowleaf new-holland-daisy
i	<i>Xanthium spinosum</i>	bathurst burr
	<i>Xerochrysum bicolor</i>	eastcoast everlasting
	<i>Xerochrysum bracteatum</i>	golden everlasting
e	<i>Xerochrysum collierianum</i>	quartzite everlasting
	<i>Xerochrysum palustre</i>	swamp everlasting
	<i>Xerochrysum papillosum</i>	cliff everlasting
	<i>Xerochrysum subundulatum</i>	orange everlasting
	<i>Xerochrysum viscosum</i>	sticky everlasting

BASELLACEAE

i	<i>Anredera cordifolia</i>	Basella Family madeira vine
---	----------------------------	---------------------------------------

BERBERIDACEAE

i	<i>Berberis darwinii</i>	Barberry Family darwins barberry
---	--------------------------	--

BETULACEAE

i	<i>Alnus cordata</i>	Birch Family italian alder
---	----------------------	--------------------------------------

BIGNONIACEAE

	<i>Pandorea pandorana</i>	Crossvine Family wonga vine
--	---------------------------	---------------------------------------

BORAGINACEAE

i	<i>Amsinckia calycina</i>	
i	<i>Anchusa arvensis</i>	
	<i>Austrocynoglossum latifolium</i>	
i	<i>Borago officinalis</i>	
i	<i>Buglossoides arvensis</i>	
	<i>Cynoglossum australe</i>	
	<i>Cynoglossum suaveolens</i>	
i	<i>Echium plantagineum</i>	
i	<i>Echium vulgare</i>	
i	<i>Lithospermum officinale</i>	
i	<i>Myosotis arvensis</i>	
	<i>Myosotis australis</i>	
i	<i>Myosotis discolor</i>	
	<i>Myosotis exarrhena</i>	
i	<i>Myosotis laxa</i> subsp. <i>caespitosa</i>	
i	<i>Myosotis scorpioides</i>	
i	<i>Myosotis sylvatica</i>	
i	<i>Nonea lutea</i>	
i	<i>Pentaglottis sempervirens</i>	
i	<i>Symphytum Xuplandicum</i>	

BRASSICACEAE

i	<i>Arabidopsis thaliana</i>	Mustard Family thale cress
	<i>Ballantinia antipoda</i>	southern shepherds purse
e	<i>Barbarea australis</i>	riverbed wintercress
i	<i>Barbarea intermedia</i>	garden wintercress
i	<i>Barbarea verna</i>	early wintercress
i	<i>Brassica juncea</i>	indian mustard
i	<i>Brassica napus</i>	rape
i	<i>Brassica nigra</i>	black mustard
i	<i>Brassica oleracea</i>	wild cabbage
i	<i>Brassica rapa</i>	turnip
i	<i>Brassica tournefortii</i>	mediterranean turnip
i	<i>Cakile edentula</i>	american searocket
i	<i>Cakile maritima</i>	searocket
i	<i>Camelina alyssum</i>	stinking flaxweed
i	<i>Camelina sativa</i>	false flax
i	<i>Capsella bursa-pastoris</i>	shepherds purse

Cardamine astoniae
 m *Cardamine corymbosa*
Cardamine aff. *corymbosa*
 i *Cardamine flexuosa*
Cardamine franklinensis
Cardamine gunnii
 i *Cardamine hirsuta*
Cardamine lilacina
Cardamine papillata
Cardamine paucijuga
Cardamine tenuifolia
 x *Cardamine tryssa*
 i *Cardaria draba*
 i *Carrichtera annua*
 e *Cheesemaniania radicata*
 i *Coronopus didymus*
 i *Coronopus squamatus*
 i *Diploaxis muralis*
 i *Diploaxis tenuifolia*
 i *Draba nemorosa*
 i *Erophila verna*
 i *Eruca vesicaria* subsp. *sativa*
Geococcus pusillus
 i *Hirschfeldia incana*
 e *Hutchinsia tasmanica*
 i *Hymenolobus procumbens*
 i *Lepidium africanum*
 i *Lepidium campestre*
Lepidium desvauxii
 t *Lepidium flexicaule*
Lepidium foliosum
 i *Lepidium heterophyllum*
Lepidium hyssopifolium
 i *Lepidium latifolium*
Lepidium pseudotasmanicum
 i *Lepidium sativum*
 i *Lobularia maritima*
 i *Lunaria annua*
 i *Raphanus maritimus*

spreading bittercress
 subantarctic bittercress
 corymbose bittercress
 wood bittercress
 alpine bittercress
 tuberous bittercress
 hairy bittercress
 lilac bittercress
 warty bittercress
 annual bittercress
 slender bittercress
 delicate bittercress
 hoary cress
 wardsweed
 woody mountaingress
 lesser swinecress
 flat swinecress
 wall rocket
 sand rocket
 forest whitlowgrass
 spring whitlowgrass
 purplevein rocket
 earth cress
 hoary mustard
 highland purse
 oval purse
 common peppergrass
 field peppergrass
 bushy peppergrass
 springy peppergrass
 leafy peppergrass
 downy peppergrass
 soft peppergrass
 perennial peppergrass
 shade peppergrass
 garden cress
 sweet alice
 garden honesty
 sea radish

i *Raphanus raphanistrum*
 i *Rapistrum rugosum*
Rorippa dictyosperma
Rorippa gigantea
 i *Rorippa microphylla*
 i *Rorippa nasturtium-aquaticum*
Rorippa palustris
 i *Rorippa sylvestris*
 i *Sinapis alba*
 i *Sinapis arvensis*
 i *Sisymbrium irio*
 i *Sisymbrium officinale*
 i *Sisymbrium orientale*
Stenopetalum lineare
 i *Teesdalia nudicaulis*
 i *Thlaspi arvense*

BRUNONIACEAE

Brunonia australis

BUDDLEJACEAE

i *Buddleja davidii*

CALLITRICHACEAE

m *Callitriche antarctica*
Callitriche brachycarpa
 i *Callitriche brutia*
Callitriche sonderi
 i *Callitriche stagnalis*
Callitriche umbonata

CAMPANULACEAE

i *Campanula rapunculoides*
Isotoma fluviatilis subsp. *australis*
Lobelia anceps
Lobelia gibbosa var. *browniana*
Lobelia gibbosa var. *gibbosa*
Lobelia pratensis
Lobelia rhombifolia

wild radish
 giant mustard
 forest bittercress
 large bittercress
 one-row watercress
 two-row watercress
 marsh yellowcress
 creeping yellowcress
 white mustard
 charlock
 london rocket
 hedge-mustard
 indian hedge-mustard
 narrow threadpetal
 shepherds cress
 field pennycress

Pincushion Family

blue pincushion

Buddleja Family

butterfly bush

Waterstarwort Family

subantarctic waterstarwort
 short waterstarwort
 stalked waterstarwort
 matted waterstarwort
 mud waterstarwort
 winged waterstarwort

Bellflower Family

creeping bellflower
 swamp stars
 angled lobelia
 toothed lobelia
 tall lobelia
 poison lobelia
 tufted lobelia

Pratia irrigua
Pratia pedunculata
Pratia surrepens
Wahlenbergia ceracea
Wahlenbergia gracilenta
Wahlenbergia gracilis
Wahlenbergia gymnoclada
Wahlenbergia multicaulis
 e *Wahlenbergia saxicola*
Wahlenbergia stricta

CAPRIFOLIACEAE

i *Leycesteria formosa*
 i *Lonicera japonica*
 i *Lonicera periclymenum*
Sambucus gaudichaudiana
 i *Sambucus nigra*

CARYOPHYLLACEAE

i *Agrostemma githago*
 i *Arenaria leptoclados*
 i *Arenaria serpyllifolia*
 i *Cerastium balearicum*
 i m *Cerastium fontanum* subsp. *fontanum*
 i *Cerastium fontanum* subsp. *vulgare*
 i *Cerastium glomeratum*
 i *Cerastium semidecandrum*
Colobanthus affinis
 m *Colobanthus apetalus* var. *alpinus*
Colobanthus apetalus var. *apetalus*
 e *Colobanthus curtisiae*
 m *Colobanthus muscoides*
Colobanthus pulvinatus
 i *Dianthus armeria*
 i *Gypsophila tubulosa*
 i *Minuartia mediterranea*
 i *Moenchia erecta*
 i *Paronychia brasiliiana*
 i *Petrorrhagia nanteuillii*

salt pratia
 matted pratia
 mud pratia
 waxy bluebell
 annual bluebell
 sprawling bluebell
 naked bluebell
 bushy bluebell
 mountain bluebell
 tall bluebell

Honeysuckle Family

himalayan honeysuckle
 japanese honeysuckle
 common honeysuckle
 white elderberry
 black elderberry

Starwort Family

corn cockle
 slender sandwort
 thymeleaf sandwort
 scarios mouse-ear
 soak mouse-ear
 common mouse-ear
 sticky mouse-ear
 little mouse-ear
 alpine cupflower
 mountain cupflower
 coast cupflower
 grassland cupflower
 mossy cupflower
 cushion cupflower
 deptford pink
 annual chalkwort
 fineleaf sandwort
 erect chickweed
 nailwort
 proliferous pink

i *Petrorrhagia velutina*
 i *Polycarpon tetraphyllum*
 i *Sagina apetala*
 e *Sagina diemensis*
 i *Sagina maritima*
Sagina namadgi
 i *Sagina procumbens*
 i *Saponaria officinalis*
 i *Scleranthus annuus*
Scleranthus biflorus
Scleranthus brockiei
Scleranthus diander
Scleranthus fasciculatus
 i *Silene conica*
 i *Silene dichotoma*
 i *Silene gallica*
 i *Silene latifolia*
 i *Silene longicaulis*
 i *Silene nocturna*
 i *Silene vulgaris*
 i *Spergula arvensis*
Spergularia bocconii
 i *Spergularia marina*
Spergularia aff. media
 i *Spergularia rubra*
Stellaria angustifolia
Stellaria caespitosa
Stellaria flaccida
 i *Stellaria graminea*
 i *Stellaria media*
Stellaria multiflora
 i *Stellaria pallida*
 m *Stellaria parviflora*
Stellaria pungens
 i *Vaccaria hispanica*

CASUARINACEAE

e *Allocasuarina crassa*
 e *Allocasuarina duncanii*

velvet pink
 fourleaf allseed
 annual pearlwort
 tasmanian pearlwort
 sea pearlwort
 mountain pearlwort
 spreading pearlwort
 common soapwort
 annual knawel
 twinflower knawel
 mountain knawel
 tufted knawel
 spreading knawel
 striated catchfly
 forked catchfly
 french catchfly
 white campion
 portuguese catchfly
 mediterranean catchfly
 bladder campion
 corn spurrey
 lesser sandspurrey
 lesser seaspurrey
 greater seaspurrey
 greater sandspurrey
 swamp starwort
 matted starwort
 forest starwort
 lesser stitchwort
 garden chickweed
 rayless starwort
 lesser chickweed
 smallflower starwort
 prickly starwort
 cow soapwort

Sheoak Family

cape pillar sheoak
 conical sheoak

- Allocasuarina littoralis*
- e *Allocasuarina monilifera*
- Allocasuarina paludosa*
- Allocasuarina verticillata*
- e *Allocasuarina zephyrea*

CHENOPODIACEAE

- i? *Atriplex australasica*
- Atriplex billardierei*
- Atriplex cinerea*
- i *Atriplex hortensis*
- Atriplex paludosa* subsp. *paludosa*
- i *Atriplex patula*
- i *Atriplex prostrata*
- i *Atriplex semibaccata*
- Atriplex suberecta*
- i *Bassia scoparia*
- i *Beta vulgaris* subsp. *maritima*
- i *Chenopodium album*
- x? *Chenopodium erosum*
- i? *Chenopodium glaucum*
- i *Chenopodium murale*
- i *Chenopodium pumilio*
- i *Chenopodium vulvaria*
- Einadia nutans* subsp. *nutans*
- Rhagodia candolleana* subsp. *candolleana*
- i *Salsola kali*
- Sarcocornia blackiana*
- Sarcocornia quinqueflora* subsp. *quinqueflora*
- Sarcocornia quinqueflora* subsp. *tasmanica*
- Sclerostegia arbuscula*
- Suaeda australis*
- i *Suaeda maritima*
- Threlkeldia diffusa*

CISTACEAE

- i *Cistus inflatus*

- black sheoak
- necklace sheoak
- scrub sheoak
- drooping sheoak
- western sheoak

Goosefoot Family

- southern saltbush
- glistening saltbush
- grey saltbush
- garden orache
- marsh saltbush
- spear orache
- creeping orache
- berry saltbush
- sprawling saltbush
- copper saltbush
- sea beet
- fat hen
- papery goosefoot
- pale goosefoot
- nettleleaf goosefoot
- clammy goosefoot
- stinking goosefoot
- climbing saltbush
- coastal saltbush
- prickly saltwort
- thickhead glasswort
- beaded glasswort
- tasmanian glasswort
- shrubby glasswort
- southern seablite
- annual seablite
- coast bonefruit

Rockrose Family

- rockrose

CLUSIACEAE

- i *Hypericum androsaemum*
- i *Hypericum calycinum*
- Hypericum gramineum*
- i *Hypericum humifusum*
- Hypericum japonicum*
- i *Hypericum perforatum*
- i *Hypericum tetrapterum*

CONVOLVULACEAE

- Calystegia sepium*
- i *Calystegia silvatica*
- Calystegia soldanella*
- Convolvulus angustissimus* var. *angustissimus*
- i *Convolvulus arvensis*
- Dichondra repens*
- Wilsonia backhousei*
- Wilsonia humilis*
- Wilsonia rotundifolia*

CRASSULACEAE

- Crassula decumbens* var. *decumbens*
- Crassula exserta*
- Crassula helmsii*
- t *Crassula moschata*
- i *Crassula natans* var. *minus*
- Crassula pedicellosa*
- Crassula peduncularis*
- Crassula sieberiana* subsp. *sieberiana*
- Crassula sieberiana* subsp. *tetramera*
- i *Sedum acre*
- i *Sedum forsterianum*
- i *Sedum reflexum*
- i *Sedum sexangulare*

CUCURBITACEAE

- i *Cucumis myriocarpus*
- i *Ecballium elaterium*
- Sicyos australis*

St Johns-wort Family

- tutsan
- rose-of-sharon
- small st johns-wort
- creeping st johns-wort
- matted st johns-wort
- perforated st johns-wort
- square st johns-wort

Bindweed Family

- swamp bindweed
- great bindweed
- sea bindweed
- blushing bindweed
- field bindweed
- kidneyweed
- narrowleaf wilsonia
- silky wilsonia
- roundleaf wilsonia

Stonecrop Family

- spreading stonecrop
- largefruit stonecrop
- swamp stonecrop
- musky stonecrop
- floating stonecrop
- stalked stonecrop
- purple stonecrop
- rock stonecrop
- wiry stonecrop
- biting wallpepper
- rock wallpepper
- reflexed wallpepper
- bland wallpepper

Gourd Family

- prickly paddymelon
- squirting cucumber
- star cucumber

CUNONIACEAE

- e *Anodopetalum biglandulosum*
Bauera rubioides

CUSCUTACEAE

- i *Cuscuta epithymum*
 i *Cuscuta suaveolens*
Cuscuta tasmanica

DILLENIACEAE

- Hibbertia acicularis*
Hibbertia appressa
Hibbertia calycina
Hibbertia empetrifolia subsp. *empetrifolia*
 e *Hibbertia hirsuta*
Hibbertia hirticalyx
Hibbertia obtusifolia
Hibbertia procumbens
Hibbertia prostrata
Hibbertia riparia
Hibbertia rufa
Hibbertia aff. *rufa* "Pontville"
Hibbertia sericea var. *sericea*
Hibbertia serpyllifolia
Hibbertia virgata

DIPSACACEAE

- i *Dipsacus fullonum*
 i *Scabiosa atropurpurea*

DONATIACEAE

- t *Donatia novae-zelandiae*

DROSERACEAE

- Drosera arcturi*
Drosera binata
Drosera glanduligera
Drosera macrantha
Drosera peltata subsp. *auriculata*

Cunonia Family

- horizontal
 wiry bauera

Dodder Family

- lesser dodder
 fringed dodder
 golden dodder

Guineaflower Family

- prickly guineaflower
 southern guineaflower
 lesser guineaflower
 scrambling guineaflower
 hairy guineaflower
 bassian guineaflower
 grey guineaflower
 spreading guineaflower
 prostrate guineaflower
 erect guineaflower
 brown guineaflower
 basalt guineaflower
 silky guineaflower
 thyme guineaflower
 twiggly guineaflower

Teasel Family

- wild teasel
 garden pincushion

Snowcushion Family

- snow cushionplant

Sundew Family

- alpine sundew
 forked sundew
 scarlet sundew
 climbing sundew
 tall sundew

Drosera peltata subsp. *peltata**Drosera* aff. *peltata**Drosera pygmaea**Drosera spatulata***ELAEOCARPACEAE**

- e *Aristotelia peduncularis*
Elaeocarpus reticulatus

ELATINACEAE*Elatine gratioloides***EPACRIDACEAE**

- Acrotriche affinis*
Acrotriche cordata
Acrotriche serrulata
 e *Archeria comberi*
 e *Archeria eriocarpa*
 e *Archeria hirtella*
 e *Archeria minor*
 e *Archeria serpyllifolia*
Astroloma humifusum
Astroloma pinifolium
Brachyloma ciliatum
Brachyloma depressum
 e *Cyathodes dealbata*
 e *Cyathodes glauca*
 e *Cyathodes platystoma*
 e *Cyathodes straminea*
 e *Dracophyllum milliganii*
 e *Dracophyllum minimum*
 e *Epacris acuminata*
 e *Epacris apsleyensis*
 e *Epacris barbata*
 e *Epacris corymbiflora*
 e *Epacris curtisiae*
 e *Epacris exserta*
 e *Epacris franklinii*
 e *Epacris glabella*

- pale sundew
 grassland sundew
 dwarf sundew
 rosy sundew

Oliveberry Family

- heartberry
 blueberry ash

Waterwort Family

- waterwort

Heath Family

- ridged groundberry
 coast groundberry
 ants delight
 pink summit-heath
 hairy rainforest-heath
 smooth rainforest-heath
 small summit-heath
 thyme summit-heath
 native cranberry
 pine heath
 fringed heath
 spreading heath
 carpet cheeseberry
 purple cheeseberry
 tall cheeseberry
 spreading cheeseberry
 curly mountainheath
 heath cushionplant
 claspleaf heath
 apsley heath
 bearded heath
 buttongrass heath
 northwest heath
 south esk heath
 western riverheath
 smooth heath

e *Epacris grandis*
Epacris gunnii
 e *Epacris heteronema*
Epacris impressa
Epacris lanuginosa
 e *Epacris limbata*
 e *Epacris marginata*
 e *Epacris mucronulata*
 e *Epacris myrtifolia*
 e *Epacris navicularis*
Epacris obtusifolia
Epacris paludosa
Epacris petrophila
 e *Epacris serpyllifolia*
 e *Epacris stuartii*
 e *Epacris tasmanica*
 e *Epacris virgata*
 e *Epacris* aff. *virgata* "Mt Cameron"
 e *Leptecophylla abietina*
 e *Leptecophylla divaricata*
 t *Leptecophylla juniperina* subsp. *juniperina*
Leptecophylla juniperina subsp. *oxycedrus*
 e *Leptecophylla juniperina* subsp. *parvifolia*
 e *Leptecophylla pendulosa*
 e *Leptecophylla pogonocalyx*
Leucopogon australis
Leucopogon collinus
Leucopogon ericoides
Leucopogon esquamatus
Leucopogon hookeri
Leucopogon lanceolatus var. *lanceolatus*
 e *Leucopogon milliganii*
Leucopogon montanus
 e *Leucopogon oreophilus*
Leucopogon parviflorus
Leucopogon pilifer
Leucopogon stuartii
Leucopogon virgatus var. *brevifolius*
Leucopogon virgatus var. *virgatus*

tall heath
 coral heath
 southwest heath
 common heath
 swamp heath
 bordered heath
 rigid heath
 southern riverheath
 cliff heath
 western snowheath
 bluntleaf heath
 flinders heath
 central snowheath
 alpine heath
 southport heath
 eastern heath
 pretty heath
 granite heath
 seaspray pinkberry
 spreading pinkberry
 common pinkberry
 coastal pinkberry
 mountain pinkberry
 drooping pinkberry
 bearded pinkberry
 spike beardheath
 white beardheath
 pink beardheath
 swamp beardheath
 mountain beardheath
 lance beardheath
 clustered beardheath
 snow beardheath
 highland beardheath
 coast beardheath
 trailing beardheath
 prickly beardheath
 shortleaf beardheath
 twiggy beardheath

Lissanthe strigosa subsp. *subulata*
Monotoca elliptica
 e *Monotoca empetrifolia*
Monotoca glauca
 e *Monotoca linifolia* subsp. *algida*
 e *Monotoca linifolia* subsp. *linifolia*
Monotoca scoparia
 e *Monotoca submutica* var. *autumnalis*
 e *Monotoca submutica* var. *submutica*
 e *Pentachondra ericifolia*
 e *Pentachondra involucrata*
Pentachondra pumila
 e *Planocarpa nitida*
 e *Planocarpa petiolaris*
 e *Planocarpa sulcata*
 e *Prionotes cerinthoides*
 e *Richea acerosa*
Richea alpina
 e *Richea dracophylla*
 e *Richea gunnii*
 e *Richea milliganii*
 e *Richea pandanifolia* subsp. *pandanifolia*
 e *Richea pandanifolia* subsp. *ramulosa*
 e *Richea procera*
 e *Richea scoparia*
 e *Richea sprengelioides*
 e *Richea Xcurtisiae*
 e *Sprengelia distichophylla*
Sprengelia incarnata
Sprengelia montana
Styphelia adscendens
 e *Trochocarpa cunninghamii*
 e *Trochocarpa disticha*
 e *Trochocarpa gunnii*
 e *Trochocarpa thymifolia*

peachberry heath
 tree broomheath
 mat broomheath
 goldie wood
 alpine nodding broomheath
 nodding broomheath
 prickly broomheath
 roundleaf broomheath
 mountain broomheath
 fine frillyheath
 forest frillyheath
 carpet frillyheath
 black cheeseberry
 alpine cheeseberry
 grooved cheeseberry
 climbing heath
 slender candleheath
 short candleheath
 pineapple candleheath
 bog candleheath
 nodding candleheath
 pandani
 branching pandani
 lax candleheath
 scoparia
 rigid candleheath
 hybrid candleheath
 tiny swampheath
 pink swampheath
 alpine swampheath
 golden heath
 straggling purpleberry
 spreading purpleberry
 fragrant purpleberry
 thymeleaf purpleberry

ERICACEAE

- i *Calluna vulgaris*
- i *Erica andromedaeflora*
- i *Erica arborea*
- i *Erica baccans*
- i *Erica caffra*
- i *Erica lusitanica*
- i *Erica scoparia*
- i *Erica* aff. *willmorei*
- t *Gaultheria depressa*
- t *Gaultheria hispida*
- e *Gaultheria lanceolata*
- e *Gaultheria tasmanica*

ESCALLONIACEAE

- e *Anopterus glandulosus*
- e *Tetracarpaea tasmanica*

EUCRYPHIACEAE

- e *Eucryphia lucida*
- e *Eucryphia milliganii* subsp. *milliganii*
- e *Eucryphia milliganii* subsp. *pubescens*

EUPHORBIACEAE

- Amperea xiphoclada*
- e *Bertya tasmanica* subsp. *tasmanica*
- Beyeria lechenaultii* var. *latifolia*
- Beyeria viscosa*
- Chamaesyce drummondii*
- i *Euphorbia cyparissias*
- i *Euphorbia exigua*
- i *Euphorbia helioscopia*
- i *Euphorbia lathyris*
- i *Euphorbia paralias*
- i *Euphorbia peplus*
- Micrantheum hexandrum*
- e *Micrantheum serpentinum*
- e *Oreoporanthra petalifera*
- Phyllanthus australis*

Heather Family

- heather
- andromeda heath
- tree heath
- berryflower heath
- african heath
- spanish heath
- twig heath
- willmore heath
- creeping waxberry
- copperleaf snowberry
- lanceleaf waxberry
- tasmanian waxberry

Escallonia Family

- tasmanian laurel
- delicate laurel

Leatherwood Family

- leatherwood
- dwarf leatherwood
- hairy dwarf leatherwood

Spurge Family

- broom spurge
- tasmanian bertya
- pale turpentine-bush
- pinkwood
- caustic spurge
- cypress spurge
- dwarf spurge
- sun spurge
- caper spurge
- sea spurge
- petty spurge
- river tridentbush
- western tridentbush
- mountain poranthera
- southern spurge

- Phyllanthus gunnii*
- Poranthera microphylla*
- Pseudanthus ovalifolius*
- Ricinocarpus pinifolius*

FABACEAE

- Almaleea subumbellata*
- Aotus ericoides*
- Bossiaea cinerea*
- Bossiaea cordigera*
- Bossiaea obcordata*
- Bossiaea prostrata*
- Bossiaea riparia*
- i *Chamaecytisus palmensis*
- Cullen microcephalum*
- i *Cytisus scoparius*
- Daviesia latifolia*
- Daviesia sejugata*
- Daviesia ulicifolia* subsp. *ruscifolia*
- Daviesia ulicifolia* subsp. *ulicifolia*
- Desmodium gunnii*
- Desmodium varians*
- Dillwynia cinerascens*
- Dillwynia glaberrima*
- Dillwynia sericea*
- i *Dipogon lignosus*
- Eutaxia microphylla* var. *microphylla*
- i *Genista linifolia*
- i *Genista monspessulana*
- i *Genista stenopetala*
- Glycine clandestina*
- Glycine latrobeana*
- Glycine microphylla*
- Gompholobium ecostatum*
- Gompholobium huegelii*
- Goodia lotifolia* var. *lotifolia*
- Goodia lotifolia* var. *pubescens*
- Hardenbergia violacea*
- i *Hedysarum coronarium*

Pea Family

- wiry bushpea
- golden pea
- showy bossia
- wiry bossia
- spiny bossia
- creeping bossia
- leafless bossia
- tree lucerne
- dusky scurfpea
- english broom
- hop bitterpea
- leafy spiky bitterpea
- orange spiky bitterpea
- yellow spiky bitterpea
- southern ticktrefoil
- slender ticktrefoil
- grey parrotpea
- smooth parrotpea
- showy parrotpea
- dolichos pea
- spiny bushpea
- flaxleaf broom
- canary broom
- madeira broom
- twining glycine
- clover glycine
- small-leaf glycine
- dwarf wedgepea
- common wedgepea
- smooth goldentip
- silky goldentip
- purple coralpea
- french honeysuckle

	<i>Hovea corrickiae</i>	glossy purplepea	<i>Platylobium obtusangulum</i>	common flatpea
	<i>Hovea heterophylla</i>	winter purplepea	<i>Platylobium triangulare</i>	arrow flatpea
	<i>Hovea magnibractea</i>	sheath purplepea	i <i>Podalyria sericea</i>	silky sweetpeabush
	<i>Hovea montana</i>	mountain purplepea	i <i>Psoralea pinnata</i>	blue butterflybush
e	<i>Hovea tasmanica</i>	rockfield purplepea	<i>Pultenaea daphnoides</i> var. <i>obcordata</i>	heartleaf bushpea
	<i>Indigofera australis</i>	native indigo	<i>Pultenaea dentata</i>	swamp bushpea
i	<i>Kennedia nigricans</i>	black coralpea	<i>Pultenaea fasciculata</i>	alpine bushpea
	<i>Kennedia prostrata</i>	running postman	e <i>Pultenaea gunnii</i> var. <i>baeckeoides</i>	delicate golden bushpea
i	<i>Kennedia rubicunda</i>	dusky coralpea	<i>Pultenaea gunnii</i> var. <i>gunnii</i>	golden bushpea
i	<i>Lathyrus nissolia</i>	grass vetchling	<i>Pultenaea humilis</i>	dwarf bushpea
i	<i>Lathyrus tingitanus</i>	tangier pea	<i>Pultenaea juniperina</i>	prickly beauty
i	<i>Lotus angustissimus</i>	slender birdsfoot-trefoil	<i>Pultenaea mollis</i>	soft bushpea
	<i>Lotus australis</i>	australian trefoil	<i>Pultenaea pedunculata</i>	matted bushpea
i	<i>Lotus corniculatus</i> var. <i>corniculatus</i>	common birdsfoot-trefoil	<i>Pultenaea prostrata</i>	silky bushpea
i	<i>Lotus corniculatus</i> var. <i>tenuifolius</i>	narrow birdsfoot-trefoil	<i>Pultenaea sericea</i>	chaffy bushpea
i	<i>Lotus suaveolens</i>	hairy birdsfoot-trefoil	<i>Pultenaea stricta</i>	rigid bushpea
i	<i>Lotus uliginosus</i>	greater birdsfoot-trefoil	<i>Pultenaea tenuifolia</i>	slender bushpea
i	<i>Lupinus angustifolius</i>	narrowleaf lupin	i <i>Securigera varia</i>	crown vetch
i	<i>Lupinus arboreus</i>	tree lupin	i <i>Spartium junceum</i>	spanish broom
i	<i>Medicago arabica</i>	spotted medick	<i>Sphaerolobium minus</i>	eastern globepea
i	<i>Medicago arborea</i>	tree medick	<i>Sphaerolobium vimineum</i>	spotted globepea
i	<i>Medicago falcata</i>	sickle medick	e <i>Stonesiella selaginoides</i>	clubmoss bushpea
i	<i>Medicago lupulina</i>	black medick	<i>Swainsona lessertifolia</i>	coast poisonpea
i	<i>Medicago minima</i>	little medick	i <i>Trifolium alexandrinum</i>	berseem clover
i	<i>Medicago polymorpha</i>	burr medick	i <i>Trifolium angustifolium</i>	narrowleaf clover
i	<i>Medicago sativa</i>	lucerne	i <i>Trifolium arvense</i>	haresfoot clover
i	<i>Medicago scutellata</i>	snail medick	i <i>Trifolium campestre</i>	hop clover
i	<i>Melilotus albus</i>	white melilot	i <i>Trifolium cernuum</i>	nodding clover
i	<i>Melilotus indicus</i>	sweet melilot	i <i>Trifolium dubium</i>	suckling clover
i	<i>Melilotus officinalis</i>	ribbed melilot	i <i>Trifolium fragiferum</i>	strawberry clover
	<i>Mirbelia oxylobioides</i>	sandstone bushpea	i <i>Trifolium glomeratum</i>	cluster clover
i	<i>Onobrychis viciifolia</i>	sainfoin	i <i>Trifolium hybridum</i>	alsike clover
i	<i>Ononis spinosa</i>	spiny restharrow	i <i>Trifolium incarnatum</i>	crimson clover
i	<i>Ornithopus compressus</i>	yellow birdsfoot	i <i>Trifolium lappaceum</i>	bristly clover
i	<i>Ornithopus pinnatus</i>	sand birdsfoot	i <i>Trifolium micranthum</i>	slender clover
	<i>Oxylobium arborescens</i>	tall shaggypea	i <i>Trifolium ornithopodioides</i>	birdsfoot clover
	<i>Oxylobium ellipticum</i>	golden shaggypea	i <i>Trifolium pratense</i>	red clover
e	<i>Phyllota diffusa</i>	heath bushpea	i <i>Trifolium repens</i>	white clover
	<i>Platylobium formosum</i>	handsome flatpea	i <i>Trifolium resupinatum</i>	reversed clover

- i *Trifolium scabrum*
- i *Trifolium squamosum*
- i *Trifolium stellatum*
- i *Trifolium striatum*
- i *Trifolium subterraneum*
- i *Trifolium suffocatum*
- i *Trifolium tomentosum*
- i *Trifolium uniflorum*
- i *Ulex europaeus*
- i *Vicia hirsuta*
- i *Vicia sativa* subsp. *nigra*
- i *Vicia tetrasperma*
- i *Vicia villosa* subsp. *eriocarpa*
- Viminaria juncea*

FAGACEAE

- Nothofagus cunninghamii*
- e *Nothofagus gunnii*

FRANKENIACEAE

Frankenia pauciflora var. *gunnii*

FUMARIACEAE

- i *Fumaria bastardi*
- i *Fumaria densiflora*
- i *Fumaria muralis*
- i *Fumaria officinalis*
- i *Pseudofumaria alba* subsp. *alba*

GENTIANACEAE

- i *Centaurium erythraea*
- i? *Centaurium spicatum*
- i *Centaurium tenuiflorum*
- e *Chionogentias brevisepala*
- x *Chionogentias cunninghamii* subsp. *cunninghamii*
- e *Chionogentias demissa*
- e *Chionogentias diemensis* subsp. *diemensis*
- e *Chionogentias diemensis* subsp. *plantaginea*
- e *Chionogentias eichleri*

- rough clover
- sea clover
- star clover
- knotted clover
- subterranean clover
- suffocated clover
- woolly clover
- oneflower clover
- gorse
- hairy vetch
- narrowleaf vetch
- smooth vetch
- fodder vetch
- golden spray

Beech Family

- myrtle beech
- deciduous beech

Seaheath Family

southern seaheath

Fumitory Family

- bastards fumitory
- dense fumitory
- wall fumitory
- common fumitory
- white fumitory

Gentian Family

- common centaury
- spike centaury
- slender centaury
- lesser snowgentian
- cunninghams snowgentian
- humble snowgentian
- tasmanian snowgentian
- ben lomond snowgentian
- eichlers snowgentian

- e *Chionogentias grandis*
- e *Chionogentias gunniana*
- e *Chionogentias pleurogynoides* subsp. *milliganii*
- e *Chionogentias pleurogynoides* subsp. *pleurogynoides*
- Chionogentias polysperes*
- i *Cicendia filiformis*
- Sebaea albidiflora*
- Sebaea ovata*

- greater snowgentian
- gunns forestgentian
- milligans snowgentian
- common snowgentian
- early forestgentian
- slender cicendia
- white sebaea
- yellow sebaea

GERANIACEAE

- i *Erodium botrys*
- i *Erodium cicutarium*
- i *Erodium malacoides*
- i *Erodium moschatum*
- i *Geranium dissectum*
- i *Geranium molle*
- Geranium potentilloides*
- Geranium retrorsum*
- i *Geranium rotundifolium*
- Geranium sessiliflorum* subsp. *brevicaule*
- Geranium solanderi*
- i *Geranium yeoi*
- Pelargonium australe*
- i *Pelargonium capitatum*
- Pelargonium inodorum*
- Pelargonium littorale*
- i *Pelargonium Xasperum*
- i *Pelargonium Xdomesticum*

Geranium Family

- long heronsbill
- common heronsbill
- oval heronsbill
- musky heronsbill
- cutleaf cranesbill
- soft cranesbill
- mountain cranesbill
- grassland cranesbill
- roundleaf cranesbill
- alpine cranesbill
- southern cranesbill
- madeira cranesbill
- southern storksbill
- scented geranium
- annual storksbill
- coast storksbill
- rose-oil geranium
- garden geranium

GOODENIACEAE

- x *Cooperookia barbata*
- Dampiera stricta*
- Goodenia elongata*
- Goodenia geniculata*
- Goodenia humilis*
- Goodenia lanata*
- Goodenia ovata*
- x *Goodenia pinnatifida*
- Scaevola aemula*

Native-primrose Family

- purple native-primrose
- blue dampiera
- lanky native-primrose
- bent native-primrose
- swamp native-primrose
- trailing native-primrose
- hop native-primrose
- cutleaf native-primrose
- fairly fanflower

Scaevola albida
Scaevola hookeri
Selliera radicans
Velleia montana
Velleia paradoxa

GROSSULARIACEAE

i *Ribes sanguineum*

GUNNERACEAE

e *Gunnera cordifolia*

GYROSTEMONACEAE

Gyrostemon thesioides

HALORAGACEAE

Gonocarpus humilis
Gonocarpus micranthus subsp. *micranthus*
Gonocarpus montanus
Gonocarpus serpyllifolius
Gonocarpus tetragynus
Gonocarpus teucrioides
Haloragis aspera
Haloragis brownii
Haloragis heterophylla
Haloragis myriocarpa
Myriophyllum amphibium
i *Myriophyllum aquaticum*
e *Myriophyllum austropygmaeum*
i *Myriophyllum crispatum*
x *Myriophyllum glomeratum*
Myriophyllum integrifolium
Myriophyllum muelleri
Myriophyllum pedunculatum var. *longibracteolatum*
Myriophyllum pedunculatum var. *pedunculatum*
Myriophyllum salsugineum
Myriophyllum simulans
m *Myriophyllum triphyllum*
Myriophyllum variifolium

pale fanflower
creeping fanflower
shiny swampmat
mountain velleia
spur velleia

Currant Family

flowering currant

Gunnera Family

tasmanian mudleaf

Wheelfruit Family

broom wheelfruit

Raspwort Family

shade raspwort
creeping raspwort
mountain raspwort
alpine raspwort
common raspwort
forest raspwort
rough raspwort
swamp raspwort
variable raspwort
prickly raspwort
broad watermilfoil
parrotfeather
highland watermilfoil
upright watermilfoil
clustered watermilfoil
tiny watermilfoil
hooded watermilfoil
spreading watermilfoil
matted watermilfoil
lake watermilfoil
amphibious watermilfoil
three-whorled watermilfoil
variable watermilfoil

HYDROPHYLLACEAE

i *Phacelia tanacetifolia*

LAMIACEAE

Ajuga australis
i *Ajuga reptans*
i *Cedronella canariensis*
i *Lamium amplexicaule*
i *Lamium purpureum*
i *Leonotis leonuris*
i *Lycopus australis*
i *Marrubium vulgare*
i *Melissa officinalis*
Mentha australis
Mentha diemenica var. *diemenica*
Mentha diemenica var. *serpyllifolia*
i *Mentha pulegium*
i *Mentha spicata*
i *Mentha Xpiperita*
i *Nepeta cataria*
x? *Prostanthera cuneata*
Prostanthera lasianthos var. *lasianthos*
Prostanthera rotundifolia
i *Prunella laciniata*
i *Prunella vulgaris*
i *Salvia verbenaca*
Scutellaria humilis
i *Stachys arvensis*
i *Stachys palustris*
Teucrium corymbosum
i *Teucrium scorodonia*
e *Westringia angustifolia*
e *Westringia brevifolia* var. *brevifolia*
e *Westringia brevifolia* var. *raleighii*
Westringia rigida
e *Westringia rubiaefolia*

Waterleaf Family

fiddleneck

Mint Family

australian bugle
european bugle
canary balm
henbit deadnettle
red deadnettle
lions ear
australian gypsywort
white horehound
lemon balm
river mint
slender mint
thymeleaf mint
pennyroyal
spearmint
peppermint
catmint
alpine mintbush
christmas mintbush
roundleaf mintbush
cutleaf selfheal
selfheal
wild sage
dwarf skullcap
field woundwort
marsh woundwort
forest germander
wood sage
narrowleaf westringia
shortleaf westringia
greater shortleaf westringia
stiff westringia
sticky westringia

LAURACEAE

- Cassytha glabella*
Cassytha melantha
 e *Cassytha pedicellosa*
Cassytha pubescens

LENTIBULARIACEAE

- Utricularia australis*
Utricularia dichotoma
Utricularia lateriflora
Utricularia monanthos
Utricularia tenella
Utricularia violacea

LINACEAE

- e *Linum albidum*
 i *Linum bienne*
 i *Linum catharticum*
Linum marginale
 i *Linum trigynum*
 i *Linum usitatissimum*

LOGANIACEAE

- Mitrasacme pilosa* var. *pilosa*
Mitrasacme pilosa var. *stuartii*
Mitrasacme serpyllifolia
Phyllangium distylis
Phyllangium divergens
 e *Schizacme archeri*
Schizacme montana

LYTHRACEAE

- Lythrum hyssopifolia*
Lythrum salicaria

MALVACEAE

- e *Asterotrichion discolor*
Gynatrix pulchella
 i *Hibiscus trionum*

Laurel Family

- slender dodderlaurel
 large dodderlaurel
 stalked dodderlaurel
 downy dodderlaurel

Bladderwort Family

- yellow bladderwort
 fairies aprons
 tiny bladderwort
 mountain bladderwort
 pink bladderwort
 violet bladderwort

Flax Family

- mountain flax
 pale flax
 white flax
 native flax
 french flax
 linseed flax

Mitrewort Family

- hairy mitrewort
 stalked hairy mitrewort
 thyme mitrewort
 tiny mitrewort
 wiry mitrewort
 cushion mitrewort
 mountain mitrewort

Loosestrife Family

- small loosestrife
 purple loosestrife

Mallow Family

- tasmanian currajong
 fragrant hempbush
 bladder ketmia

Lawrencia spicata

- i? *Lawrencia squamata*
Malva australiana
 i *Malva dendromorpha*
 i *Malva linnaei*
 i *Malva moschata*
 i *Malva neglecta*
 i *Malva nicaeensis*
 i *Malva parviflora*
 i *Malva sylvestris*
 i *Modiola caroliniana*

MENYANTHACEAE

- t *Liparophyllum gunnii*
 e *Nymphoides exigua*
Villarsia exaltata
Villarsia reniformis

MIMOSACEAE

- e *Acacia axillaris*
 i *Acacia baileyana*
Acacia dealbata subsp. *dealbata*
 i *Acacia decurrens*
 e *Acacia derwentiana*
Acacia genistifolia
Acacia gunnii
Acacia implexa
 i *Acacia longifolia* subsp. *longifolia*
Acacia longifolia subsp. *sophorae*
Acacia mearnsii
Acacia melanoxylon
 e *Acacia mucronata* subsp. *dependens*
Acacia mucronata subsp. *longifolia*
Acacia mucronata subsp. *mucronata*
Acacia myrtifolia
 i *Acacia paradoxa*
 e *Acacia pataczekii*
 i *Acacia pycnantha*
Acacia retinodes var. *uncifolia*

- candle saltmallow
 thorny saltmallow
 australian mallow
 tree mallow
 cretan mallow
 musk mallow
 dwarf mallow
 mallow-of-nice
 smallflower mallow
 tall mallow
 redflower mallow

Marshflower Family

- alpine marshwort
 dwarf marshwort
 erect marshflower
 running marshflower

Wattle Family

- midlands wattle
 cootamundra wattle
 silver wattle
 green wattle
 derwent wattle
 spreading wattle
 ploughshare wattle
 hickory wattle
 sydney coast wattle
 coast wattle
 black wattle
 blackwood
 blunt caterpillar wattle
 longleaf caterpillar wattle
 erect caterpillar wattle
 redstem wattle
 thorn wattle
 wallys wattle
 golden wattle
 wirilda

- e *Acacia riceana*
- Acacia siculiformis*
- Acacia stricta*
- Acacia suaveolens*
- Acacia terminalis*
- Acacia ulicifolia*
- Acacia verniciflua*
- Acacia verticillata* subsp. *ovoidea*
- Acacia verticillata* subsp. *ruscifolia*
- Acacia verticillata* subsp. *verticillata*
- i *Paraserianthes lophantha* subsp. *lophantha*

MONIMIACEAE

- Atherosperma moschatum*
- Hedycarya angustifolia*

MYOPORACEAE

- Myoporum insulare*
- Myoporum parvifolium*

MYRTACEAE

- Baeckea gunniana*
- e *Baeckea leptocaulis*
- Callistemon pallidus*
- e *Callistemon viridiflorus*
- Calytrix tetragona*
- e *Eucalyptus amygdalina*
- e *Eucalyptus archeri*
- e *Eucalyptus barberi*
- Eucalyptus brookeriana*
- e *Eucalyptus coccifera*
- e *Eucalyptus cordata*
- Eucalyptus dalrympleana* subsp. *dalrympleana*
- e *Eucalyptus delegatensis* subsp. *tasmaniensis*
- Eucalyptus globulus* subsp. *globulus*
- Eucalyptus globulus* subsp. *pseudoglobulus*
- e *Eucalyptus gunnii* subsp. *divaricata*
- e *Eucalyptus gunnii* subsp. *gunnii*
- e *Eucalyptus johnstonii*

- arching wattle
- dagger wattle
- hop wattle
- sweet wattle
- sunshine wattle
- juniper wattle
- varnish wattle
- prostrate prickly moses
- broadleaf prickly moses
- prickly moses
- cape wattle

Sassafras Family

- sassafras
- australian mulberry

Boobialla Family

- common boobialla
- creeping boobialla

Myrtle Family

- alpine heathmyrtle
- slender heathmyrtle
- yellow bottlebrush
- prickly bottlebrush
- common fringemyrtle
- black peppermint
- alpine cider gum
- barbers gum
- brookers gum
- snow peppermint
- tasmanian silver gum
- mountain white gum
- gumtopped stringybark
- tasmanian blue gum
- gippsland blue gum
- miena cider gum
- cider gum
- yellow gum

- e *Eucalyptus morrisbyi*
- e *Eucalyptus nitida*
- Eucalyptus obliqua*
- Eucalyptus ovata*
- Eucalyptus pauciflora* subsp. *pauciflora*
- Eucalyptus perriniana*
- e *Eucalyptus pulchella*
- Eucalyptus radiata* subsp. *robertsonii*
- Eucalyptus regnans*
- e *Eucalyptus risdonii*
- e *Eucalyptus rodwayi*
- Eucalyptus rubida*
- Eucalyptus sieberi*
- e *Eucalyptus subcrenulata*
- e *Eucalyptus tenuiramis*
- e *Eucalyptus urnigera*
- e *Eucalyptus vernicosa*
- Eucalyptus viminalis* subsp. *viminalis*
- Euryomyrtus ramosissima* subsp. *prostrata*
- Euryomyrtus ramosissima* subsp. *ramosissima*
- Kunzea ambigua*
- i *Kunzea ericoides*
- e *Leptospermum glaucescens*
- e *Leptospermum grandiflorum*
- Leptospermum laevigatum*
- Leptospermum lanigerum*
- e *Leptospermum nitidum*
- e *Leptospermum riparium*
- e *Leptospermum rupestre*
- Leptospermum scoparium* var. *eximium*
- Leptospermum scoparium* var. *scoparium*
- Melaleuca armillaris* subsp. *armillaris*
- Melaleuca ericifolia*
- Melaleuca gibbosa*
- e *Melaleuca pustulata*
- Melaleuca squamea*
- Melaleuca squarrosa*
- Thryptomene micrantha*

- morrisbys gum
- western peppermint
- stringybark
- black gum
- cabbage gum
- spinning gum
- white peppermint
- forth river peppermint
- giant ash
- risdon peppermint
- swamp peppermint
- candlebark
- ironbark
- alpine yellow gum
- silver peppermint
- urn gum
- varnished gum
- white gum
- creeping heathmyrtle
- rosy heathmyrtle
- white kunzea
- burgan
- smoky teatree
- autumn teatree
- coast teatree
- woolly teatree
- shiny teatree
- river teatree
- mountain teatree
- broadleaf common teatree
- common teatree
- giant honeymyrtle
- coast paperbark
- slender honeymyrtle
- warty paperbark
- swamp honeymyrtle
- scented paperbark
- ribbed heathmyrtle

OLEACEAE

- i *Ligustrum vulgare*
Notelaea ligustrina

Olive Family

- privet
 native olive

ONAGRACEAE

- Epilobium billardierianum* subsp. *billardierianum*
Epilobium billardierianum subsp. *cinereum*
Epilobium billardierianum subsp. *intermedium*
 m *Epilobium brunnescens* subsp. *brunnescens*
 i *Epilobium ciliatum*
Epilobium curtisiae
 e *Epilobium fugitivum*
Epilobium gunnianum
Epilobium hirtigerum
 i *Epilobium nummulariifolium*
 i *Epilobium obscurum*
Epilobium pallidiflorum
 m *Epilobium pedunculare*
 e *Epilobium perpusillum*
 i *Epilobium rotundifolium*
Epilobium sarmentaceum
Epilobium tasmanicum
Epilobium willisii
 i *Fuchsia magellanica*
 i *Oenothera biennis*
 i *Oenothera glazioviana*
 i *Oenothera stricta*

Willowherb Family

- robust willowherb
 grey willowherb
 marsh willowherb
 subantarctic willowherb
 glandular willowherb
 baldseed willowherb
 blunt willowherb
 bog willowherb
 hairy willowherb
 creeping willowherb
 shade willowherb
 showy willowherb
 stalked willowherb
 tiny willowherb
 roundleaf willowherb
 mountain willowherb
 snow willowherb
 carpet willowherb
 fuchsia
 evening-primrose
 reddish evening-primrose
 fragrant evening-primrose

OROBANCHACEAE

- i *Orobanche minor*

Broomrape Family

- lesser broomrape

OXALIDACEAE

- i *Oxalis articulata*
 i *Oxalis corniculata* subsp. *corniculata*
Oxalis exilis
 i *Oxalis incarnata*
 i *Oxalis latifolia*
Oxalis magellanica
Oxalis perennans

Woodsorrel Family

- bent woodsorrel
 yellow woodsorrel
 feeble woodsorrel
 pale woodsorrel
 largeleaf woodsorrel
 snowdrop woodsorrel
 grassland woodsorrel

- i *Oxalis pes-caprae*

- i *Oxalis purpurea*
Oxalis radicata

- soursob
 largeflower woodsorrel
 stoutroot woodsorrel

PAPAVERACEAE

- i *Argemone ochroleuca*
 i *Eschscholzia californica*
 i *Glaucium flavum*
 ix *Papaver aculeatum*
 i *Papaver argemone*
 i *Papaver dubium*
 i *Papaver hybridum*
 i *Papaver rhoeas*
 i *Papaver somniferum* subsp. *setigerum*
 i *Papaver somniferum* subsp. *somniferum*

Poppy Family

- prickly poppy
 californian poppy
 yellow poppy
 bristle poppy
 pale poppy
 longhead poppy
 rough poppy
 field poppy
 small opium poppy
 opium poppy

PASSIFLORACEAE

- i *Passiflora cinnabarina*
 i *Passiflora tarminiana*

Passionflower Family

- red passionflower
 banana passionfruit

PITTOSPORACEAE

- i *Billardiera heterophylla*
 e *Billardiera longiflora*
Billardiera macrantha
Billardiera mutabilis
 e *Billardiera nesophila*
 e *Billardiera ovalis*
 e *Billardiera viridiflora*
Bursaria spinosa
Pittosporum bicolor
 i *Pittosporum undulatum* subsp. *Xemmettii*
 i *Pittosporum undulatum* subsp. *undulatum*
Rhytidosporum inconspicuum
Rhytidosporum procumbens

Pittosporum Family

- bluebell creeper
 purple appleberry
 highland appleberry
 green appleberry
 coastal appleberry
 seaspray appleberry
 northwest appleberry
 prickly box
 cheesewood
 hybrid pittosporum
 sweet pittosporum
 alpine appleberry
 starry appleberry

PLANTAGINACEAE

- Plantago antarctica*
 i *Plantago australis*
 e *Plantago bellidioides*

Plantain Family

- mountain plantain
 southern plantain
 herbfield plantain

- i *Plantago coronopus* subsp. *commutata*
- i *Plantago coronopus* subsp. *coronopus*
- e *Plantago daltonii*
- Plantago debilis*
- Plantago gaudichaudii*
- e *Plantago glabrata*
- Plantago glacialis*
- e *Plantago gunnii*
- Plantago hispida*
- i *Plantago lanceolata*
- i *Plantago major*
- e *Plantago paradoxa*
- e *Plantago tasmanica* var. *archeri*
- e *Plantago tasmanica* var. *tasmanica*
- t *Plantago triantha*
- Plantago varia*

PLUMBAGINACEAE

- Limonium australe*
- e *Limonium baudinii*

POLEMONIACEAE

- i *Collomia linearis*
- i *Navarretia squarrosa*

POLYGALACEAE

- Comesperma calymega*
- Comesperma defoliatum*
- Comesperma ericinum*
- Comesperma retusum*
- Comesperma volubile*
- i *Polygala myrtifolia*
- i *Polygala vulgaris*

POLYGONACEAE

- i *Acetosa sagittata*
- i *Acetosella vulgaris*
- i *Emex australis*
- i *Fallopia convolvulus*

- stout buckshorn plantain
- slender buckshorn plantain
- alpine plantain
- shade plantain
- narrow plantain
- subalpine plantain
- small star plantain
- bolster plantain
- hairy plantain
- ribwort plantain
- great plantain
- hairtuft plantain
- shortstem tasmanian plantain
- tasmanian plantain
- salt spray plantain
- variable plantain

Leadwort Family

- yellow sea-lavender
- tasmanian sea-lavender

Phlox Family

- tiny trumpet
- skunkweed

Milkwort Family

- bluespike milkwort
- leafless milkwort
- heath milkwort
- mountain milkwort
- blue lovecreeper
- myrtleleaf milkwort
- common milkwort

Dock Family

- rambling dock
- sheep sorrel
- prickly jacks
- black bindweed

- i *Fallopia japonica*
- Muehlenbeckia adpressa*
- Muehlenbeckia axillaris*
- Muehlenbeckia gunnii*
- Persicaria decipiens*
- Persicaria hydropiper*
- i *Persicaria lapathifolia*
- i *Persicaria maculosa*
- Persicaria praetermissa*
- i? *Persicaria prostrata*
- Persicaria subsessilis*
- i *Polygonum arenastrum*
- i *Polygonum aviculare*
- Rumex bidens*
- Rumex brownii*
- i *Rumex conglomeratus*
- i *Rumex crispus*
- Rumex dumosus*
- i *Rumex obtusifolius* subsp. *obtusifolius*
- i *Rumex obtusifolius* subsp. *transiens*
- i *Rumex pulcher* subsp. *pulcher*

PORTULACACEAE

- Calandrinia calyptrata*
- i *Calandrinia ciliata*
- Calandrinia eremaea*
- Calandrinia granulifera*
- i *Calandrinia menziesii*
- Montia fontana* subsp. *chondrosperma*
- im *Montia fontana* subsp. *fontana*
- Neopaxia australasica*
- Portulaca oleracea*

PRIMULACEAE

- i *Anagallis arvensis* var. *arvensis*
- i *Anagallis arvensis* var. *caerulea*
- i *Lysimachia nummularia*
- Samolus repens*

- japanese knotweed
- climbing lignum
- matted lignum
- forest lignum
- slender waterpepper
- green waterpepper
- pale knotweed
- common knotweed
- arrow waterpepper
- creeping waterpepper
- bristly waterpepper
- small wireweed
- creeping wireweed
- mud dock
- slender dock
- clustered dock
- curled dock
- wiry dock
- western broadleaf dock
- central broadleaf dock
- fiddle dock

Purslane Family

- pink purslane
- fringed redmaids
- small purslane
- pygmy purslane
- purple purslane
- waterblinks
- bog waterblinks
- white purslane
- common purslane

Primrose Family

- scarlet pimpernel
- blue pimpernel
- creeping jenny
- creeping brookweed

PROTEACEAE

- e *Agastachys odorata*
- x *Banksia integrifolia* var. *integrifolia*
- Banksia marginata*
- Banksia serrata*
- e *Bellenden montana*
- e *Cenarrhenes nitida*
- e *Conospermum hookeri*
- Grevillea australis* var. *australis*
- e *Grevillea australis* var. *brevifolia*
- e *Grevillea australis* var. *erecta*
- e *Grevillea australis* var. *linearifolia*
- e *Grevillea australis* var. *montana*
- e *Grevillea australis* var. *planifolia*
- e *Grevillea australis* var. *subulata*
- e *Grevillea australis* var. *tenuifolia*
- i *Grevillea* hybrids
- Hakea decurrens* subsp. *physocarpa*
- Hakea decurrens* subsp. *platytenia*
- e *Hakea epiglottis* subsp. *epiglottis*
- e *Hakea epiglottis* subsp. *milliganii*
- Hakea lissosperma*
- e *Hakea megadenia*
- Hakea microcarpa*
- Hakea nodosa*
- Hakea teretifolia* subsp. *hirsuta*
- Hakea ulicina*
- Isopogon ceratophyllum*
- e *Lomatia polymorpha*
- e *Lomatia tasmanica*
- e *Lomatia tinctoria*
- e *Orites acicularis*
- e *Orites diversifolia*
- e *Orites milliganii*
- e *Orites revoluta*
- e *Persoonia gunnii* var. *gunnii*
- e *Persoonia gunnii* var. *oblanceolata*
- e *Persoonia juniperina* var. *brevifolia*
- Persoonia juniperina* var. *juniperina*

Protea Family

- fragrant candlebush
- coast banksia
- silver banksia
- saw banksia
- mountain rocket
- native plum
- tasmanian smokebush
- southern grevillea
- shortleaf grevillea
- erect grevillea
- narrowleaf grevillea
- alpine grevillea
- flatleaf grevillea
- leathery grevillea
- slender grevillea
- garden grevillea
- bushy needlebush
- coast needlebush
- beaked needlebush
- western beaked needlebush
- mountain needlebush
- autumn needlebush
- smallfruit needlebush
- yellow needlebush
- dagger needlebush
- furze needlebush
- horny conebrush
- mountain guitarplant
- kings lomatia
- guitarplant
- yellow orites
- variable orites
- toothed orites
- revolute orites
- mountain geebung
- lanceleaf geebung
- shortleaf geebung
- prickly geebung

- e *Persoonia juniperina* var. *mollis*
- e *Persoonia juniperina* var. *ulicina*
- e *Persoonia moscalii*
- e *Persoonia muelleri* subsp. *angustifolia*
- e *Persoonia muelleri* subsp. *densifolia*
- e *Persoonia muelleri* subsp. *muelleri*
- e *Telopea truncata*

- soft geebung
- coast geebung
- creeping geebung
- narrowleaf geebung
- leafy geebung
- highland geebung
- tasmanian waratah

RANUNCULACEAE

- i *Adonis microcarpa*
- e *Anemone crassifolia*
- i *Batrachium trichophyllum*
- e *Caltha phylloptera*
- Clematis aristata*
- e *Clematis gentianoides*
- Clematis microphylla*
- i *Clematis vitalba*
- Myosurus australis*
- t *Ranunculus acaulis*
- i *Ranunculus acris*
- Ranunculus amphitrichus*
- i *Ranunculus arvensis*
- e *Ranunculus collicola*
- Ranunculus collinus*
- m *Ranunculus crassipes*
- e *Ranunculus decurvus*
- Ranunculus diminutus*
- i *Ranunculus flammula*
- Ranunculus glabrifolius*
- Ranunculus gunnianus*
- e *Ranunculus jugosus*
- Ranunculus lappaceus*
- i *Ranunculus muricatus*
- e *Ranunculus nanus*
- i *Ranunculus parviflorus*
- e *Ranunculus pascuinus*
- Ranunculus pimpinellifolius*
- e *Ranunculus prasinus*
- Ranunculus pumilio* var. *pumilio*

Buttercup Family

- pheasants eye
- mountain anemone
- water fennel
- tasmanian snowbuttercup
- mountain clematis
- ground clematis
- small-leaf clematis
- travellers joy
- southern mousetail
- dune buttercup
- meadow buttercup
- river buttercup
- field buttercup
- lake augusta buttercup
- mountain buttercup
- succulent buttercup
- nodding buttercup
- brackish buttercup
- lesser spearwort
- shining buttercup
- tufted buttercup
- twinned buttercup
- woodland buttercup
- sharp buttercup
- dwarf buttercup
- smallflower buttercup
- pressed-hair buttercup
- bog buttercup
- midlands buttercup
- ferry buttercup

- i *Ranunculus repens*
- i *Ranunculus sardous*
- i *Ranunculus scapiger*
- i *Ranunculus sceleratus*
- Ranunculus sessiliflorus* var. *sessiliflorus*
- e *Ranunculus setaceus*
- i *Ranunculus trilobus*
- e *Ranunculus triplodontus*

RESEDAACEAE

- i *Reseda alba*
- i *Reseda lutea*
- i *Reseda luteola*

RHAMNACEAE

- e *Cryptandra alpina*
- Cryptandra amara*
- e *Cryptandra exilis*
- Discaria pubescens*
- Pomaderris apetala* subsp. *apetala*
- Pomaderris apetala* subsp. *maritima*
- Pomaderris aspera*
- Pomaderris elachophylla*
- e *Pomaderris elliptica* var. *diemenica*
- Pomaderris elliptica* var. *elliptica*
- Pomaderris intermedia*
- Pomaderris oraria* subsp. *oraria*
- Pomaderris paniculosa* subsp. *paralia*
- Pomaderris phyllicifolia* subsp. *phyllicifolia*
- Pomaderris pilifera*
- Pomaderris racemosa*
- i *Rhamnus alaternus*
- Spyridium eriocephalum* var. *eriocephalum*
- e *Spyridium gunnii*
- e *Spyridium lawrencei*
- e *Spyridium obcordatum*
- e *Spyridium obovatum* var. *obovatum*
- e *Spyridium obovatum* var. *velutinum*
- e *Spyridium parvifolium* var. *molle*

- creeping buttercup
- pale hairy buttercup
- gully buttercup
- celery buttercup
- rockplate buttercup
- simple-leaf buttercup
- large annual buttercup
- threetooth buttercup

Mignonette Family

- white mignonette
- cutleaf mignonette
- weld

Buckthorn Family

- alpine pearlfower
- pretty pearlfower
- slender pearlfower
- spiky anchorplant
- common dogwood
- coast dogwood
- hazel dogwood
- small-leaf dogwood
- tasmanian yellow dogwood
- yellow dogwood
- lemon dogwood
- bassian dogwood
- shining dogwood
- narrowleaf dogwood
- hairy dogwood
- slender dogwood
- italian buckthorn
- heath dustymiller
- forest dustymiller
- small-leaf dustymiller
- creeping dustymiller
- smooth dustymiller
- velvet dustymiller
- soft dustymiller

- Spyridium parvifolium* var. *parvifolium*
- e *Spyridium ulicinum*
- Spyridium vexilliferum* var. *vexilliferum*
- e *Stenanthemum pimeleoides*

ROSACEAE

- Acaena agnipila* var. *aequispina*
- Acaena agnipila* var. *tenuispica*
- Acaena echinata* var. *retrorsumpilosa*
- Acaena echinata* var. *subglabrallyx*
- Acaena echinata* var. *tylacantha*
- m *Acaena magellanica*
- m *Acaena minor*
- e *Acaena montana*
- Acaena novae-zelandiae*
- Acaena ovina* var. *velutina*
- Acaena pallida*
- Acaena Xanserovina*
- i *Aphanes arvensis*
- Aphanes australiana*
- i *Aphanes microcarpa*
- Cotoneaster franchetii*
- i *Cotoneaster glaucophyllus*
- i *Cotoneaster pannosus*
- l *Cotoneaster simonsii*
- i *Crataegus monogyna*
- e *Geum talbotianum*
- Geum urbanum* var. *strictum*
- i *Malus Xdomestica*
- i *Potentilla anglica*
- i *Potentilla anserina*
- i *Potentilla recta*
- i *Potentilla reptans*
- i *Prunus domestica* subsp. *insititia*
- i *Prunus spinosa*
- i *Rosa canina*
- i *Rosa rubiginosa*
- i *Rubus fruticosus* aggregate
- e *Rubus gunnianus*

- coast dustymiller
- scented dustymiller
- helicopter bush
- propeller plant

Rose Family

- hairy sheepsburr
- hairy sheepsburr
- spiny sheepsburr
- spiny sheepsburr
- spiny sheepsburr
- subantarctic buzzy
- little burr
- mountain buzzy
- common buzzy
- downy sheepsburr
- dune buzzy
- hybrid sheepsburr
- parsley piert
- australian piert
- smallfruit piert
- grey cotoneaster
- largeleaf cotoneaster
- velvet cotoneaster
- himalayan cotoneaster
- hawthorn
- tasmanian snowrose
- wood avens
- apple
- trailing cinquefoil
- silverweed
- upright cinquefoil
- creeping cinquefoil
- plum
- blackthorn
- dog rose
- sweet briar
- blackberry
- alpine raspberry

- i *Rubus laciniatus*
- Rubus parvifolius*
- i *Sanguisorba minor* subsp. *muricata*

RUBIACEAE

- Asperula conferta* var. *abbreviata*
- Asperula conferta* var. *conferta*
- Asperula conferta* var. *scoparioides*
- e *Asperula gunnii* var. *curta*
- Asperula gunnii* var. *gunnii*
- Asperula minima*
- Asperula pusilla*
- Asperula scoparia* var. *scoparia*
- Asperula subsimplex*
- Coprosma hirtella*
- Coprosma moorei*
- Coprosma nitida*
- Coprosma perpusilla* subsp. *perpusilla*
- m *Coprosma perpusilla* subsp. *subantarctica*
- Coprosma pumila*
- Coprosma quadrifida*
- i *Coprosma repens*
- i *Coprosma robusta*
- m *Galium antarcticum*
- i *Galium aparine*
- Galium australe*
- Galium ciliare*
- i *Galium divaricatum*
- Galium gaudichaudii*
- i *Galium murale*
- i *Galium palustre*
- i *Galium verum*
- Nertera granadensis*
- Opercularia ovata*
- Opercularia varia*
- i *Sherardia arvensis*

- cutleaf blackberry
- native raspberry
- salad burnet

Madder Family

- crowded common woodruff
- common woodruff
- prickly common woodruff
- short mountain woodruff
- mountain woodruff
- mossy woodruff
- alpine woodruff
- prickly woodruff
- water woodruff
- coffeeberry
- blue matcurrant
- mountain currant
- orange matcurrant
- subantarctic matcurrant
- dwarf matcurrant
- native currant
- mirrorbush
- karamu
- subantarctic bedstraw
- cleavers
- tangled bedstraw
- hairy bedstraw
- slender bedstraw
- rough bedstraw
- small bedstraw
- marsh bedstraw
- yellow bedstraw
- orange cushionbeads
- broadleaf stinkweed
- variable stinkweed
- field madder

RUTACEAE

- e *Acradenia frankliniae*
- Boronia anemonifolia* subsp. *variabilis*
- e *Boronia citriodora* subsp. *citriodora*
- e *Boronia citriodora* subsp. *orientalis*
- e *Boronia citriodora* subsp. *paulwilsonii*
- e *Boronia elisabethiae*
- e *Boronia gunnii*
- e *Boronia hemichiton*
- e *Boronia hippopala*
- Boronia nana* var. *hyssopifolia*
- Boronia nana* var. *nana*
- Boronia parviflora*
- Boronia pilosa* subsp. *pilosa*
- e *Boronia pilosa* subsp. *tasmanensis*
- Boronia rhomboidea*
- e *Boronia rozefeldsii*
- Correa alba* var. *alba*
- Correa backhouseana* var. *backhouseana*
- Correa lawrenceana* var. *lawrenceana*
- Correa reflexa* var. *nummulariifolia*
- Correa reflexa* var. *reflexa*
- Leionema bilobum*
- e *Leionema montanum*
- e *Leionema oldfieldii*
- e *Nematolepis squamea* subsp. *retusa*
- Nematolepis squamea* subsp. *squamea*
- e *Phebalium daviesii*
- e *Philotheca freyciana*
- Philotheca verrucosa*
- Philotheca virgata*
- Zieria arborescens* subsp. *arborescens*
- Zieria littoralis*
- Zieria veronicea* subsp. *veronicea*

Boronia Family

- whitey wood
- stinky boronia
- central lemon boronia
- mt barrow lemon boronia
- leggy lemon boronia
- creeping boronia
- river boronia
- mt arthur boronia
- velvet boronia
- simple-leaf dwarf boronia
- splitleaf dwarf boronia
- swamp boronia
- hairy boronia
- tasman hairy boronia
- broadleaf boronia
- schouten boronia
- white correa
- velvet correa
- mountain correa
- roundleaf correa
- common correa
- notched waxflower
- spreading waxflower
- mountain waxflower
- blunt satinwood
- satinwood
- davies waxflower
- freycinet waxflower
- fairy waxflower
- twiggy waxflower
- stinkwood
- downy zieria
- pink zieria

SALICACEAE

- i *Populus alba*
- i *Salix alba*
- i *Salix babylonica*

Willow Family

- white poplar
- white willow
- weeping willow

- i *Salix cinerea*
- i *Salix fragilis*
- i *Salix Xrubens*

SANTALACEAE

- Exocarpos cupressiformis*
 e *Exocarpos humifusus*
Exocarpos nanus
Exocarpos strictus
Exocarpos syrticola
Leptomeria drupacea
 e *Leptomeria glomerata*
 x *Thesium australe*

SAPINDACEAE

- e *Dodonaea filiformis*
Dodonaea viscosa subsp. *spatulata*

SCROPHULARIACEAE

- i *Bellardia trixago*
- t *Chionohebe ciliolata*
- i *Cymbalaria muralis*
- Derwentia derwentiana* subsp. *derwentiana*
- Derwentia nivea*
- i *Digitalis purpurea*
- e *Euphrasia amphisysepala*
- Euphrasia collina* subsp. *collina*
- e *Euphrasia collina* subsp. *deflexifolia*
- e *Euphrasia collina* subsp. *diemenica*
- e *Euphrasia collina* subsp. *gunnii*
- Euphrasia collina* subsp. *tetragona*
- e *Euphrasia fragosa*
- e *Euphrasia gibbsiae* subsp. *comberi*
- e *Euphrasia gibbsiae* subsp. *discolor*
- e *Euphrasia gibbsiae* subsp. *gibbsiae*
- e *Euphrasia gibbsiae* subsp. *kingii*
- e *Euphrasia gibbsiae* subsp. *microdonta*
- e *Euphrasia gibbsiae* subsp. *psilantherea*
- e *Euphrasia gibbsiae* subsp. *pulvinestris*

Sandalwood Family

- common native-cherry
mountain native-cherry
alpine native-cherry
pearly native-cherry
coast native-cherry
erect currantbush
creeping currantbush
southern toadflax

Soapwood Family

- fineleaf hopbush
broadleaf hopbush

Snapdragon Family

- mediterranean linedseed
ben lomond cushionplant
ivy leaf toadflax
derwent speedwell
snow speedwell
foxglove
shiny cliff-eyebright
tall eyebright
eastern eyebright
plain tufted-eyebright
gunns eyebright
northeast eyebright
shy eyebright
mountain eyebright
cradle mountain eyebright
striped tufted-eyebright
kings eyebright
smalltooth eyebright
swamp eyebright
cushionplant eyebright

- e *Euphrasia gibbsiae* subsp. aff. *subglabrifolia*
- e *Euphrasia gibbsiae* subsp. *wellingtonensis*
- e *Euphrasia hookeri*
- e *Euphrasia phragmostoma*
- e *Euphrasia* sp. 'fabula'
- Euphrasia scabra*
- e *Euphrasia semipicta*
- e *Euphrasia striata*
- Glossostigma elatinoides*
- Gratiola nana*
- Gratiola peruviana*
- Gratiola pubescens*
- Gratiola pumilo*
- i *Hebe elliptica*
- i *Kickxia elatine*
- i *Kickxia spuria*
- Limosella australis*
- i *Linaria vulgaris*
- Mazus pumilio*
- i *Mimulus moschatus*
- Mimulus repens*
- e *Ourisia integrifolia*
- i *Parentucellia latifolia*
- i *Parentucellia viscosa*
- i *Scrophularia auriculata*
- i *Verbascum blattaria*
- i *Verbascum creticum*
- i *Verbascum thapsus*
- i *Verbascum virgatum*
- i *Veronica arvensis*
- Veronica calycina*
- e *Veronica formosa*
- Veronica gracilis*
- i *Veronica hederifolia*
- i *Veronica notabilis*
- Veronica novae-hollandiae*
- i *Veronica peregrina*
- i *Veronica persica*
- Veronica plebeia*

- mt field eyebright
mt wellington eyebright
fingerleaf eyebright
hairy cliff-eyebright
masked cliff-eyebright
yellow eyebright
peninsula eyebright
shiny striped eyebright
small mudmat
matted brooklime
southern brooklime
hairy brooklime
dwarf brooklime
shore hebe
sharpleaf toadflax
bluntleaf toadflax
southern mudwort
yellow toadflax
swamp mazus
musk monkeyflower
creeping monkeyflower
mountain whitebell
broadleaf glandweed
yellow glandweed
water figwort
moth mullein
cretan mullein
great mullein
twiggy mullein
wall speedwell
hairy speedwell
speedwell bush
slender speedwell
ivyleaf speedwell
forest speedwell
coast speedwell
wandering speedwell
persian speedwell
trailing speedwell

- i *Veronica scutellata*
- i *Veronica serpyllifolia*

SOLANACEAE

- e *Cyphanthera tasmanica*
- i *Datura ferox*
- i *Datura stramonium*
- i *Hyoscyamus albus*
- i *Lycium barbarum*
- i *Lycium ferocissimum*
- i *Physalis peruviana*
- i *Salpichroa origanifolia*
- i *Solanum americanum*
- i *Solanum dulcamara*
- i *Solanum furcatum*
- Solanum laciniatum*
- i *Solanum marginatum*
- i *Solanum nigrum*
- Solanum opacum*
- i *Solanum physalifolium* var. *nitidibaccatum*
- i *Solanum pseudocapsicum*
- i *Solanum triflorum*
- Solanum vescum*

STACKHOUSIACEAE

- e *Stackhousia gunnii*
- Stackhousia monogyna*
- Stackhousia pulvinaris*
- Stackhousia spathulata*
- Stackhousia viminea*

STERCULIACEAE

- Lasiopetalum baueri*
- Lasiopetalum discolor*
- Lasiopetalum macrophyllum*
- e *Lasiopetalum micranthum*

STYLIDIACEAE

- e *Forstera bellidifolia*

- marsh speedwell
- thyme speedwell

Nightshade Family

- tasmanian rayflower
- longspine thornapple
- common thornapple
- white henbane
- chinese boxthorn
- african boxthorn
- cape gooseberry
- pampas lily-of-the-valley
- glossy nightshade
- woody nightshade
- broad nightshade
- kangaroo apple
- white-edged nightshade
- blackberry nightshade
- greenberry nightshade
- cherry nightshade
- winter cherry
- cutleaf nightshade
- gunyang

Candles Family

- grassland candles
- forest candles
- alpine candles
- coast candles
- yellow candles

Velvetbush Family

- slender velvetbush
- coast velvetbush
- shrubby velvetbush
- tasmanian velvetbush

Triggerplant Family

- tasmanian forstera

- x *Levenhookia dubia*
- t *Phyllachne colensoi*
- Stylidium armeria*
- Stylidium despectum*
- Stylidium dilatatum*
- Stylidium graminifolium*
- Stylidium inundatum*
- Stylidium perpusillum*

THYMELAEACEAE

- Kelleria dieffenbachii*
- Pimelea axiflora* subsp. *axiflora*
- e *Pimelea cinerea*
- Pimelea curviflora* var. *gracilis*
- Pimelea curviflora* var. *sericea*
- Pimelea drupacea*
- e *Pimelea filiformis*
- Pimelea flava* subsp. *flava*
- Pimelea glauca*
- Pimelea humilis*
- Pimelea ligustrina* subsp. *ligustrina*
- Pimelea linifolia* subsp. *linifolia*
- Pimelea linifolia* subsp. *linoides*
- Pimelea micrantha*
- e *Pimelea milliganii*
- e *Pimelea nivea*
- Pimelea pauciflora*
- Pimelea phyllicoides*
- e *Pimelea pygmaea*
- e *Pimelea sericea*
- Pimelea serpyllifolia* subsp. *serpyllifolia*

TREMANDRACEAE

- Tetradlea ciliata*
- e *Tetradlea gunnii*
- Tetradlea labillardierei*
- Tetradlea pilosa* subsp. *latifolia*
- Tetradlea pilosa* subsp. *pilosa*
- Tetradlea procumbens*

- hairy stylewort
- yellow cushionplant
- coastal triggerplant
- small triggerplant
- broadleaf triggerplant
- narrowleaf triggerplant
- swamp triggerplant
- tiny triggerplant

Riceflower Family

- carpet riceflower
- bootlace bush
- grey riceflower
- slender curved riceflower
- silky curved riceflower
- cherry riceflower
- trailing riceflower
- yellow riceflower
- smooth riceflower
- dwarf riceflower
- tall riceflower
- slender riceflower
- greater slender riceflower
- silky riceflower
- silver riceflower
- bushmans bootlace
- poison riceflower
- heath riceflower
- alpine riceflower
- mountain riceflower
- thyme riceflower

Pinkbells Family

- northern pinkbells
- shy pinkbells
- glandular pinkbells
- broadleaf hairy pinkbells
- hairy pinkbells
- spreading pinkbells

ULMACEAE

- i *Ulmus Xhollandica*

URTICACEAE

- Australina pusilla* subsp. *muelleri*
Australina pusilla subsp. *pusilla*
Parietaria cardiostegia
Parietaria debilis
i *Parietaria judaica*
i *Soleirolia soleirolii*
Urtica incisa
i *Urtica urens*

VALERIANACEAE

- i *Centranthus ruber*
i *Valerianella eriocarpa*
i *Valerianella locusta*
i *Valerianella ramosa*

VERBENACEAE

- i *Verbena bonariensis*
i *Verbena officinalis*

VIOLACEAE

- Melicytus dentatus*
i *Viola arvensis*
Viola betonicifolia
Viola caleyana
Viola cleistogamoides
Viola cunninghamii
Viola fuscoviolacea
e *Viola hederacea* subsp. *curtisiae*
Viola hederacea subsp. *hederacea*
Viola sieberiana

WINTERACEAE

- Tasmannia lanceolata*

Elm Family

dutch elm

Nettle Family

shade nettle
small shade nettle
mallee pellitory
shade pellitory
wall pellitory
babys tears
scrub nettle
stinging nettle

Valerian Family

red valerian
italian cornsalad
lambs lettuce
broadfruit cornsalad

Vervain Family

purple vervain
common vervain

Violet Family

spiky violetbush
field pansy
showy violet
swamp violet
shy violet
alpine violet
dusky violet
montane ivyleaf violet
ivyleaf violet
tiny violet

Peppertree Family

mountain pepper

ZYGOPHYLLACEAE

Zygophyllum billardierei

Monocotyledonae

Monocots, plants with 1 seed leaf

AGAVACEAE

- i *Phormium tenax*

ALISMATACEAE

- i *Alisma plantago-aquatica*
Damasonium minus

ALOEACEAE

- i *Aloe saponaria*

APONOGETONACEAE

- i *Aponogeton distachyos*

ARACEAE

- i *Zantedeschia aethiopica*

BURMANNIACEAE

Thismia rodwayi

CENTROLEPIDACEAE

- Aphelia gracilis*
Aphelia pumilio
Centrolepis aristata
Centrolepis fascicularis
Centrolepis glabra
e *Centrolepis monogyna* subsp. *monogyna*
e *Centrolepis monogyna* subsp. *paludicola*
e *Centrolepis muscoides*
e *Centrolepis pedderensis*
Centrolepis polygyna
e *Centrolepis strigosa* subsp. *pulvinata*

Twinleaf Family

coast twinleaf

Agave Family

new zealand flax

Water plantain Family

water plantain
starfruit

Aloe Family

soap aloe

Laceplant Family

cape pondweed

Arum Family

arum lily

Burmattia Family

fairy lanterns

Bristlewort Family

slender fanwort
dwarf fanwort
pointed bristlewort
tufted bristlewort
smooth bristlewort
western cushion-bristlewort
swamp cushion-bristlewort
eastern cushion-bristlewort
pedder bristlewort
wiry bristlewort
bassian bristlewort

- Centrolepis strigosa* subsp. *strigosa*
 e *Gaimardia amblyphylla*
 e *Gaimardia fitzgeraldii*
 t *Gaimardia setacea*

COMMELINACEAE

- i *Tradescantia albiflora*

CYMODOCEACEAE

- Amphibolis antarctica*

CYPERACEAE

- Baumea acuta*
Baumea arthropphylla
Baumea articulata
Baumea gunnii
Baumea juncea
 i? *Baumea planifolia*
Baumea rubiginosa
Baumea tetragona
Bolboschoenus caldwellii
Bolboschoenus medianus
 i *Carex albula*
 e *Carex appressa* forma *minor*
 t *Carex appressa* var. *virgata*
Carex archeri
 e *Carex barbata*
Carex bichenoviana
Carex breviculmis
 i *Carex buxbaumii*
Carex capillacea
 e *Carex cataractae*
Carex cephalotes
Carex chlorantha
Carex aff. *cirrrosa*
Carex curta
 i *Carex demissa*
Carex aff. *diandra*
 i *Carex divisa*

- hairy bristlewort
 bluntleaf pincushion
 woolly pincushion
 smooth pincushion

Commelina Family

- wandering creeper

Sea nymph Family

- sea nymph

Sedge Family

- pale twigsedge
 fine twigsedge
 jointed twigsedge
 slender twigsedge
 bare twigsedge
 rough twigsedge
 soft twigsedge
 square twigsedge
 sea clubsedge
 marsh clubsedge
 frosted curls
 shortleaf tall sedge
 longleaf tall sedge
 tiny alpine sedge
 barbed sedge
 plains sedge
 shortstem sedge
 dark sedge
 yellowleaf sedge
 lax yellowfruit sedge
 snow sedge
 greentop sedge
 curlytip sedge
 white sedge
 low sedge
 halfribbed sedge
 saltmarsh sedge

- i *Carex divulsa*
Carex fascicularis
 i *Carex flacca*
 i *Carex flagellifera*
 t *Carex flaviformis*
Carex gaudichaudiana
Carex gunniana
Carex hypandra
Carex inversa
Carex iynx
 i *Carex lepidocarpa*
Carex longebrachiata
 i *Carex ovalis*
 i *Carex pilulifera*
Carex polyantha
Carex pumila
Carex raleighii
 i *Carex scoparia*
Carex tasmanica
Carex tereticaulis
 i *Carex testacea*
 m *Carex trifida*
Carpha alpina
 e *Carpha curvata*
 e *Carpha rodwayi*
Caustis pentandra
Chorizandra australis
Chorizandra enodis
 i *Cladium procerum*
 i *Cyperus congestus*
 i *Cyperus eragrostis*
Cyperus gunnii
Cyperus lucidus
 i? *Cyperus sanguinolentus*
 i? *Cyperus tenellus*
Eleocharis acuta
Eleocharis gracilis
Eleocharis pusilla
Eleocharis sphacelata
 grey sedge
 tassel sedge
 blue sedge
 weeping sedge
 yellowfruit sedge
 fen sedge
 mountain sedge
 dark fen sedge
 knob sedge
 tussock sedge
 yellow sedge
 drooping sedge
 oval sedge
 pill sedge
 river sedge
 strand sedge
 alpine sedge
 broom sedge
 curly sedge
 hollow sedge
 redbase sedge
 subantarctic sedge
 alpine strawsedge
 curly strawsedge
 cushion strawsedge
 thick twistsedge
 southern bristlesedge
 black bristlesedge
 leafy twigsedge
 dense flatsedge
 drain flatsedge
 flecked flatsedge
 leafy flatsedge
 dark flatsedge
 tiny flatsedge
 common spikesedge
 slender spikesedge
 small spikesedge
 tall spikesedge

<i>Ficinia nodosa</i>	knobby clubsedge	<i>Lepidosperma laterale</i>	variable swordsedge
<i>Gahnia filum</i>	chaffy sawsedge	<i>Lepidosperma longitundinale</i>	spreading swordsedge
<i>Gahnia grandis</i>	cutting grass	<i>Lepidosperma neesii</i>	stiff rapiersedge
<i>Gahnia microstachya</i>	slender sawsedge	e <i>Lepidosperma oldfieldii</i>	dark swordsedge
<i>Gahnia radula</i>	thatch sawsedge	<i>Lepidosperma tortuosum</i>	twisting rapiersedge
e <i>Gahnia rodwayi</i>	dwarf sawsedge	<i>Lepidosperma viscidum</i>	sticky swordsedge
<i>Gahnia sieberiana</i>	redfruit sawsedge	e <i>Oreobolus acutifolius</i>	bloodstain cushionsedge
<i>Gahnia trifida</i>	coast sawsedge	<i>Oreobolus distichus</i>	fan cushionsedge
<i>Gymnoschoenus sphaerocephalus</i>	buttongrass	e <i>Oreobolus oligocephalus</i>	redsheat cushionsedge
<i>Isolepis alpina</i>	tarn clubsedge	e <i>Oreobolus oxycarpus</i> subsp. <i>brownii</i>	sharpfruit cushionsedge
<i>Isolepis aucklandica</i>	slender clubsedge	<i>Oreobolus pumilio</i> subsp. <i>pumilio</i>	dwarf cushionsedge
<i>Isolepis cernua</i>	nodding clubsedge	e <i>Oreobolus tholicarpus</i>	western cushionsedge
<i>Isolepis crassiuscula</i>	alpine clubsedge	<i>Schoenoplectus pungens</i>	sharp clubsedge
<i>Isolepis fluitans</i>	floating clubsedge	<i>Schoenoplectus validus</i>	river clubsedge
<i>Isolepis habra</i>	wispy clubsedge	e <i>Schoenus absconditus</i>	hidden bogsedge
<i>Isolepis hookeriana</i>	grassy clubsedge	<i>Schoenus apogon</i>	common bogsedge
i <i>Isolepis hystrix</i>	awned clubsedge	e <i>Schoenus biglumis</i>	westcoast bogsedge
<i>Isolepis inundata</i>	swamp clubsedge	<i>Schoenus brevifolius</i>	zigzag bogsedge
e <i>Isolepis limbata</i>	fringed clubsedge	<i>Schoenus calyptratus</i>	alpine bogsedge
<i>Isolepis marginata</i>	little clubsedge	<i>Schoenus carsei</i>	wiry bogsedge
<i>Isolepis montivaga</i>	mountain clubsedge	<i>Schoenus fluitans</i>	floating bogsedge
<i>Isolepis platycarpa</i>	flatfruit clubsedge	<i>Schoenus latelaminatus</i>	medusa bogsedge
<i>Isolepis producta</i>	nutty clubsedge	<i>Schoenus lepidosperma</i> subsp. <i>lepidosperma</i>	slender bogsedge
i <i>Isolepis prolifera</i>	proliferous clubsedge	<i>Schoenus maschalinus</i>	leafy bogsedge
i <i>Isolepis setacea</i>	bristle clubsedge	<i>Schoenus nitens</i>	shiny bogsedge
<i>Isolepis stellata</i>	star clubsedge	e <i>Schoenus pygmaeus</i>	pygmy bogsedge
<i>Isolepis subtilissima</i>	dwarf clubsedge	<i>Schoenus tesquorum</i>	soft bogsedge
e <i>Isolepis tasmanica</i>	tasmanian clubsedge	<i>Schoenus turbinatus</i>	heathland bogsedge
<i>Isolepis wakefieldiana</i>	tufted clubsedge	<i>Tetraria capillaris</i>	hair sedge
<i>Lepidosperma concavum</i>	sand swordsedge	<i>Tricostularia pauciflora</i>	needle bogsedge
<i>Lepidosperma curtisiae</i>	little swordsedge	<i>Uncinia compacta</i>	compact hooksedge
<i>Lepidosperma elatius</i>	tall swordsedge	m <i>Uncinia divaricata</i>	subantarctic hooksedge
<i>Lepidosperma ensiforme</i>	arching swordsedge	t <i>Uncinia elegans</i>	handsome hooksedge
<i>Lepidosperma filiforme</i>	common rapiersedge	<i>Uncinia flaccida</i>	mountain hooksedge
<i>Lepidosperma forsythii</i>	stout rapiersedge	m <i>Uncinia hookeri</i>	hookers hooksedge
<i>Lepidosperma gladiatum</i>	coast swordsedge	t <i>Uncinia nervosa</i>	moorland hooksedge
e <i>Lepidosperma globosum</i>	stiff swordsedge	<i>Uncinia riparia</i>	river hooksedge
<i>Lepidosperma gunnii</i>	narrow swordsedge	<i>Uncinia tenella</i>	delicate hooksedge
e <i>Lepidosperma inops</i>	fan sedge		

HAEMODORACEAE

- e *Haemodorum distichophyllum*

HYDATELLACEAE

- e *Hydatella filamentosa*
Trithuria submersa

HYDROCHARITACEAE

- i *Egeria densa*
i *Elodea canadensis*
Halophila australis
i *Lagarosiphon major*
Vallisneria americana var. *americana*

IRIDACEAE

- i *Chasmanthe floribunda*
i *Crococsmia Xcrococsmiiflora*
e *Diplarrena latifolia*
Diplarrena moraea
i *Freesia hybrid*
i *Gladiolus communis* subsp. *byzantinus*
i *Gladiolus tristis*
i *Gladiolus undulatus*
i *Homeria flaccida*
i *Iris foetidissima*
i *Iris germanica*
e *Isophysis tasmanica*
i *Ixia flexuosa*
i *Ixia maculata*
i *Ixia polystachya*
Libertia pulchella var. *pulchella*
e *Libertia pulchella* var. *pygmaea*
Patersonia fragilis
Patersonia occidentalis
i *Romulea minutiflora*
i *Romulea rosea* var. *australis*
i *Schizostylis coccinea*
i *Sisyrinchium iridifolium*
i *Sparaxis bulbifera*

Bloodroot Family

bloodroot

Watertuft Family

tasmanian watertuft
submerged watertuft

Frogbit Family

dense waterweed
canadian pondweed
sea wrack
oxygen weed
river ribbons

Iris Family

african cornflag
montbretia
western flag-iris
white flag-iris
freesia
byzantine gladiolus
evening gladiolus
wild gladiolus
oneleaf cape tulip
stinking iris
german iris
tasmanian purplestar
twisted ixia
yellow ixia
variable ixia
pretty grassflag
pygmy grassflag
short purpleflag
long purpleflag
lesser oniongrass
lilac oniongrass
crimson flag
blue pigroot
harlequin flower

- i *Tritonia lineata*
i *Watsonia meriana* var. *bulbillifera*
i *Watsonia meriana* var. *meriana*
i *Watsonia versfeldii* var. *alba*

JUNCACEAE

- i *Juncus acuminatus*
i *Juncus acutiflorus*
i *Juncus acutus*
Juncus amabilis
Juncus antarcticus
i *Juncus articulatus*
e *Juncus astreptus*
Juncus australis
Juncus bassianus
Juncus bufonius
i *Juncus bulbosus*
Juncus caespiticius
i *Juncus capitatus*
i *Juncus conglomeratus*
e *Juncus curtisiae*
i *Juncus effusus*
Juncus falcatus
Juncus filicaulis
Juncus fockei
i *Juncus gerardii*
Juncus gregiflorus
Juncus holoschoenus
i *Juncus indescriptus*
Juncus kraussii subsp. *australiensis*
i *Juncus microcephalus*
Juncus pallidus
Juncus pauciflorus
Juncus planifolius
Juncus prismatocarpus
Juncus procerus
e *Juncus ratkowskyanus*
Juncus revolutus
Juncus sandwithii

lined tritonia
bulbil watsonia
watsonia
white watsonia

Rush Family

prickly rush
sharpflower rush
sharp rush
gentle rush
cushion rush
jointed rush
rigid rush
southern rush
forest rush
toad rush
bulbous rush
grassy rush
capitate rush
compact rush
short jointleaf rush
soft rush
sickleleaf rush
thread rush
slender jointleaf rush
mud rush
green rush
jointleaf rush
african rush
sea rush
smallhead rush
pale rush
looseflower rush
broadleaf rush
branching rush
tall rush
dwarf jointleaf rush
creeping rush
alpine jointleaf rush

- Juncus sarophorus*
 m *Juncus scheuchzerioides*
 i *Juncus squarrosus*
Juncus subsecundus
 i *Juncus tenuis*
Juncus vaginatus
Luzula acutifolia
Luzula atrata
 e *Luzula australasica* subsp. *australasica*
 i *Luzula campestris*
 i *Luzula congesta*
 m *Luzula crinita*
Luzula densiflora
Luzula flaccida
Luzula meridionalis
Luzula modesta
 i *Luzula multiflora*
Luzula novae-cambriae
 e *Luzula poimena*

JUNCAGINACEAE

- Triglochin alcockiae*
Triglochin minutissimum
Triglochin mucronatum
Triglochin nanum
Triglochin procerum
Triglochin rheophilum
Triglochin striatum

LEMNACEAE

- Lemna disperma*
Lemna trisulca
Wolffia australiana

LILIACEAE

- i *Allium ampeloprasum*
 i *Allium neapolitanum*
 i *Allium triquetrum*
 i *Allium vineale*

- broom rush
 subantarctic rush
 heath rush
 finger rush
 slender rush
 clustered rush
 sharpleaf woodrush
 slender woodrush
 australian woodrush
 field woodrush
 clustered woodrush
 fringed woodrush
 dense woodrush
 pale woodrush
 southern woodrush
 bog woodrush
 flowery woodrush
 coarse woodrush
 tasmanian woodrush

Waterribbon Family

- southern waterribbons
 tiny arrowgrass
 prickly arrowgrass
 dwarf arrowgrass
 greater waterribbons
 stream waterribbons
 streaked arrowgrass

Duckweed Family

- common duckweed
 star duckweed
 tiny duckweed

Lily Family

- wild leek
 naples onion
 triangular garlic
 crow garlic

- Arthropodium milleflorum*
Arthropodium minus
Arthropodium pendulum
Arthropodium strictum
 i *Asparagus asparagoides*
 i *Asparagus officinalis*
 i *Asparagus scandens*
 i *Asphodelus fistulosus*
 e *Astelia alpina* var. *alpina*
 e *Blandfordia punicea*
Bulbine "Anderson ls."
Bulbine bulbosa
Bulbine glauca
Bulbine semibarbata
Burchardia umbellata
Caesia alpina
Caesia calliantha
Caesia parviflora var. *minor*
Caesia parviflora var. *parviflora*
Caesia parviflora var. *vittata*
 e *Campynema lineare*
Chamaescilla corymbosa var. *corymbosa*
Dianella amoena
Dianella brevicaulis
Dianella revoluta
Dianella tasmanica
Drymophila cyanocarpa
Herpolirion novae-zelandiae
Hypoxis glabella var. *glabella*
Hypoxis hygrometrica var. *hygrometrica*
Hypoxis hygrometrica var. *villosisepala*
Hypoxis vaginata var. *brevistigmata*
Hypoxis vaginata var. *vaginata*
Laxmannia orientalis
 e *Milligania densiflora*
 e *Milligania johnstonii*
 e *Milligania lindoniana*
 e *Milligania longifolia*
 e *Milligania stylosa*

- pale vanilla-lily
 small vanilla-lily
 drooping vanilla-lily
 chocolate lily
 bridal creeper
 asparagus
 asparagus fern
 onion weed
 pineapple grass
 christmas bells
 island leeklily
 golden bulbine-lily
 bluish bulbine-lily
 smallflower leeklily
 milkmaids
 alpine grasslily
 blue grasslily
 small grasslily
 pale grasslily
 dark-blue grasslily
 green mountainlily
 blue stars
 grassland flaxlily
 shortstem flaxlily
 spreading flaxlily
 forest flaxlily
 turquoise berry
 sky lily
 tiny yellowstar
 golden weatherglass
 soft weatherglass
 sheathing yellowstar
 sheathing yellowstar
 dwarf wire-lily
 silky milligania
 shortleaf milligania
 redflower milligania
 longleaf milligania
 ledge milligania

i *Narcissus pseudonarcissus*
 i *Nothoscordum borbonicum*
 i *Ornithogalum angustifolium*
 i *Ornithogalum umbellatum*
 i *Scilla peruviana*
Sowerbaea juncea
Thelionema caespitosum
Thelionema umbellatum
Thysanotus patersonii
Tricoryne elatior
Wurmbea dioica subsp. *dioica*
 x? *Wurmbea latifolia*
Wurmbea uniflora

ORCHIDACEAE

Acianthus pusillus
Anzybas fordhamii
Anzybas unguiculatus
Bunochilus melagrammus
 e *Bunochilus stenochilus*
Bunochilus tunstallii
 e *Bunochilus williamsonii*
Burnettia cuneata
Caladenia alata
Caladenia alpina
 e *Caladenia angustata*
 e *Caladenia anthracina*
 e *Caladenia atrata*
 e *Caladenia atrochila*
Caladenia aurantiaca
Caladenia australis
Caladenia brachyscapa
 e *Caladenia campbellii*
Caladenia cardiochila
Caladenia carnea
 e *Caladenia caudata*
Caladenia clavigera
Caladenia congesta
 e *Caladenia cracens*

wild daffodil
 fragrant false-garlic
 narrowleaf cape-lily
 star-of-bethlehem
 cuban lily
 purple rushlily
 tufted lily
 cluster lily
 twining fringelily
 yellow rushlily
 early nancy
 broadleaf early nancy
 oneflower early nancy

Orchid Family

small mosquito-orchid
 swamp pelican-orchid
 small pelican-orchid
 blackstripe greenhood
 greenlip greenhood
 tunstalls greenhood
 brownlip greenhood
 lizard orchid
 fairy fingers
 alpine finger-orchid
 narrowleaf finger-orchid
 blacktip spider-orchid
 dark finger-orchid
 darkheart fingers
 orangetip fingers
 southern spider-orchid
 short spider-orchid
 thickstem fairy fingers
 heartlip spider-orchid
 pink fingers
 tailed spider-orchid
 clubbed spider-orchid
 blacktongue finger-orchid
 elegant finger-orchid

e *Caladenia dienema*
Caladenia dilatata
 e *Caladenia echidnachila*
Caladenia filamentosa
Caladenia fuscata
Caladenia gracilis
 e *Caladenia helvina*
Caladenia latifolia
 e *Caladenia lindleyana*
Caladenia mentiens
 e *Caladenia pallida*
Caladenia patersonii
Caladenia prolata
Caladenia pusilla
 e *Caladenia saggicola*
 e *Caladenia sylvicola*
 e *Caladenia tonellii*
Caladenia transitoria
Caladenia vulgaris
Caleana major
Calochilus campestris
Calochilus herbaceus
Calochilus imberbis
Calochilus paludosus
Calochilus robertsonii
Chiloglottis reflexa
Chiloglottis trapeziformis
Corunastylis archeri
 e *Corunastylis brachystachya*
Corunastylis despectans
 e *Corunastylis firthii*
Corunastylis morrisii
Corunastylis nuda
 x *Corunastylis nudiscapa*
Corunastylis pumila
 e *Corunastylis tasmanica*
Corybas aconitiflorus
Corysanthes diemenica
Corysanthes fimbriata

windswept spider-orchid
 greencomb spider-orchid
 fawn spider-orchid
 daddy longlegs
 dusky fingers
 musky finger-orchid
 summer spider-orchid
 pink fairies
 lindleys spider-orchid
 lesser fingers
 rosy spider-orchid
 patersons spider-orchid
 white fingers
 tiny fingers
 sagg spider-orchid
 forest fingers
 robust fingers
 green finger-orchid
 summer fingers
 flying duck-orchid
 copper beard-orchid
 pale beard-orchid
 beardless beard-orchid
 strap beard-orchid
 purple beard-orchid
 autumn bird-orchid
 broadlip bird-orchid
 elfin midge-orchid
 shortspike midge-orchid
 sharp midge-orchid
 firths midge-orchid
 bearded midge-orchid
 tiny midge-orchid
 dense midge-orchid
 green midge-orchid
 tasmanian midge-orchid
 spurred helmet-orchid
 stately helmet-orchid
 fringed helmet-orchid

<i>Corysanthes incurva</i>	slaty helmet-orchid	<i>Microtis unifolia</i>	common onion-orchid
<i>Crangonorchis pedaglossa</i>	prawn greenhood	<i>Nemacianthus caudatus</i>	mayfly orchid
<i>Cryptostylis leptochila</i>	small tongue-orchid	m <i>Nematoceras dienema</i>	windswept helmet-orchid
<i>Cryptostylis subulata</i>	large tongue-orchid	e <i>Oligochaetochilus commutatus</i>	midlands greenhood
<i>Cyrtostylis reniformis</i>	small gnat-orchid	<i>Oligochaetochilus squamatus</i>	ruddy greenhood
<i>Cyrtostylis robusta</i>	large gnat-orchid	<i>Orthoceras strictum</i>	horned orchid
e <i>Diplodium alatum</i>	striped greenhood	<i>Paracaleana minor</i>	small duck-orchid
<i>Diplodium atrans</i>	darktip greenhood	<i>Pheladenia deformis</i>	blue fairies
<i>Diplodium decurvum</i>	summer greenhood	<i>Plumatichilos plumosum</i>	bearded greenhood
<i>Diplodium grandiflorum</i>	superb greenhood	<i>Plumatichilos tasmanicum</i>	small bearded greenhood
<i>Dipodium roseum</i>	rosy hyacinth-orchid	e <i>Prasophyllum alpinum</i>	alpine leek-orchid
<i>Diuris chryseopsis</i>	common golden moths	e <i>Prasophyllum amoenum</i>	dainty leek-orchid
e <i>Diuris lanceolata</i>	large golden moths	e <i>Prasophyllum apoxychilum</i>	tapered leek-orchid
<i>Diuris monticola</i>	highland golden moths	<i>Prasophyllum australe</i>	austral leek-orchid
<i>Diuris orientis</i>	eastern wallflower orchid	<i>Prasophyllum brevilabre</i>	shortlip leek-orchid
<i>Diuris palustris</i>	swamp doubletail	e <i>Prasophyllum castaneum</i>	chestnut leek-orchid
<i>Diuris pardina</i>	leopard orchid	e <i>Prasophyllum concinnum</i>	trim leek-orchid
<i>Diuris sulphurea</i>	tiger orchid	e <i>Prasophyllum crebriflorum</i>	crowded leek-orchid
e <i>Dockrillia striolata</i> subsp. <i>chrysantha</i>	yellow rock-orchid	<i>Prasophyllum elatum</i>	tall leek-orchid
<i>Dockrillia striolata</i> subsp. <i>striolata</i>	streaked rock-orchid	e <i>Prasophyllum favonium</i>	western leek-orchid
<i>Eriochilus cucullatus</i>	autumn orchid	<i>Prasophyllum flavum</i>	yellow leek-orchid
<i>Gastrodia procera</i>	tall potato-orchid	e <i>Prasophyllum incorrectum</i>	golfers leek-orchid
<i>Gastrodia sesamoides</i>	short potato-orchid	e <i>Prasophyllum incurvum</i>	horseshoe leek-orchid
<i>XGlossadenia tutelata</i>	hybrid waxlip orchid	<i>Prasophyllum lindleyanum</i>	green leek-orchid
<i>Glossodia major</i>	waxlip orchid	e <i>Prasophyllum milfordense</i>	milford leek-orchid
<i>Hydrorchis orbicularis</i>	swamp onion-orchid	<i>Prasophyllum mimulum</i>	highland leek-orchid
<i>Hymenochilus cypnocephalus</i>	swan greenhood	<i>Prasophyllum montanum</i>	mountain leek-orchid
<i>Hymenochilus muticus</i>	midget greenhood	e <i>Prasophyllum olidum</i>	pungent leek-orchid
e <i>Hymenochilus pratensis</i>	liawenee greenhood	e <i>Prasophyllum perangustum</i>	knocklofty leek-orchid
e <i>Hymenochilus rubenachii</i>	arthur river greenhood	e <i>Prasophyllum pulchellum</i>	pretty leek-orchid
e <i>Hymenochilus wapstrarum</i>	fleshy greenhood	<i>Prasophyllum pyriforme</i>	graceful leek-orchid
e <i>Hymenochilus ziegeleri</i>	cape portland greenhood	e <i>Prasophyllum robustum</i>	robust leek-orchid
<i>Leptoceras menziesii</i>	hares ears	e <i>Prasophyllum rostratum</i>	slaty leek-orchid
<i>Linguella nana</i>	dwarf greenhood	e <i>Prasophyllum secutum</i>	northern leek-orchid
<i>Lyperanthus suaveolens</i>	brown beaks	<i>Prasophyllum sphacelatum</i>	subalpine leek-orchid
<i>Microtidium atratum</i>	yellow onion-orchid	e <i>Prasophyllum stellatum</i>	ben lomond leek-orchid
<i>Microtis arenaria</i>	notched onion-orchid	<i>Prasophyllum tadgellianum</i>	tadgells leek-orchid
<i>Microtis parviflora</i>	slender onion-orchid	<i>Prasophyllum taphanyx</i>	graveside leek-orchid
<i>Microtis rara</i>	scented onion-orchid	e <i>Prasophyllum truncatum</i>	truncate leek-orchid

- | | | | |
|------------------------------------|-------------------------|---|--------------------------|
| e <i>Prasophyllum tunbridgense</i> | tunbridge leek-orchid | e <i>Thelymitra imbricata</i> | broad sun-orchid |
| <i>Pterostylis cucullata</i> | leafy greenhood | <i>Thelymitra improcera</i> | coastal sun-orchid |
| <i>Pterostylis curta</i> | blunt greenhood | <i>Thelymitra inflata</i> | inflated sun-orchid |
| e <i>Pterostylis dubia</i> | bluetongue greenhood | <i>Thelymitra Xirregularis</i> | crested sun-orchid |
| <i>Pterostylis falcata</i> | sickle greenhood | <i>Thelymitra ixioides</i> | spotted sun-orchid |
| <i>Pterostylis foliata</i> | slender greenhood | e <i>Thelymitra jonesii</i> | skyblue sun-orchid |
| e <i>Pterostylis furcata</i> | forked greenhood | <i>Thelymitra juncifolia</i> | large-spotted sun-orchid |
| <i>Pterostylis nutans</i> | nodding greenhood | <i>Thelymitra longiloba</i> | lobed sun-orchid |
| <i>Pterostylis pedunculata</i> | maroonhood | <i>Thelymitra lucida</i> | glistening sun-orchid |
| e <i>Pterostylis scabrada</i> | rough greenhood | <i>Thelymitra malvina</i> | mauvetuft sun-orchid |
| <i>Pyrorchis nigricans</i> | fire orchid | <i>Thelymitra Xmerraniae</i> | merrans sun-orchid |
| <i>Sarcochilus australis</i> | gunns tree-orchid | <i>Thelymitra mucida</i> | plum sun-orchid |
| <i>Simpliglottis cornuta</i> | green bird-orchid | <i>Thelymitra nuda</i> | plain sun-orchid |
| e <i>Simpliglottis grammata</i> | small bird-orchid | <i>Thelymitra pauciflora</i> | slender sun-orchid |
| e <i>Simpliglottis gunnii</i> | tall bird-orchid | <i>Thelymitra peniculata</i> | trim sun-orchid |
| e <i>Simpliglottis triceratops</i> | threehorned bird-orchid | e <i>Thelymitra polychroma</i> | rainbow sun-orchid |
| <i>Simpliglottis valida</i> | large bird-orchid | <i>Thelymitra rubra</i> | pink sun-orchid |
| e <i>Speculantha aphylla</i> | leafless greenhood | e <i>Thelymitra silena</i> | madonna sun-orchid |
| e <i>Speculantha atriola</i> | snug greenhood | <i>Thelymitra simulata</i> | collared sun-orchid |
| <i>Speculantha parviflora</i> | tiny greenhood | e <i>Thelymitra spadicea</i> | browntop sun-orchid |
| <i>Speculantha uliginosa</i> | marsh greenhood | e <i>Thelymitra sparsa</i> | wispy sun-orchid |
| <i>Spiranthes australis</i> | spiral orchid | <i>Thelymitra Xtruncata</i> | truncate sun-orchid |
| <i>Tauranthera concinna</i> | trim greenhood | e <i>Thelymitra versicolor</i> | varied sun-orchid |
| <i>XTaurodium toveyanum</i> | mentone greenhood | e <i>Thelymitra viridis</i> | green sun-orchid |
| e <i>Thelymitra aggericola</i> | bleak sun-orchid | <i>Thynninorchis huntiana</i> | elbow orchid |
| <i>Thelymitra antennifera</i> | rabbit ears | e <i>Thynninorchis nothofagicola</i> | myrtle elbow orchid |
| e <i>Thelymitra arenaria</i> | forest sun-orchid | t <i>Townsonia viridis</i> | beech orchid |
| <i>Thelymitra aristata</i> | great sun-orchid | <i>Urochilus sanguineus</i> | banded greenhood |
| <i>Thelymitra atronitida</i> | blackhood sun-orchid | | |
| <i>Thelymitra benthamiana</i> | blotched sun-orchid | | |
| <i>Thelymitra bracteata</i> | leafy sun-orchid | POACEAE | Grass Family |
| <i>Thelymitra brevifolia</i> | shortleaf sun-orchid | i <i>Achnatherum caudatum</i> | espartillo |
| <i>Thelymitra carnea</i> | tiny sun-orchid | i <i>XAgropogon littoralis</i> | perennial beardgrass |
| <i>Thelymitra circumsepta</i> | naked sun-orchid | <i>Agrostis australiensis</i> | southern bent |
| <i>Thelymitra cyanea</i> | veined sun-orchid | <i>Agrostis bettyae</i> | alpine bent |
| <i>Thelymitra erosa</i> | striped sun-orchid | i <i>Agrostis capillaris</i> var. <i>capillaris</i> | browntop bent |
| <i>Thelymitra exigua</i> | short sun-orchid | i <i>Agrostis capillaris</i> var. <i>aristata</i> | awned browntop bent |
| <i>Thelymitra flexuosa</i> | twisted sun-orchid | <i>Agrostis diemenica</i> | flatleaf southern bent |
| <i>Thelymitra holmesii</i> | bluestar sun-orchid | i <i>Agrostis gigantea</i> | redtop bent |
| | | <i>Agrostis joyceae</i> | alpine bent |

m	<i>Agrostis magellanica</i>	subantarctic bent	<i>Austroanthonia tenuior</i>	purplish wallabygrass
	<i>Agrostis muelleriana</i>	muellers bent	<i>Austrofestuca hookeriana</i>	swamp fescue
	<i>Agrostis parviflora</i>	smallflower bent	<i>Austrofestuca littoralis</i>	coast fescue
	<i>Agrostis propinqua</i>	alpine bent	e <i>Austrostipa aphylla</i>	leafless speargrass
	<i>Agrostis thompsoniae</i>	hair bent	<i>Austrostipa bigeniculata</i>	doublejointed speargrass
i	<i>Agrostis stolonifera</i>	creeping bent	<i>Austrostipa blackii</i>	crested speargrass
	<i>Agrostis venusta</i>	graceful bent	<i>Austrostipa flavescens</i>	yellow speargrass
i	<i>Aira caryophyllaea</i>	silvery hairgrass	<i>Austrostipa mollis</i>	soft speargrass
i	<i>Aira elegantissima</i>	delicate hairgrass	<i>Austrostipa nodosa</i>	knotty speargrass
i	<i>Aira praecox</i>	early hairgrass	<i>Austrostipa pubinodis</i>	tall speargrass
i	<i>Alopecurus geniculatus</i>	marsh foxtail	<i>Austrostipa rudis</i> subsp. <i>australis</i>	southern speargrass
i	<i>Alopecurus myosuroides</i>	slender foxtail	<i>Austrostipa scabra</i> subsp. <i>falcata</i>	sickle speargrass
i	<i>Alopecurus pratensis</i>	meadow foxtail	<i>Austrostipa scabra</i> subsp. <i>scabra</i>	rough speargrass
i	<i>Ammophila arenaria</i>	marram grass	<i>Austrostipa semibarbata</i>	fibrous speargrass
	<i>Amphibromus archeri</i>	pointed swampgrass	<i>Austrostipa stipoides</i>	coast speargrass
	<i>Amphibromus fluitans</i>	floating swampgrass	<i>Austrostipa stiposa</i>	corkscrew speargrass
	<i>Amphibromus macrorhinus</i>	longnose swampgrass	i <i>Avellinia michelii</i>	avellinia
	<i>Amphibromus neesii</i>	southern swampgrass	i <i>Avena barbata</i>	bearded oat
	<i>Amphibromus nervosus</i>	common swampgrass	i <i>Avena fatua</i>	wild oat
	<i>Amphibromus recurvatus</i>	dark swampgrass	i <i>Avena sativa</i>	cereal oat
	<i>Amphibromus sinuatus</i>	lax swampgrass	i <i>Avena sterilis</i> subsp. <i>ludoviciana</i>	sterile oat
i	<i>Anthoxanthum odoratum</i>	sweet vernalgrass	i <i>Avena strigosa</i>	bristle oat
i	<i>Aristida benthamii</i> var. <i>benthamii</i>	three-awned speargrass	i <i>Bothriochloa macra</i>	redleg grass
i	<i>Arrhenatherum elatius</i> var. <i>bulbosum</i>	bulbous oatgrass	i <i>Brachypodium distachyon</i>	false brome
e	<i>Australopyrum pectinatum</i>	prickly wheatgrass	i <i>Briza maxima</i>	greater quaking-grass
	<i>Australopyrum velutinum</i>	velvet wheatgrass	i <i>Briza minor</i>	lesser quaking-grass
	<i>Austroanthonia alpicola</i>	mountain wallabygrass	i <i>Bromus alopecuroides</i>	curly brome
	<i>Austroanthonia caespitosa</i>	common wallabygrass	i <i>Bromus brevis</i>	short brome
	<i>Austroanthonia carphoides</i>	short wallabygrass	i <i>Bromus cecadilla</i>	chilean brome
e	<i>Austroanthonia diemenica</i>	tasmanian wallabygrass	i <i>Bromus diandrus</i>	great brome
	<i>Austroanthonia geniculata</i>	kneel wallabygrass	i <i>Bromus hordeaceus</i>	soft brome
	<i>Austroanthonia induta</i>	tall wallabygrass	i <i>Bromus japonicus</i> var. <i>vestitus</i>	japanese brome
	<i>Austroanthonia laevis</i>	smooth wallabygrass	i <i>Bromus lithobius</i>	american brome
	<i>Austroanthonia penicillata</i>	slender wallabygrass	i <i>Bromus madritensis</i> var. <i>ciliatus</i>	madrid brome
	<i>Austroanthonia pilosa</i>	velvet wallabygrass	i <i>Bromus sterilis</i>	barren brome
e	<i>Austroanthonia popinensis</i>	blue wallabygrass	i <i>Bromus willdenowii</i>	prairie grass
	<i>Austroanthonia racemosa</i> var. <i>racemosa</i>	stiped wallabygrass	i x <i>Calamagrostis epigejos</i>	wood smallreed
e	<i>Austroanthonia remota</i>	remote wallabygrass	i <i>Catapodium maritimum</i>	stiff sandgrass
	<i>Austroanthonia setacea</i>	bristly wallabygrass	i <i>Catapodium rigidum</i>	ferngrass

i	<i>Cortaderia jubata</i>	pink pampasgrass	i	<i>Echinochloa esculenta</i>	japanese barnyardgrass
i	<i>Cortaderia richardii</i>	toe-toe pampasgrass	i	<i>Echinochloa frumentacea</i>	siberian barnyardgrass
i	<i>Cortaderia selloana</i>	silver pampasgrass	i	<i>Echinochloa oryzoides</i>	rice barnyardgrass
i	<i>Cynodon dactylon</i> var. <i>dactylon</i>	couchgrass	i	<i>Echinopogon ovatus</i>	hedgehog grass
i	<i>Cynosurus cristatus</i>	crested dogstail	i	<i>Ehrharta acuminata</i>	swamp ricegrass
i	<i>Cynosurus echinatus</i>	rough dogstail	i	<i>Ehrharta calycina</i>	perennial veldtgrass
i	<i>Dactylis glomerata</i>	cocksfoot	i	<i>Ehrharta distichophylla</i>	hairy ricegrass
i	<i>Danthonia decumbens</i>	heath grass	i	<i>Ehrharta erecta</i>	panic veldtgrass
	<i>Deschampsia cespitosa</i>	tufted hairgrass	i	<i>Ehrharta juncea</i>	forest wiregrass
m	<i>Deschampsia chapmanii</i>	subantarctic hairgrass	i	<i>Ehrharta longiflora</i>	annual veldtgrass
t	<i>Deschampsia gracillima</i>	slender hairgrass	e	<i>Ehrharta oreophila</i> var. <i>minor</i>	small mountain ricegrass
e	<i>Deyeuxia apsleyensis</i>	apsley bentgrass	e	<i>Ehrharta oreophila</i> var. <i>oreophila</i>	mountain ricegrass
	<i>Deyeuxia benthamiana</i>	benthams bentgrass		<i>Ehrharta stipoides</i>	weeping grass
	<i>Deyeuxia brachyathera</i>	short bentgrass	e	<i>Ehrharta tasmanica</i> var. <i>subalpina</i>	blue-green ricegrass
	<i>Deyeuxia carinata</i>	keeled bentgrass	e	<i>Ehrharta tasmanica</i> var. <i>tasmanica</i>	tasmanian ricegrass
	<i>Deyeuxia contracta</i>	compact bentgrass	i	<i>Ehrharta villosa</i>	pyp grass
	<i>Deyeuxia decipiens</i>	trickery bentgrass	i	<i>Eleusine indica</i>	crowsfoot grass
	<i>Deyeuxia densa</i>	heath bentgrass	i	<i>Elymus scaber</i>	rough wheatgrass
	<i>Deyeuxia frigida</i>	forest bentgrass	i	<i>Elytrigia repens</i>	english couch
	<i>Deyeuxia gunniana</i>	bog bentgrass		<i>Eragrostis brownii</i>	common lovegrass
	<i>Deyeuxia innominata</i>	nameless bentgrass	i	<i>Eragrostis cilianensis</i>	stinkgrass
ex	<i>Deyeuxia lawrencei</i>	lawrences bentgrass	i	<i>Eragrostis curvula</i>	african lovegrass
	<i>Deyeuxia minor</i>	small bentgrass	i	<i>Eragrostis tenuifolia</i>	elastic grass
	<i>Deyeuxia monticola</i>	mountain bentgrass	e	<i>Festuca archeri</i>	archers fescue
	<i>Deyeuxia quadriseta</i>	reed bentgrass	i	<i>Festuca arundinacea</i>	tall fescue
	<i>Deyeuxia rodwayi</i>	tasman bentgrass	m	<i>Festuca contracta</i>	compact fescue
	<i>Deyeuxia scaberula</i>	rough bentgrass	i	<i>Festuca nigrescens</i>	dark fescue
i	<i>Dichanthium sericeum</i>	silky bluegrass	e	<i>Festuca plebeia</i>	tasmanian fescue
	<i>Dichelachne crinita</i>	longhair plumegrass	i	<i>Festuca rubra</i>	red fescue
	<i>Dichelachne inaequiglumis</i>	loose plumegrass	i	<i>Gastridium ventricosum</i>	nitgrass
	<i>Dichelachne micrantha</i>	shorthair plumegrass	i	<i>Gaudinia fragilis</i>	fragile oat
	<i>Dichelachne rara</i>	common plumegrass		<i>Glyceria australis</i>	australian sweetgrass
	<i>Dichelachne sieberiana</i>	delicate plumegrass	i	<i>Glyceria declinata</i>	small sweetgrass
i	<i>Digitaria ciliaris</i>	crabgrass	i	<i>Glyceria fluitans</i>	floating sweetgrass
i	<i>Digitaria sanguinalis</i>	summergrass	i	<i>Glyceria maxima</i>	reed sweetgrass
i	<i>Digitaria ternata</i>	fingergrass	i	<i>Glyceria notata</i>	folded sweetgrass
	<i>Distichlis distichophylla</i>	australian saltgrass	i	<i>Hainardia cylindrica</i>	thintail barbgrass
	<i>Dryopoa dives</i>	giant mountaingrass		<i>Hemarthria uncinata</i>	hooked matgrass
i	<i>Echinochloa crus-galli</i>	common barnyardgrass	e	<i>Hierochloa fraseri</i>	alpine holygrass

	<i>Hierochloe rariflora</i>	cane holygrass	i	<i>Panicum capillare</i> var. <i>capillare</i>	common witchgrass
	<i>Hierochloe redolens</i>	sweet holygrass	i	<i>Panicum capillare</i> var. <i>occidentale</i>	western witchgrass
i	<i>Holcus lanatus</i>	yorkshire fog	i	<i>Parapholis gilvum</i>	sweet panic
i	<i>Holcus mollis</i>	creeping fog	i	<i>Panicum hillmanii</i>	witch panic
i	<i>Hordeum distichon</i>	two-row barley	i	<i>Panicum miliaceum</i>	millet panic
i	<i>Hordeum marinum</i> subsp. <i>gussoneanum</i>	velvet sea barleygrass	i	<i>Parapholis incurva</i>	coast barbgrass
i	<i>Hordeum marinum</i> subsp. <i>marinum</i>	sea barleygrass	i	<i>Parapholis strigosa</i>	slender barbgrass
i	<i>Hordeum murinum</i> subsp. <i>glaucum</i>	bluish barleygrass	i	<i>Paspalum dilatatum</i>	paspalum
i	<i>Hordeum murinum</i> subsp. <i>leporinum</i>	long-anther barleygrass	i	<i>Paspalum distichum</i>	water couch
i	<i>Hordeum murinum</i> subsp. <i>murinum</i>	shortflower barleygrass	i	<i>Paspalum urvillei</i>	vasey grass
i	<i>Hordeum vulgare</i>	barley	i	<i>Pennisetum clandestinum</i>	kikuyu grass
	<i>Imperata cylindrica</i> var. <i>major</i>	blady grass	i	<i>Pennisetum macrourum</i>	african feathergrass
	<i>Isachne globosa</i>	swamp millet	i	<i>Pennisetum villosum</i>	feathertop
ix	<i>Koeleria macrantha</i>	crested hairgrass	e	<i>Pentapogon quadrifidus</i> var. <i>parviflorus</i>	lesser five-awned speargrass
	<i>Lachnagrostis aemula</i>	tumbling blowgrass		<i>Pentapogon quadrifidus</i> var. <i>quadrifidus</i>	five-awned speargrass
	<i>Lachnagrostis aequata</i>	even blowgrass	i	<i>Phalaris aquatica</i>	toowoomba canarygrass
	<i>Lachnagrostis billardierei</i> subsp. <i>billardierei</i>	coast blowgrass	i	<i>Phalaris arundinacea</i>	reed canarygrass
e	<i>Lachnagrostis billardierei</i> subsp. <i>tenuiseta</i>	small-awn blowgrass	i	<i>Phalaris canariensis</i>	canarygrass
e	<i>Lachnagrostis collicola</i>	hill blowgrass	i	<i>Phalaris minor</i>	lesser canarygrass
	<i>Lachnagrostis filiformis</i>	common blowgrass	i	<i>Phalaris paradoxa</i>	bristly canarygrass
e	<i>Lachnagrostis lacunarum</i>	tarn blowgrass	i	<i>Phleum pratense</i>	timothy grass
	<i>Lachnagrostis punicea</i> subsp. <i>filifolia</i>	narrowleaf blowgrass		<i>Phragmites australis</i>	southern reed
	<i>Lachnagrostis punicea</i> subsp. <i>punicea</i>	bristle blowgrass	i	<i>Piptatherum miliaceum</i>	rice millet
	<i>Lachnagrostis robusta</i>	tall blowgrass	i	<i>Poa annua</i>	winter grass
	<i>Lachnagrostis scabra</i>	meagre blowgrass	i	<i>Poa bulbosa</i>	bulbous meadowgrass
i	<i>Lagurus ovatus</i>	haretail grass		<i>Poa clelandii</i>	purplish tussockgrass
i	<i>Leymus arenarius</i>	lyme grass		<i>Poa clivicola</i>	fineleaf snowgrass
i	<i>Lolium loliaceum</i>	stiff ryegrass	i	<i>Poa compressa</i>	flatstalk meadowgrass
i	<i>Lolium multiflorum</i>	italian ryegrass	m	<i>Poa cookii</i>	cooks tussockgrass
i	<i>Lolium perenne</i>	perennial ryegrass		<i>Poa costiniana</i>	prickly snowgrass
i	<i>Lolium rigidum</i>	wimmera ryegrass		<i>Poa fawcettiae</i>	horny snowgrass
i	<i>Lolium temulentum</i> forma <i>arvense</i>	bearded ryegrass	m	<i>Poa foliosa</i>	leafy tussockgrass
i	<i>Lophopyrum ponticum</i>	tall wheatgrass		<i>Poa gunnii</i>	gunns snowgrass
i	<i>Molinieriella minuta</i>	small hairgrass		<i>Poa halmaturina</i>	dune tussockgrass
i	<i>Nardus stricta</i>	erect matgrass		<i>Poa hiemata</i>	soft snowgrass
i	<i>Nassella neesiana</i>	chilean needlegrass		<i>Poa hookeri</i>	hookers tussockgrass
i	<i>Nassella trichotoma</i>	serrated tussock	i	<i>Poa infirma</i>	early meadowgrass
	<i>Notodanthonia gracilis</i>	graceful wallabygrass	e	<i>Poa jugicola</i>	bluff snowgrass
	<i>Notodanthonia semiannularis</i>	marsh wallabygrass		<i>Poa labillardierei</i> var. <i>acris</i>	blue tussockgrass

	<i>Poa labillardierei</i> var. <i>labillardierei</i>	silver tussockgrass	<i>Trisetum spicatum</i> subsp. <i>australiense</i>	bristle grass
m	<i>Poa litorosa</i>	seashore tussockgrass	i <i>Triticum aestivum</i>	wheat
e	<i>Poa mollis</i>	soft tussockgrass	i <i>Vulpia bromoides</i>	squirreltail fescue
	<i>Poa poiformis</i> var. <i>poiformis</i>	coastal tussockgrass	i <i>Vulpia fasciculata</i>	dune fescue
	<i>Poa poiformis</i> var. <i>ramifer</i>	island purplegrass	i <i>Vulpia muralis</i>	wall fescue
i	<i>Poa pratensis</i>	kentucky bluegrass	i <i>Vulpia myuros</i> forma <i>megalura</i>	foxtail fescue
	<i>Poa rodwayi</i>	velvet tussockgrass	i <i>Vulpia myuros</i> forma <i>myuros</i>	ratstail fescue
	<i>Poa saxicola</i>	rock snowgrass	<i>Zoysia macrantha</i>	prickly couch
	<i>Poa sieberiana</i>	grey tussockgrass		
	<i>Poa tenera</i>	scrambling tussockgrass		
i	<i>Poa trivialis</i>	rough meadowgrass	POSIDONIACEAE	Eelgrass Family
i	<i>Polypogon maritimus</i>	coast beardgrass	<i>Posidonia australis</i>	southern eelgrass
i	<i>Polypogon monspeliensis</i>	annual beardgrass		
i	<i>Polypogon viridis</i>	water bent	POTAMOGETONACEAE	Pondweed Family
i	<i>Puccinellia distans</i>	feral saltmarshgrass	<i>Potamogeton australiensis</i>	thin pondweed
m	<i>Puccinellia macquariensis</i>	subantarctic saltmarshgrass	<i>Potamogeton crispus</i>	curly pondweed
	<i>Puccinellia stricta</i> var. <i>perlaxa</i>	spreading saltmarshgrass	<i>Potamogeton ochreatus</i>	blunt pondweed
	<i>Puccinellia stricta</i> var. <i>stricta</i>	australian saltmarshgrass	<i>Potamogeton pectinatus</i>	fennel pondweed
i	<i>Rostraria cristata</i>	annual catstail	<i>Potamogeton perfoliatus</i>	clasped pondweed
	<i>Rytidosperma australe</i>	snowpatch grass	<i>Potamogeton tricarlinatus</i>	floating pondweed
	<i>Rytidosperma dimidiatum</i>	variable wallabygrass		
e	<i>Rytidosperma fortunae-hibernae</i>	luck-of-the-irish wallabygrass	RESTIONACEAE	Cordrush Family
e	<i>Rytidosperma nitens</i>	shiny wallabygrass	<i>Apodasmia brownii</i>	coarse twinerush
	<i>Rytidosperma nivicola</i>	snow wallabygrass	<i>Baloskion australe</i>	southern cordrush
	<i>Rytidosperma nudiflorum</i>	alpine wallabygrass	<i>Baloskion tetraphyllum</i> subsp. <i>tetraphyllum</i>	tassel cordrush
e	<i>Rytidosperma pauciflorum</i>	cushionplant wallabygrass	<i>Calorophus elongatus</i>	long roperush
i	<i>Sclerochloa dura</i>	hard meadowgrass	e <i>Calorophus erostris</i>	black roperush
i	<i>Secale cereale</i>	rye	e <i>Chordifex hookeri</i>	woolly buttonrush
i	<i>Setaria gracilis</i> var. <i>pauciseta</i>	slender pigeongrass	e <i>Chordifex monocephalus</i>	smooth buttonrush
i	<i>Setaria italica</i>	italian millet	<i>Empodisma minus</i>	spreading roperush
i	<i>Setaria verticillata</i>	whorled pigeongrass	<i>Eurychorda complanata</i>	flat cordrush
i	<i>Setaria viridis</i>	green pigeongrass	<i>Hypolaena fastigiata</i>	tassel roperush
i	<i>Spartina anglica</i>	common cordgrass	<i>Leptocarpus tenax</i>	slender twinerush
	<i>Spinifex sericeus</i>	beach spinifex	<i>Lepyrodia muelleri</i>	erect scalerush
i	<i>Sporobolus africanus</i>	ratstail grass	<i>Sporadanthus tasmanicus</i>	branching scalerush
	<i>Sporobolus virginicus</i>	salt couch	e <i>Winifredia sola</i>	southwest cordrush
i	<i>Stenotaphrum secundatum</i>	buffalo grass		
	<i>Themeda triandra</i>	kangaroo grass	RUPPIACEAE	Seatassel Family
i	<i>Thinopyrum junceiforme</i>	sea wheatgrass	<i>Ruppia megacarpa</i>	largefruit seatassel
			<i>Ruppia polycarpa</i>	manyfruit seatassel

Ruppia tuberosa

TYPHACEAE

Typha domingensis

i *Typha latifolia*

Typha orientalis

XANTHORRHOACEAE

Lomandra longifolia

Lomandra nana

e *Xanthorrhoea arenaria*

Xanthorrhoea australis

e *Xanthorrhoea bracteata*

XYRIDACEAE

e *Xyris marginata*

e *Xyris muelleri*

Xyris operculata

e *Xyris tasmanica*

ZANNICHELLIACEAE

Lepilaena australis

Lepilaena bilocularis

Lepilaena cylindrocarpa

Lepilaena marina

Lepilaena patentifolia

Lepilaena preissii

ZOSTERACEAE

Heterozostera tasmanica

Nanozostera muelleri

tuberous seatassel

Cumbungi Family

slender cumbungi

great reedmace

broadleaf cumbungi

Grasstree Family

sagg

dwarf mat-rush

sand grasstree

southern grasstree

shiny grasstree

Yelloweye Family

alpine yelloweye

roundhead yelloweye

tall yelloweye

tasmanian yelloweye

Watermat Family

southern watermat

smallfruit watermat

longfruit watermat

sea watermat

spreading watermat

slender watermat

Grasswrack Family

tasman grasswrack

dwarf grasswrack

Gymnospermae

Gymnosperms, plants with naked seeds (conifers etc.)

CUPRESSACEAE

e *Athrotaxis cupressoides*

e *Athrotaxis XLaxifolia*

e *Athrotaxis selaginoides*

e *Callitris oblonga* subsp. *oblonga*

Callitris rhomboidea

i *Cupressus arizonica*

i *Cupressus macrocarpa*

e *Diselma archeri*

PINACEAE

i *Pinus radiata*

PODOCARPACEAE

e *Lagarostrobos franklinii*

e *Microcachrys tetragona*

e *Pherosphaera hookeriana*

e *Phyllocladus aspleniifolius*

Podocarpus lawrencei

Pteridophyta

Ferns and Fern allies

ADIANTACEAE

Adiantum aethiopicum

Anogramma leptophylla

Cheilanthes austrotenuifolia

Cheilanthes distans

Cheilanthes sieberi subsp. *sieberi*

Pellaea calidurupium

Pellaea falcata

Cypress Family

pencil pine

hybrid pencil pine

king billy pine

south esk pine

oyster bay pine

arizona cypress

monterey cypress

dwarf pine

Pine Family

radiata pine

Plumpine Family

huon pine

creeping pine

drooping pine

celerytop pine

mountain plumpine

Maidenhair Family

common maidenhair

annual fern

green rockfern

bristly rockfern

narrow rockfern

hotrock fern

sickle fern

ASPLENIACEAE

Asplenium appendiculatum subsp. *appendiculatum*
Asplenium bulbiferum subsp. *gracillimum*
Asplenium flabellifolium
Asplenium flaccidum subsp. *flaccidum*
Asplenium hookerianum
Asplenium obtusatum subsp. *northlandicum*
Asplenium trichomanes subsp. *quadrivalens*
Asplenium trichomanes subsp. *trichomanes*
Pleurosorus rutifolius

ATHYRIACEAE

Cystopteris tasmanica
Diplazium australe

AZOLLACEAE

Azolla filiculoides

BLECHNACEAE

Blechnum cartilagineum
Blechnum chambersii
Blechnum fluviatile
Blechnum minus
Blechnum nudum
Blechnum patersonii subsp. *patersonii*
Blechnum penna-marina subsp. *alpina*
Blechnum vulcanicum
Blechnum wattsii
Doodia australis
Doodia caudata

CULCITACEAE

Calochlaena dubia

CYATHEACEAE

Cyathea australis
Cyathea cunninghamii
Cyathea Xmarcescens

Spleenwort Family

narrow spleenwort
 mother spleenwort
 necklace fern
 weeping spleenwort
 maidenhair spleenwort
 shore spleenwort
 limestone spleenwort
 dolerite spleenwort
 blanket fern

Ladyfern Family

brittle bladderfern
 southern ladyfern

Azolla Family

pacific azolla

Waterfern Family

gristle fern
 lance waterfern
 ray waterfern
 soft waterfern
 fishbone waterfern
 strap waterfern
 alpine waterfern
 wedge waterfern
 hard waterfern
 common raspfern
 small raspfern

Rainbow fern Family

rainbow fern

Treefern Family

rough treefern
 slender treefern
 skirted treefern

DENNSTAEDTIACEAE

Histiopteris incisa
Hypolepis amaurorachis
 t *Hypolepis distans*
Hypolepis glandulifera
Hypolepis muelleri
Hypolepis rugosula
Pteridium esculentum

DICKSONIACEAE

Dicksonia antarctica

DRYOPTERIDACEAE

Lastreopsis acuminata
Lastreopsis hispida
Polystichum proliferum
 m *Polystichum vestitum*
Rumohra adiantiformis

GLEICHENIACEAE

e *Gleichenia abscida*
 t *Gleichenia alpina*
Gleichenia dicarpa
Gleichenia microphylla
Sticherus lobatus
Sticherus tener
Sticherus urceolatus

GRAMMITIDACEAE

Ctenopteris heterophylla
Grammitis billardiarei
 e *Grammitis garrettii*
 t *Grammitis gunnii*
Grammitis magellanica subsp. *nothofageti*
Grammitis poeppigiana
 t *Grammitis pseudociliata*

Groundfern Family

batswing fern
 southern groundfern
 scrambling groundfern
 downy groundfern
 harsh groundfern
 ruddy groundfern
 bracken

Dicksonia Family

soft treefern

Shieldfern Family

shiny shieldfern
 bristly shieldfern
 mother shieldfern
 prickly shieldfern
 leathery shieldfern

Coralfern Family

dwarf coralfern
 alpine coralfern
 pouched coralfern
 scrambling coralfern
 spreading fanfern
 silky fanfern
 umbrella fanfern

Fingerfern Family

gypsy fern
 common fingerfern
 sandstone fingerfern
 creeping fingerfern
 beech fingerfern
 alpine fingerfern
 hairy fingerfern

- HYMENOPHYLLACEAE**
Crepidomanes venosum
Hymenophyllum australe
Hymenophyllum cupressiforme
m *Hymenophyllum falklandicum*
Hymenophyllum flabellatum
Hymenophyllum marginatum
Hymenophyllum peltatum
Hymenophyllum rarum
e *Sphaerocionium applanatum*

- ISOETACEAE**
Isoetes drummondii subsp. *drummondii*
e *Isoetes elatior*
e *Isoetes gunnii*
e *Isoetes humilior*
Isoetes muelleri
e *Isoetes* sp. nova "Maxwell River"

- LINDSAEACEAE**
Lindsaea linearis
Lindsaea trichomanoides

- LYCOPODIACEAE**
Huperzia australiana
Huperzia varia
t *Lycopodiella diffusa*
Lycopodiella lateralis
Lycopodiella serpentina
Lycopodium deuterodensum
Lycopodium fastigiatum
Lycopodium scariosum
Phylloglossum drummondii

- MARSILEACEAE**
i *Marsilea mutica*
Pilularia novae-hollandiae

- Filmyfern Family**
bristle filmyfern
x southern filmyfern
common filmyfern
falkland filmyfern
shiny filmyfern
bordered filmyfern
alpine filmyfern
narrow filmyfern
skeleton filmyfern

- Quillwort Family**
plain quillwort
tall quillwort
stout quillwort
veiled quillwort
common quillwort
limestone quillwort

- Screw fern Family**
screw fern
oval wedgefern

- Clubmoss Family**
mother clubmoss
long clubmoss
buttongrass clubmoss
slender clubmoss
bog clubmoss
conifer clubmoss
mountain clubmoss
spreading clubmoss
pygmy clubmoss

- Nardoo Family**
smooth nardoo
australian pillwort

- OPHIOGLOSSACEAE**
x *Botrychium australe*
Botrychium lunaria
Ophioglossum lusitanicum subsp. *coriaceum*

- OSMUNDACEAE**
Todea barbara

- POLYPODIACEAE**
Microsorium pustulatum subsp. *pustulatum*

- PSILOACEAE**
Tmesipteris elongata
Tmesipteris obliqua
Tmesipteris parva

- PTERIDACEAE**
Pteris comans
Pteris tremula

- SCHIZAEACEAE**
Schizaea asperula
Schizaea bifida
Schizaea fistulosa

- SELAGINELLACEAE**
Selaginella gracillima
Selaginella uliginosa

- THELYPTERIDACEAE**
Pneumatopteris pennigera

- Adders-tongue Family**
parsley fern
moonwort
adders-tongue

- Kingfern Family**
southern kingfern

- Kangaroo fern Family**
kangaroo fern

- Forkfern Family**
narrow forkfern
common forkfern
small forkfern

- Brake Family**
netted brake
tender brake

- Combfern Family**
rough combfern
forked combfern
narrow combfern

- Spikemoss Family**
tiny spikemoss
swamp spikemoss

- Lime fern Family**
lime fern

Notes

